

20 26




Catalogue_01






20 26



Catalogue_01
















Design is our best profile.





Index


external corner profiles	 CERFIX® PROANGLE Q page 18	listellos and decorative profiles	 CERFIX® PROLIST page 52	linear shower drains and systems for bathrooms	 PP DRAIN AQUA page 70
	 CERFIX® PROANGLE page 26		 METAL LINE AF - M DESIGN page 53		 PP DRAIN VARIOGUARD page 75
	 CERFIX® PROTRIM IP page 33		 CERFIX® PROLIST-X DESIGN page 53		 THIN DRAIN page 77
	 CERFIX® PROTRIM page 34		 CERFIX® PRODECOR - C DESIGN page 54-55		 SLIM DRAIN page 79
	 CERFIX® PROTRIM N page 37		 CERFIX® PROSTYLE - C DESIGN page 54-55		 SMART DRAIN page 81
	 CERFIX® PROANGLE F page 42				 Q DRAIN page 83
	 CERFIX® PROANGLE AX - M DESIGN page 43	internal corner profiles	 CERFIX® PROROUND M page 58		 GLASS PROFILE page 86
	 CERFIX® PRONIVEL M page 43		 CERFIX® PROROUND P page 61		 SANIBORD page 94
	 PROCORNER M page 44		 CERFIX® PROROUND M GIC/ page 62		
	 PROCORNER P page 46		 CERFIX® PROINT page 62-63		profiles for floors of same height
	 CERFIX® PROBORD page 48		 PROROUND B page 64		 CERFIX® PROANGLE B page 99
	 CERFIX® PROTOP page 49				 CERFIX® PRODECOR DJ page 101



CERFIX®
PRODECOR
page 101




CERFIX®
PROSTYLE
page 102




PROJOINT U
page 103




PROJOINT
page 103



PROJOINT T
page 104



PROJOINT R
page 106



PROJOINT M
page 106



PROCLASSIC R
page 107



PROCLASSIC F
page 110



PROCLASSIC
FIRE LEVEL-TOP
page 112-113



CERFIX®
PRONIVEL N
page 116



CERFIX®
PRONIVEL P
page 117



CERFIX®
PRONIVEL L
page 118



CERFIX®
PRONIVEL PB
page 118



CERFIX®
PRONIVEL PL
page 119




CERFIX®
PRONIVEL M
page 119



PROLEVEL
HIGH
page 120



PROLEVEL
MEDIUM
page 122



PROLEVEL
THIN
page 123

joints



CERFIX®
PROJOINT
DIL NE
page 126



CERFIX®
PROJOINT
DIL NJ
page 126



CERFIX®
PROJOINT
DIL NL
page 127



CERFIX®
PROJOINT
DIL NF
page 127



CERFIX®
PROJOINT DIL
NAN
page 128



CERFIX®
PROJOINT DIL
NPAN
page 128



CERFIX®
PROJOINT DIL
NIN
page 129



CERFIX®
PROJOINT DIL
NIL
page 129



CERFIX®
PROJOINT DIL
NTA - NTI - NTO
page 130



CERFIX®
PROJOINT DIL
STA - STI
page 130



CERFIX®
PROJOINT DIL
NZA
page 131



CERFIX®
PROJOINT DIL
NZS
page 131



CERFIX®
PROJOINT DIL
PBE
page 132



CERFIX®
PROJOINT DIL
PBH
page 133



CERFIX®
PROJOINT DIL
PAS
page 133

profiles for
floors of
different
height

Index



CERFIX®
PROJOINT DIL
PHDE
page 134



CERFIX®
PROJOINT DIL
PFFE
page 134



CERFIX®
PROCOVER
FLEX
page 135



CERFIX®
PROCOVER FIX
page 135



CERFIX®
PROCOVER
page 136



CERFIX®
PROTEC CPEV
- CPEI
page 146



CERFIX®
PROTEC CPNV
page 148



CERFIX®
PROTEC CPBV
page 149



CERFIX®
PROTEC CPHA
- CPHV
page 150



CERFIX®
PROTEC CPLB
- CPLV
page 151




CERFIX®
PROSTEP SIX
page 157



CERFIX®
PROSTEP SP
page 158




CERFIX®
PROSTEP SA
- SB
page 158



PROTECT
page 160



SAFETY-STEP
page 168



PROSTAIR
page 170

profiles for balconies and terraces



CERFIX®
PROTEC CPCV
- CPCI
page 140



CERFIX®
PROTEC CPCVF
page 140



CERFIX®
PROTEC
CPCV/30/
page 142



CERFIX®
PROTEC
CPCVD/30/
page 143



CERFIX®
PROTEC CPGV
page 144




CERFIX®
PROTEC CPQV
page 145

stair nosing profiles



CERFIX®
PROSTEP SGA -
SGI - SGN - SGK
page 154



CERFIX®
PROSTEP SMA
- SM
page 154



CERFIX®
PROTRIM IP
page 155



CERFIX®
PROSTEP SNG
- SN
page 155




CERFIX®
PROSTEP SAR
- SIR
page 156



CERFIX®
PROSTEP SIS
page 157


profiles for wooden, laminate and resilient floors



UNISYSTEM
PLUS
page 176



PROFIX THIN
page 182




PRESTOWOOD
page 184



TERMINAL RC
page 187



TERMINAL RC
FLEX
page 187



ALFIX 616
page 188



ALFIX 46
page 189



CERFIX®
PROJOINT DIL
page 190



CERFIX®
PRONIVEL PB
page 190-191



CERFIX®
PROJOINT T
page 191




CERFIX®
PROSTEP
page 192




PROTECT
page 192



CERFIX®
PROTRIM
page 193



CERFIX®
PROANGLE
page 193



CERFIX®
PROANGLE Q
page 193




CERFIX®
PROROUND M
page 194



CERFIX®
PROINT
page 194

bendable profiles



PROANGLE
FLEX
page 202



PRODECOR DJ
FLEX
page 203



PROJOINT T
FLEX
page 203



TERMINAL
FLEX
page 204



PROSTEP
FLEX
page 204




METAL LINE 90
page 205




PROFLEX
MACHINE
page 262

metal line skirting board



METAL LINE 90
page 208



METAL LINE 90
TREND COLOR
page 208



METAL LINE
790
page 210




METAL LINE 92
page 211



METAL LINE 93
page 211




METAL LINE 89
page 212



METAL LINE 89
TREND COLOR
page 212



METAL LINE 89
I DESIGN
page 213




PROLIGHT
METAL LINE 89
page 213




METAL LINE
89/613
page 214



METAL LINE
105
page 215




METAL LINE
87 - 88
page 216



PROLIGHT
METAL LINE S
SKL/2
page 217






















METAL LINE AF
- M DESIGN
page 217



METAL LINE
100
page 218

Index

		METAL LINE 101 page 218			PVC LINE 8613 page 229	prolight		PROLIGHT PROLIST LLA - LLB page 240
		METAL LINE 95 - 94 page 219			PVC LINE 8612 page 230			PROLIGHT PROLIST TLA - CLA page 241
		METAL LINE 98 page 220			PVC LINE 8614 page 230			PROLIGHT PROANGLE Q ZQAL page 242
		METAL LINE 97/4 page 221			PVC LINE 8600 page 231			PROLIGHT PROSTEP SGA/11L page 243
		METAL LINE 97/7 page 222			PVC LINE 8181 page 231			PROLIGHT PROTECT G/9/F page 243
		METAL LINE 97/8 page 223			PVC LINE 8596 - 8598 page 232			PROLIGHT PROTECT 126/L/F page 244
pvc line skirting board		PVC LINE 8605 page 226			PVC LINE 8580 - 8582 page 232			PROLIGHT PROLIST Q LQL page 245
		PVC LINE 8606 page 226			PVC LINE 8602 page 233			PROLIGHT METAL LINE S SKL/2 page 245
		PVC LINE 8608 page 227			PVC LINE 8603 page 234			PROLIGHT METAL LINE 87/88 page 246
		PVC LINE 8615 page 228			PVC LINE 8607 page 235			PROLIGHT METAL LINE 89 page 247
		PVC LINE 8616 page 228			PVC LINE 148 - 172 - 173 page 236			ELECTRICAL COMPONENTS page 248
					PVC LINE 170 - 169 - 171 page 237			

		<p>material for the point of sale</p>  <p>MATERIAL FORTHEPOINT OFSALE page 272</p>
entrance mats	 <p>PROMAT page 253</p>	
		<p>index by item</p> <p>page 284</p>
accessories for installation	 <p>PROTILER page 257</p>  <p>FIX LEVEL page 258</p>  <p>KLIC LEVEL page 259</p>  <p>SPACERS WEDGES page 260</p>  <p>ACCESSORIES FOR INSTALLATION page 261</p>  <p>PROFLEX MACHINE page 262</p>	
DIY profiles	 <p>DIY PROFILES page 264</p>	

stainless steel

	SS polished stainless steel AISI 304 DIN 1.4301
	SS3 polished stainless steel AISI 316 DIN 1.4401
	SS0 polished stainless steel AISI 430 DIN 1.4016
	SSP superpolished stainless steel AISI 304 DIN 1.4301
	SSS brushed stainless steel AISI 304 DIN 1.4301
	SSB sandblasted stainless steel AISI 304 DIN 1.4301
	SSS3 brushed stainless steel AISI 316 DIN 1.4401
	CSS3 chromium-plated stainless steel AISI 316 DIN 1.4401
	SSS0 brushed stainless steel AISI 430 - DIN 1.4016
	BM matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301

brass

	BN natural
	BP polished
	BCP plated polished
	BCG 24kt gold plated

aluminium

	AN natural
--	----------------------

anodised aluminium

	AS silver
	AG gold
	ASG sand gold
	AT titanium
	AB bronze
	ABE bronze elox
	ABL black

anodised aluminium X Design - I Design

	APX platinum
	ATX titanium
	ABX brown
	ADBX dark brown

	ACX carbon
--	----------------------

bright polished aluminium

	ABPS silver
	ABPG gold
	ABPT titanium
	ABPC copper

bright brushed aluminium

	ABSS silver
	ABSG gold
	ABST titanium
	ABSC copper
	ABSB black

bright scratched aluminium

	ABBS silver
--	-----------------------

colour-coated aluminium

	AC RAL 9003 matt white
	AC RAL 9003 white
	AC RAL 9010 matt white
	AC RAL 9010 polished white
	AC RAL 8019 dark brown
	AC RAL 7038 ash grey
	AC RAL 7038 ash grey embossed
	AC RAL 9006 metal grey
	AC RAL 9007 aluminium grey

colour-coated aluminium Trend Color

	AC anthracite grey
	AC rust
	AC ancient grey
	AC beige
	AC sand
	AC greige

	AC stone
--	-----------------

	AC grey
--	----------------

	AC bronze
--	------------------

	AC dark brown
--	----------------------

	AC white stone
--	-----------------------

	AC black stone
--	-----------------------

	AC concrete white
--	--------------------------

	AC concrete graphite
--	-----------------------------

	AC concrete smoke
--	--------------------------

	AC concrete mud
--	------------------------

	AC concrete sand
--	-------------------------

	AC metal dark
--	----------------------

	AC metal light
--	-----------------------

	AC solid white
--	-----------------------

colour-coated aluminium Mapei Color

	100 white
	103 moon white
	111 silver grey
	123 ancient white
	112 medium grey
	113 cement grey
	114 anthracite
	110 manhattan 2000
	130 jasmine
	137 caribbean
	132 beige 2000
	133 sand
	134 silk
	188 biscuit
	135 golden dust
	120 black

decors Alcrom® Plus

	02
	05
	08
	10
	11
	12
	13
	14
	18
	19
	20
	25
	26
	31
	32
	34
	35
	36
	37
	38
	39
	40
	41
	42
	43
	44
	47
	65
	71
	72

	73
	74
	76
	77
	78
	79
	80
	81
	89
	91
	92
	93
	94
	95
	351
	363
	372
	490
	560
	580
	590
	665
	670
	951
	975
	1003
	1006
	1009
	1012
	1021
	1024

	1030
	1033
	1036
	1042
	1045
	1051
	1054
	1057
	1060
	1063
	1066
	1069
	1081
	1084
	1090
	1105
	1108
	1111
	1202
	1203
	1204
	1205
	1206
	1207
	1208
	1209
	1210
	1211
	1212
	1213
	1214

	1215
	1216
	1217
	96 - embossed white RAL 9010
	97 - embossed black RAL 9005
	99 - brushed silver
	100 - brushed steel
PVC-U	
	code 400 snow white
	code 402 white
	code 404 9001 cream white
	code 406 RAL 1015 - ivory
	code 408 RAL 1019 - beige grey
	code 410 RAL 7030 - stone grey
	code 412 RAL 7038 - ash grey
	code 414 RAL 7035 - light grey
	code 416 anthracite
	code 418 blue
	code 420 pastel blue
	code 422 light green
	code 424 RAL 3002 - red
	code 426 RAL 9005 - black
	code 428 RAL 1023 - yellow
	code 430 pastel pink
	code 432 beige bahama
	code 434 peach
	code 436 caramel
	code 438 brown
	code 440 dark brown
	code 442 coral red
	code 444 raw sienna

	code 446 terracotta
expanded PVC-U	
	decor 518
	decor 520
	decor 524
	decor 525
	decor 528
	decor 530
	decor 531
	decor 532
	decor 533
	decor 534
	decor 536
	decor 540
	decor 542
	decor 544
	decor 545
	decor 555 white
	decor 556 light grey
	decor 557 black
	decor 558 anthracite
	decor 559 silver
	decor 561 yellow
	decor 562 green
	decor 563 light blue
	decor 564 red



external corner profiles

A line dedicated to the protection and finishing of external corners of wall coverings. Profiles are suitable for any type of environment for the variety of finishes available, matching perfectly with all types of ceramics and giving character and linearity to compositions.





cerfix® proangle Q

Proangle Q in aluminium is a line of universal profiles with square shape, specially designed to edge and protect the external corners of ceramic coverings, that can be also used for finishing worktops and platforms. ZQVNH/ boasts the certified antibacterial technology (in compliance with ISO 22196:2011 standards) which reduces the presence of the most dangerous bacteria up to 99%, thus assuring the best hygiene over time.






ZQBN/10 bright polished silver aluminium



PROANGLE Q

length = 270 cm - pack 20 pcs

ART.	finishing		4,5	6	8	9	10	11	12,5
ALUMINIUM									
ZQAN/	silver anodised		88772	88875	88876	88877	88878	88879	88880
	euro/m								
ZQAN/	titanium anodised		88902	88903	88904	88905	88906	88907	88908
	euro/m								
ZQAN/	black anodised		-	-	89205	-	89206	89207	89208
	euro/m		-	-		-			
ZQBN/	bright polished silver		88816	88919	88920	88921	88922	88923	88924
	euro/m								
ZQBN/	bright polished gold		88933	-	88935	-	88937	-	88939
	bright polished titanium		88956	88964	88966	88968	88970	88972	88974
ZQBRN/	bright polished copper		-	-	-	-	88969	-	88971
	euro/m								
ZQBSN/	bright brushed silver		88981	88982	88983	-	88985	88986	88987
	bright brushed gold		88997	-	88999	-	89001	-	89003
ZQTMN/	bright brushed titanium		89013	89014	89015	-	89017	-	89019
	bright brushed copper		-	-	89031	-	89033	-	89035
ZQBSN/	bright brushed black		-	-	-	-	89209	89210	89211
	euro/m		-	-	-	-			
ZQAGN/	bright scratched silver		89061	-	89063	-	89065	-	89067
	euro/m			-		-		-	
COLOUR-COATED ALUMINIUM									
ZQVN/	colour-coated matt white RAL 9003		-	-	89200	-	89202	89203	89204
	colour-coated white RAL 9003		89077	89076	89079	-	89081	89078	89083
ZQVNH/	colour-coated white RAL 9003		-	-	89080	-	89082	-	89084
	euro/m		-	-		-		-	



ZQAN/10 black anodised aluminium


Complete the article code with H measure
(for example ZQAN/ for H=8 becomes ZQAN/8)

Items ZQVN available in different colours on demand minimum quantity 540 meters for colour


ZQAN/ /EI
silver anodised
aluminium**PROANGLE Q - OUTSIDE / INSIDE CORNERS / END CAPS**

pack 5 pcs		H							
ART.	finishing		4,5	6	8	9	10	11	12,5
ALUMINIUM									
ZQAN/ /EI	silver anodised		88809	88882	88883	88884	88885	88886	88887
	titanium anodised		88910	88911	88912	88913	88914	88915	88916
<i>euro/pc</i>									
ZQAN/ /EI	black anodised		-	-	89223	-	89224	89225	89226
	<i>euro/pc</i>		-	-		-			
ZQBN/ /EI	bright polished silver		88829	88926	88927	88928	88929	88930	88931
	bright polished gold		88941	-	88943	-	88945	-	88947
ZQVN/ /EI	colour-coated matt white RAL 9003		-	-	89192	-	89194	89195	89196
	colour-coated white RAL 9003		89085	89086	89087	-	89089	89088	89091
<i>euro/pc</i>									
ZQBN/ /EI	bright polished titanium		88976	88978	88980	88984	88988	88992	88996
ZQBRN/ /EI	bright polished copper		-	-	-	-	88977	-	88979
ZQBSN/ /EI	bright brushed silver		88989	88990	88991	-	88993	88994	88995
	bright brushed gold		89005	-	89007	-	89009	-	89011
ZQTMN/ /EI	bright brushed titanium		89021	89022	89023	-	89025	-	89027
ZQBSN/ /EI	bright brushed copper		-	-	89039	-	89041	-	89043
ZQBSN/ /EI	bright brushed black		-	-	-	-	89227	89228	89229
<i>euro/pc</i>									
ZQAGN/ /EI	bright scratched silver		89069	-	89071	-	89073	-	89075
	<i>euro/pc</i>			-		-		-	

no partial packaging



ZQAN/10 + ZQAN/10/EI silver anodised aluminium



ZQAN/10 + ZQAN/10/EI silver anodised aluminium

Complete the article code with H measure
(for example ZQAN/ /EI for H=8 becomes
ZQAN/8/EI)



cerfix® proangle Q


Colour-coated aluminium Trend Color Stone: modern finishes with neutral but warm and soft shades which reproduce the heterogeneity of stone thanks to a rough texture.

Colour-coated aluminium Trend Color Concrete: six original cement-effect finishes that recall the typical metropolis colours by revisiting them from a more refined point of view.

Colour-coated aluminium Trend Color Metal: two special metal tonalities which reproduce the iridescent nature of metals.



ZQVN/10 stone colour-coated aluminium

TREND
COLOR

ZQVN/



PROANGLE Q - TREND COLOR

length = 270 cm - pack 20 pcs

ART.	finishing	H			
		8	10	11	12,5

COLOUR-COATED ALUMINIUM

TREND COLOR STONE

dark brown		89360	89310	89311	89312
anthracite grey		89093	89095	89106	89097
ancient grey		89362	89220	89221	89222
grey		89363	89290	89291	89292
rust		89094	89096	89107	89098
bronze		89365	89300	89301	89302
stone		89366	89280	89281	89282
greige		89367	89270	89271	89272
sand		89368	89260	89261	89262
beige		89369	89250	89251	89252
white stone		89370	89320	89321	89322
black stone		89371	89330	89331	89332

ZQVN/


TREND COLOR CONCRETE

concrete white		-	89131	89161	89181
concrete graphite		-	89132	89162	89182
concrete smoke		-	89133	89163	89183
concrete mud		-	89134	89164	89184
concrete sand		-	89135	89165	89185
solid white		-	89138	89168	89188

TREND COLOR METAL

metal dark		-	89136	89166	89186
metal light		-	89137	89167	89187

euro/m



ZQVN/10 concrete white colour-coated aluminium

individually packed - Other heights with TREND COLOR finishes are available upon request, with a minimum of 270 meters.

Complete the article code with H measure
(for example ZQVN/ for H=10 becomes
ZQVN/10).




ZQVN/ /EI
sand colour-coated
aluminium


PROANGLE Q - TREND COLOR - OUTSIDE / INSIDE CORNERS / END CAPS

pack 5 pcs		H				
ART.	finishing	8	10	11	12,5	
COLOUR-COATED ALUMINIUM						
ZQVN/ /EI	TREND COLOR STONE					
	dark brown		89380	89303	89304	89305
	anthracite grey		89100	89102	89108	89104
	ancient grey		89382	89213	89214	89215
	grey		89383	89283	89284	89285
	rust		89101	89103	89109	89105
	bronze		89385	89293	89294	89295
	stone		89386	89273	89274	89275
	greige		89387	89263	89264	89265
	sand		89388	89253	89254	89255
	beige		89389	89243	89244	89245
	white stone		89390	89340	89341	89342
	black stone		89391	89350	89351	89352
	TREND COLOR CONCRETE					
	concrete white		-	89392	89402	89410
concrete graphite		-	89394	89403	89411	
concrete smoke		-	89395	89404	89412	
concrete mud		-	89396	89405	89413	
concrete sand		-	89397	89406	89414	
solid white		-	89400	89409	89417	
TREND COLOR METAL						
metal dark		-	89398	89407	89415	
metal light		-	89399	89408	89416	
euro/pc						

no partial packaging



LED-light profiles and skirting boards with Trend
Color finishes on page 245.



ZQVN/10 Trend Color finishes

Complete the article code with H measure
(for example ZQVN/ /EI for H = 10 becomes
ZQVN/10/EI).



cerfix® proangle Q

In anodised aluminium, X Design is characterized by a special scratched finish and original colours that allow different chromatic combinations, created for interior designers and architects by following the latest trends of modern design.



ZQAND/10 brown anodised aluminium

**PROANGLE Q - X DESIGN**

length = 270 cm - pack 20 pcs

		H		
ART.	finishing	8	10	12,5
ANODISED ALUMINIUM				
ZQAND/	platinum	 31110	31112	31114
	titanium	 31120	31122	31124
	brown	 31130	31132	31134
	dark brown	 31140	31142	31144
	carbon	 31150	31152	31154
euro/m				


individually packed

PROANGLE Q - X DESIGN - OUTSIDE / INSIDE CORNERS / END CAPS

pack 5 pcs

		H		
ART.	finishing	8	10	12,5
ANODISED ALUMINIUM				
ZQAND/ EI	platinum	 31160	31162	31164
	titanium	 31170	31172	31174
	brown	 31180	31182	31184
	dark brown	 31190	31192	31194
	carbon	 31200	31202	31204
euro/pc				

no partial packaging



ZQAND/

ZQAND/ EI
brown
anodised
aluminium

Complete the article code with H measure
(for example ZQAND/ for H=8 becomes
ZQAND/8)




Proangle Q in stainless steel is a line of universal profiles with square shape, specially designed to edge and protect the external corners of ceramic coverings.

They are also particularly suitable for the edging and the protection of floors and steps in different materials, such as ceramic, stone, wood and resins, and can be also used for finishing worktops and platforms.

Stainless steel makes the profile particularly resistant to chemical and atmospheric agents. The AISI 316 DIN 1.4401 quality offers superior resistance to corrosion and is therefore recommended for applications in areas subject to greater stresses.



ZQINP/10 sandblasted stainless steel AISI 304-DIN 1.4301



PROANGLE Q

length = 270 cm - pack 20 pcs

		H							
ART.	finishing	6	8	9	10	11	12,5	15	
STAINLESS STEEL									
ZQIN/	stainless steel AISI 304 - DIN 1.4301		90049	90050	90051	90052	90053	90054	90055
	euro/m								
ZQINS/	brushed stainless steel AISI 304 - DIN 1.4301		90100	90101	90102	90103	90104	90105	90106
ZQINP/	sandblasted stainless steel AISI 304 - DIN 1.4301		90130	90131	90132	90133	90134	90135	90136
	euro/m								
ZQINX/	stainless steel AISI 316 - DIN 1.4401		-	90107	-	90109	-	90111	-
	euro/m		-		-		-		-

individually packed - ZQIN/15, ZQINS/15 and ZQINP/15 packaging of 10 pcs



ZQIN/ /EI
stainless steel
AISI 304 - DIN 1.4301

PROANGLE Q - OUTSIDE / INSIDE CORNERS / END CAPS

pack 5 pcs

		H							
ART.	finishing	6	8	9	10	11	12,5	15	
STAINLESS STEEL									
ZQIN/ /EI	stainless steel AISI 304 - DIN 1.4301		90064	90065	90066	90067	90068	90069	90070
	euro/pc								
ZQINS/ /EI	brushed stainless steel AISI 304 - DIN 1.4301		90112	90113	90114	90115	90116	90117	90118
ZQINP/ /EI	sandblasted stainless steel AISI 304 - DIN 1.4301		90137	90138	90139	90140	90141	90142	90143
	euro/pc								
ZQINX/ /EI	stainless steel AISI 316 - DIN 1.4401		-	90119	-	90121	-	90123	-
	euro/pc		-		-		-		-
METAL									
ZQIM/ /EI	polished steel effect		-	90092	90093	90094	90095	90096	-
	euro/pc		-						-
ZQIMS/ /EI	brushed steel effect		-	90152	90153	90154	90155	90156	-
	euro/pc		-						-
ZQIMP/ /EI	sandblasted steel effect		-	90162	90163	90164	90165	90166	-
	euro/pc		-						-

no partial packaging for ZQIM/ /EI, ZQIMS/ /EI and ZQIMP/ /EI



ZQIN/10/EI stainless steel AISI 304 - DIN 1.4301

Complete the article code with H measure (for example ZQIN/ for H=8 becomes ZQIN/8)





cerfix® proangle Q

Proangle Q in polished brass is classic and modern at the same time and can be easily combined to handles, taps and other furniture accessories of the same material and finish.

The chromium-plated version stands out for its brilliance and is perfect as decorative element in spaces characterized by elegance and attention to details.



ZQKN/10 chromium-plated brass

ZQKN/ EI
chromium-plated
brass**PROANGLE Q**

length = 270 cm - pack 20 pcs

ART.	finishing	4,5	8	10	11	12,5
------	-----------	-----	---	----	----	------

POLISHED BRASS

ZQLN/	polished		90022	90056	90057	90063	90058
-------	----------	--	-------	-------	-------	-------	-------

*euro/m***CHROMIUM-PLATED BRASS**

ZQKN/	chromium plated		88870	90059	90060	90074	90061
-------	-----------------	--	-------	-------	-------	-------	-------

euro/m

individually packed - ZQKN/12,5 packaging of 10 pcs

PROANGLE Q - OUTSIDE / INSIDE CORNERS / END CAPS

length = 270 cm - pack 5 pcs

ART.	finishing	4,5	8	10	11	12,5
------	-----------	-----	---	----	----	------

BRASS

ZQLN/ /EI	polished		90062	90071	90072	90075	90073
-----------	----------	--	-------	-------	-------	-------	-------

euro/pc

ZQKN/ /EI	chromium plated		88872	90077	90083	90085	90087
-----------	-----------------	--	-------	-------	-------	-------	-------

euro/pc

Complete the article code with H measure
(for example ZQLN/ for H=8 becomes ZQLN/8)




ZQLN/10 polished brass



Proangle Q in coextruded PVC is a line of universal profiles with square shape, specially designed to edge and protect the external corners of ceramic coverings. Thanks to the special section with soft PVC inserts, these profiles absorb the micro-movements that discharge on the corner due to the tension of the wall coverings.



ZQP/8 white PVC



ZQP/



ZQP/8 beige bahama PVC

PROANGLE Q

length = 270 cm

length = 270 cm			H			
ART.	finishing		6	8	10	12,5
CO-EXTRUDED PVC						
ZQP/	white		80800	80801	80802	80803
	cream white RAL 9001		80804	80805	80806	80807
	ivory RAL 1015		80808	80809	80810	80811
	beige grey RAL 1019		80812	80813	80814	80815
	stone grey RAL 7030		80816	80817	80818	80819
	light grey RAL 7035		80820	80821	80822	80823
	anthracite		80824	80825	80826	80827
	beige bahama		80832	80833	80834	80835
	brown		80836	80837	80838	80839

pack 20 pcs
euro/m

pack 80 pcs
euro/m

pack 100 pcs
euro/m

no partial packaging

to order the pack of 80 and 100 pcs, mark /80 or /100 after the article code (for example, code 80800 becomes 80800/100)

PROANGLE Q - OUTSIDE / INSIDE CORNERS / END CAPS

pack 12 pcs			H			
ART.	finishing		6	8	10	12,5
ABS						
ZQP/ /EI	white		80850	80851	80852	80853
	cream white RAL 9001		80854	80855	80856	80857
	ivory RAL 1015		80858	80859	80860	80861
	beige grey RAL 1019		80862	80863	80864	80865
	stone grey RAL 7030		80866	80867	80868	80869
	light grey RAL 7035		80870	80871	80872	80873
	anthracite		80874	80875	80876	80877
	beige bahama		80882	80883	80884	80885
	brown		80886	80887	80888	80889
euro/pc						

no partial packaging

ZQP/ /EI
white ABS

Complete the article code with H measure
(for example ZQP/ for H=8 becomes ZQP/8)

Colours available on demand - minimum quantity
2700 meters



cerfix® proangle



Proangle in aluminium is a line of profiles for edging and protecting the external corners of ceramic coverings. Its L shape outlines clearly tile coverings, such as rectified porcelain stoneware.

Available in different colours and finishes, Proangle can also be used as decorative element, creating refined and pleasant combination/contrast effects with a wide variety of coverings.

ZQVNH/ boasts the certified antibacterial technology (in compliance with ISO 22196:2011 standards) which reduces the presence of the most dangerous bacteria up to 99%, thus assuring the best hygiene over time.



ZA/10 silver anodised aluminium



PROANGLE

length = 270 cm - pack 20 pcs

length = 270 cm - pack 20 pcs					H					
ART.	finishing		3	4,5	6	8	9	10	11	12,5
ALUMINIUM										
ZA/	silver anodised		90338	90340	88204	88205	88217	88206	88218	88207
	euro/m									
	titanium anodised		-		88253	88254	-	88255	88257	88256
	euro/m									
	black anodised		-	-	-	88265	-	88266	88267	88268
	euro/m									
ZB/	bright polished silver		-	88260	88294	88295	-	88296	88220	88297
	euro/m		-				-			
ZB/	bright polished gold		-	88261	88339	88340	-	88341	-	88342
	bright polished titanium		-	88333	88334	88335	-	88336	88337	88338
	euro/m		-				-			
ZBS/	bright brushed silver		-	-	-	-	-	88356	88357	88358
ZTM/	bright brushed titanium		-	-	-	-	-	88359	88360	88361
	euro/m						-			
ZBS/	bright brushed black		-	-	-	-	-	88353	88354	88355
	euro/m									
COLOUR-COATED ALUMINIUM										
ZV/	colour-coated matt white RAL 9003		-	-	-	88395	-	88396	88435	88397
	colour-coated white RAL 9003		-	-	88384	88385	-	88386	88436	88387
	euro/m		-	-			-			
ANTIBACTERIAL COLOUR-COATED ALUMINIUM										
ZVH/	colour-coated white RAL 9003		-	-	-	88390	-	88392	-	88394
	euro/m		-	-	-		-		-	

individually packed

Complete the article code with H measure (for example ZA/ for H=8 becomes ZA/8)

Items ZV/ available in different colours on demand - minimum quantity 540 meters for colour.

Proangle: for different heights till 25 mm please see page 98-99

Proangle bendable version see page 202



ZA/10 black anodised aluminium



ZA/10 titanium anodised aluminium



Colour-coated aluminium Trend Color
Stone: modern finishes with neutral but
warm and soft shades which reproduce
the heterogeneity of stone thanks to a
rough texture.

Colour-coated aluminium Trend Color

Concrete: six original cement-effect
finishes that recall the typical metropolis
colours by revisiting them from a more
refined point of view.


Colour-coated aluminium Trend Color

Metal: two special metal tonalities
which reproduce the iridescent nature
of metals.



ZV/10 beige colour-coated aluminium

TREND
COLOR



ZV/



PROANGLE - TREND COLOR

length = 270 cm - pack 20 pcs

ART.	finishing	H			
		8	10	11	12,5

COLOUR-COATED ALUMINIUM

TREND COLOR STONE

dark brown		88446	88407	88417	88481
anthracite grey		88447	88398	88408	88482
ancient grey		88448	88400	88410	88483
grey		88449	88405	88415	88484
rust		88450	88399	88409	88485
bronze		88451	88406	88416	88486
stone		88452	88404	88414	88491
greige		88453	88403	88413	88492
sand		88454	88402	88412	88493
beige		88455	88401	88411	88494
white stone		88456	88428	88433	88495
black stone		88457	88429	88434	88496

ZV/

TREND COLOR CONCRETE

concrete white		88469	88437	88461	88497
concrete graphite		88470	88438	88462	88498
concrete smoke		88471	88439	88463	88499
concrete mud		88472	88440	88464	88500
concrete sand		88473	88441	88465	88501
solid white		88478	88460	88468	88502

TREND COLOR METAL

metal dark		88479	88458	88466	88503
metal light		88480	88459	88467	88504

euro/m

individually packed



ZV/10 white stone colour-coated aluminium

LED-light profiles and skirting boards with
Trend Color finishes on page 245.

Complete the article code with H measure
(for example ZV/ for H=10 becomes ZV/10).



cerfix® proangle

Mapei Color is a range of sixteen finishes for Cerfix Proangle, the L-profile for wall coverings by Profilpas.

Available in eight warm and eight cold colours, Mapei Color offers a chromatic experience that ensures a perfect combination with the shades of Mapei grouts and silicone sealants. This range meets every aesthetic need, whether tone-on-tone or contrasting with tiles, proving to be the ideal solution for any environment.



ZV/10 beige 2000 colour-coated aluminium


MAPEI
COLOR

PROANGLE - MAPEI COLOR

length = 270 cm - pack 20 pcs

ART.	finishing	H				
		6	8	10	11	12,5
COLOUR-COATED ALUMINIUM						
	100 white	88368	88388	88524	88548	88564
	103 moon white	88369	88389	88525	88549	88565
	111 silver grey	88370	88391	88526	88550	88566
	123 ancient white	88371	88393	88527	88551	88567
	112 medium grey	88372	88508	88528	88552	88568
	113 cement grey	88373	88509	88529	88553	88569
	114 anthracite	88374	88510	88530	88554	88570
	110 manhattan 2000	88375	88511	88531	88555	88571
ZV/	130 jasmine	88376	88512	88536	88556	88572
	137 caribbean	88377	88514	88538	88558	88574
	132 beige 2000	88378	88513	88537	88557	88573
	133 sand	88379	88515	88539	88559	88575
	134 silk	88380	88516	88540	88560	88576
	188 biscuit	88381	88517	88541	88561	88581
	135 golden dust	88382	88518	88542	88562	88582
	120 black	88383	88523	88543	88563	88583
euro/m						

individually packed



ZV/



grout 133 sand




profile 133 sand

Complete the article code with H measure (for example ZV/ for H=10 becomes ZV/10).



ZV/10 medium grey colour-coated aluminium



ZV//EI

PROANGLE - OUTSIDE / INSIDE CORNERS / END CAPS

pack 5 pcs		H				
ART.	finishing	6	8	10	11	12,5
COLOUR-COATED ALUMINIUM						
	100 white	-	88593	88615	88631	88656
	103 moon white	-	88594	88616	88632	88657
	111 silver grey	-	88595	88617	88633	88658
	123 ancient white	-	88596	88618	88638	88659
	112 medium grey	-	88597	88619	88639	88660
	113 cement grey	-	88598	88620	88640	88661
	114 anthracite	-	88599	88621	88642	88662
	110 manhattan 2000	-	88600	88622	88643	88663
ZV//EI	130 jasmine	-	88601	88623	88644	88664
	137 caribbean	-	88608	88624	88645	88665
	132 beige 2000	-	88609	88625	88646	88666
	133 sand	-	88610	88626	88651	88667
	134 silk	-	88611	88627	88652	88668
	188 biscuit	-	88612	88628	88653	88669
	135 golden dust	-	88613	88629	88654	88670
	120 black	-	88614	88630	88655	88671
	euro/pc	-				
	no partial packaging					






cerfix® proangle

Proangle in stainless steel is a line of profiles for edging and protecting the external corners of ceramic coverings. Its L shape outlines clearly tile coverings, such as rectified porcelain stoneware.

Stainless steel makes the profile particularly resistant to chemical and atmospheric agents. The AISI 316 DIN 1.4401 quality offers superior resistance to corrosion and is therefore recommended for applications in areas subject to greater stresses.



AI/10 stainless steel AISI 304 - DIN 1.4301



PROANGLE

length = 270 cm - pack 20 pcs


length = 270 cm - pack 20 pcs				H						
ART.	finishing		3	4,5	6	8	9	10	11	12,5
STAINLESS STEEL										
AI/	stainless steel AISI 304 - DIN 1.4301		91636	91638	91642	91644	91645	91646	91647	91648
	euro/m									
AIL/	superpolished stainless steel AISI 304 - DIN 1.4301		-	91690	-	91694	-	91696	-	91698
	euro/m		-		-		-		-	
AIS/	brushed stainless steel AISI 304 - DIN 1.4301		-	91671	91673	91674	-	91675	91677	91676
	euro/m		-				-			
AIP/	sandblasted stainless steel AISI 304 - DIN 1.4301		-	-	91700	91702	-	91704	91705	91706
	euro/m		-	-			-			
AIX/	stainless steel AISI 316 - DIN 1.4401		-	-	91684	91685	-	91686	91688	91687
	euro/m		-	-			-			

individually packed

PROANGLE - OUTSIDE CORNER

pack 5 pcs

pack 5 pcs			H							
ART.	finishing		3	4,5	6	8	9	10	11	12,5
STAINLESS STEEL										
AI//E	stainless steel AISI 304 - DIN 1.4301		-	-	-	-	-	91663	91664	91665
	euro/pc		-	-	-	-	-			
AIS//E	brushed stainless steel AISI 304 - DIN 1.4301		-	-	-	-	-	91680	91681	91682
	euro/pc		-	-	-	-	-			



AI//E
AIS//E



AI//E stainless steel AISI 304 - DIN 1.4301


Complete the article code with H measure
(for example AI/ for H=10 becomes AI/10)



Proangle ZK and Prodecor DJK are two L-shaped profiles in chromium-plated brass, with different section, designed for edging and protecting the external corners of ceramic coverings. Chromium-plated brass stands out for its brilliance and is perfect as decorative element in spaces characterized by elegance and attention to details.



Proangle ZK/ chromium-plated brass



ZK/

**PROANGLE**


length = 270 cm - pack 20 pcs

ART.	finishing	4,5	6	8	9	10	11	12,5
------	-----------	-----	---	---	---	----	----	------

CHROMIUM-PLATED BRASS

ZK/	chromium plated		90081	88114	88115	-	88116	88118	88117
	euro/m					-			

individually packed



ZK/

PRODECOR DJ

length = 270 cm - pack 20 pcs

ART.	finishing	8	10	12,5	15	20
------	-----------	---	----	------	----	----

CHROMIUM-PLATED BRASS

DJK/	chromium plated		95700	95702	95704	95703	95705
	euro/m						

individually packed - art. DJK/20 pack 10 pcs

PRODECOR DJ - OUTSIDE AND INSIDE CORNERS


pack 5 pcs

ART.	finishing	8	10	12,5	15	20
------	-----------	---	----	------	----	----

CHROMIUM-PLATED BRASS

DJK/ /EI	chromium plated		95706	95707	95708	95709	95710
	euro/pc						

no partial packaging



DJK/



DJK/ /EI

Complete the article code with H measure
(for example ZK/ for H=8 becomes ZK/8)



Prodecor DJK/ chromium-plated brass




cerfix® proangle


Proangle in PVC-U is a line of profiles for edging and protecting the external corners of ceramic coverings. Its L shape outlines clearly tile coverings, such as rectified porcelain stoneware. Available in many different colours, they can be used in the most varied spaces.



PV/8 beige grey PVC-U



PV/



PV/

PROANGLE

length = 270 cm

length = 270 cm			H				
ART.	finishing		4,5	6	8	10	12,5
PVC-U							
	snow white		80610	80496	80497	80498	80499
	white		80611	80500	80501	80502	80503
	cream white RAL 9001		-	80504	80505	80506	80507
	ivory RAL 1015		-	80508	80509	80510	-
	beige grey RAL 1019		-	80512	80513	80514	-
PV/	beige bahama		-	80552	80553	80554	-
	stone grey RAL 7030		-	80516	80517	80518	-
	ash grey RAL 7038		-	80520	80521	80522	-
	light grey RAL 7035		-	80524	80525	80526	80527
	anthracite		-	80559	80560	80561	-
	red RAL 3002		-	80528	80529	80530	-
	black RAL 9005		-	80532	80533	80534	-

pack 20 pcs

euro/m

pack 100 pcs

euro/m

no partial packaging

to order the pack of 100 pcs, mark /100 after article code (for example code 80497 becomes 80497/100)

Complete the article code with H measure
(for example PV/ for H=8 becomes PV/8)

Items PV/ available in different colours on
demand - minimum quantity 2700 meters for
colour




Protrim IP are minimalist profiles in aluminium or stainless steel, suitable for the edging of external corners that need the 45 degrees cut. These profiles allow a perfect installation both on wall coverings and on stairs or platforms in ceramic or wood.




IPA/11 silver anodised aluminium



IPI/11 stainless steel AISI 304 - DIN 1.4301

IPA/
IPB/
IPV/TREND
COLOR

IPV/11 beige colour-coated aluminium



IPI/

PROTRIM IP

length = 270 cm - pack 20 pcs

ART.	finishing		4,5	8	11	15
ALUMINIUM						
IPA/	silver anodised		95006	95178	95181	95185
	<i>euro/m</i>					
IPB/	bright polished silver		95008	-	-	-
	<i>euro/m</i>					

individually packed

PROTRIM IP - TREND COLOR STONE

length = 270 cm - pack 20 pcs

ART.	finishing		11
COLOUR-COATED ALUMINIUM			
TREND COLOR STONE			
	dark brown		95182
	anthracite grey		95183
	ancient grey		95184
	grey		95186
	rust		95187
	bronze		95188
	stone		95189
	greige		95190
	sand		95191
	beige		95192
IPV/	white stone		95193
	black stone		95194
TREND COLOR CONCRETE			
	concrete white		95195
	concrete graphite		95196
	concrete smoke		95197
	concrete mud		95198
	concrete sand		95199
	solid white		95205
TREND COLOR METAL			
	metal dark		95206
	metal light		95217
	<i>euro/m</i>		

individually packed - Other heights with TREND COLOR finishes are available upon request, with a minimum of 270 meters.

PROTRIM IP

length = 270 cm - pack 20 pcs

ART.	finishing		7	8	11	12,5
STAINLESS STEEL						
IPI/	stainless steel AISI 304 - DIN 1.4301		95169	95170	95173	95174
	<i>euro/m</i>					

individually packed

Complete the article code with H measure
(es: IPA/ for H=10 becomes IPA/10)





cerfix® protrim

Protrim in aluminium is a line of profiles with rounded shape, specially designed to edge and protect the external corners of ceramic coverings. Their shape also acts as symmetric and rounded finishing.

RVH/ boasts the certified antibacterial technology (in compliance with ISO 22196:2011 standards) which reduces the presence of the most dangerous bacteria up to 99%, thus assuring the best hygiene over time.



RA/10 silver anodised aluminium



PROTRIM

length = 270 cm - pack 20 pcs

length = 270 cm - pack 20 pcs			H								
ART.	finishing		3	4,5	6	8	10	11	12,5	15	
ALUMINIUM											
RA/	silver anodised		92055	92056	92070	92072	92074	92060	92076	92078	
	euro/m										
	gold anodised		92025	92026	92040	92042	92044	-	92046	-	
	euro/m							-		-	
RB/	titanium anodised		92085	92086	92087	92090	92094	-	92096	-	
	euro/m							-		-	
	bright polished silver		92315	92316	92310	92312	92314	92061	92318	-	
	euro/m									-	
RB/	bright polished gold		92325	92326	92340	92342	92344	-	92348	-	
	bright polished titanium		-	-	-	92029	92031	-	92032	-	
	euro/m							-		-	
	RAS/	bright brushed silver		92050	92051	92071	92073	92075	92062	92077	-
bright brushed gold			-	-	92041	92043	92045	-	92047	-	
RTM/		bright brushed titanium		92053	92057	92064	92066	92068	-	92079	-
euro/m										-	
COLOUR-COATED ALUMINIUM											
RV/	matt white RAL 9003		-	-	-	92107	92108	92109	92110	-	
	white RAL 9003		-	-	92100	92102	92104	92111	92106	-	
	euro/m		-	-						-	
ANTIBACTERIAL COLOUR-COATED ALUMINIUM											
RVH/	white RAL 9003		-	-	-	92112	92114	-	92116	-	
	euro/m		-	-	-			-		-	

individually packed

Complete the article code with H measure (for example RA/ for H=8 becomes RA/8)

Items RV/ available in different colours on demand - minimum quantity 540 meters for colour



RAS/10 bright brushed silver aluminium

TA/ silver
anodised
aluminium**PROTRIM - OUTSIDE CORNER**

pack 5 pcs

ART.	finishing		6	8	10	11	12,5
ALUMINIUM							
TA/	silver anodised		92606	92608	92610	92600	92612
	gold anodised		92614	92616	92618	-	92619
	titanium anodised		92564	92566	92568	-	92569
	euro/pc						
TB/	bright polished silver		92690	92692	92694	92601	92696
	bright polished gold		92700	92702	92704	-	92706
	bright polished titanium		-	92727	92731	-	92733
	euro/pc						
TAS/	bright brushed silver		92710	92711	92712	92602	92713
	bright brushed gold		92720	92721	92722	-	92723
TATM/	bright brushed titanium		92714	92716	92718	-	92773
euro/pc							
COLOUR-COATED ALUMINIUM							
TV/	matt white RAL 9003		-	92636	92637	92638	92639
	white RAL 9003		92620	92622	92624	92628	92626
	euro/pc						

no partial packaging

PROTRIM - INSIDE CORNER

pack 5 pcs

ART.	finishing		6	8	10	11	12,5
ALUMINIUM							
TIA/	silver anodised		92570	92571	92572	92603	92573
	gold anodised		92575	92576	92577	-	92578
	titanium anodised		92554	92555	92556	-	92558
	euro/pc						
TIB/	bright polished silver		92580	92581	92582	92604	92583
	bright polished gold		92585	92586	92587	-	92588
	bright polished titanium		-	92746	92747	-	92748
	euro/pc						
TIAS/	bright brushed silver		92550	92551	92552	92605	92553
	bright brushed gold		92560	92561	92562	-	92563
	euro/pc						
COLOUR-COATED ALUMINIUM							
TIV/	matt white RAL 9003		-	92646	92647	92648	92649
	white RAL 9003		92621	92623	92625	92629	92627
	euro/pc						

no partial packaging

TIA/ silver
anodised
aluminium

Complete the article code with H measure
(for example TA/ for H=8 becomes TA/8)



RA/10+TA/10+TIA/10 silver anodised aluminium




cerfix® protrim

Protrim in stainless steel is a line of profiles with rounded shape, specially designed to edge and protect the external corners of ceramic coverings and also recommended for floors, steps, worktops and platforms.

The AISI 304 versions are recommended for food industries, kitchens, hospitals and outdoor spaces, while the AISI 316 versions are recommended for applications in areas subject to greater stresses.



RI/10 stainless steel AISI 304 DIN 1.4301



PROTRIM

length = 270 cm - pack 20 pcs

		H								
ART.	finishing		4,5	6	8	9	10	11	12,5	15
STAINLESS STEEL										
RI/	stainless steel AISI 304 DIN 1.4301		92413	92420	92422	92423	92424	92425	92426	92428
	euro/m									
RIS/	brushed stainless steel AISI 304 - DIN 1.4301		-	92430	92431	92438	92432	92439	92433	92434
	euro/m		-							
RIP/	sandblasted stainless steel AISI 304 - DIN 1.4301		-	92450	92451	92452	92453	92454	92455	-
	euro/m		-							-
RIX/	stainless steel AISI 316 - DIN 1.4401		92405	92406	92407	92410	92408	92411	92409	-
	euro/m									-

individually packed - art. RI/15 pack 10 pcs

PROTRIM - OUTSIDE CORNER

pack 5 pcs

		H								
ART.	finishing		4,5	6	8	9	10	11	12,5	15
TIE/	stainless steel AISI 304 - DIN 1.4301		92750	92480	92481	92751	92482	92752	92483	92484
	euro/pc									
TIES/	brushed stainless steel AISI 304 - DIN 1.4301		-	92485	92486	92753	92487	92754	92488	92489
	euro/pc		-							
TIEP/	sandblasted stainless steel AISI 304 - DIN 1.4301		-	92510	92511	92512	92513	92514	92515	-
	euro/pc		-							-
TIEX/	stainless steel AISI 316 - DIN 1.4401		92500	92501	92502	92755	92503	92756	92504	-
	euro/pc									-


PROTRIM - INSIDE CORNER

pack 5 pcs

		H								
ART.	finishing		4,5	6	8	9	10	11	12,5	15
TII/	stainless steel AISI 304 - DIN 1.4301		92759	92490	92491	92757	92492	92758	92493	92494
	euro/pc									
TIIS/	brushed stainless steel AISI 304 - DIN 1.4301		-	92495	92496	92760	92497	92761	92498	92499
	euro/pc		-							
TIIP/	sandblasted stainless steel AISI 304 - DIN 1.4301		-	92516	92517	92518	92519	92520	92521	-
	euro/pc		-							-
TIIX/	stainless steel AISI 316 - DIN 1.4401		92505	92506	92507	92762	92508	92763	92509	-
	euro/pc									-



RI/10 + TIE/10 stainless steel AISI 304 DIN 1.4301



RI/10 + TII/10 stainless steel AISI 304 DIN 1.4301

Complete the article code with H measure
(for example RI/ for H=8 becomes RI/8)



METAL				8		10		11		
OUTSIDE CORNER - pack 5 pcs										
TIME/	polished steel effect		-	-	92960	-	92964	92966	-	-
	euro/pc		-	-		-			-	-
INSIDE CORNER - pack 5 pcs										
TIMI/	polished steel effect		-	-	92970	-	92974	92976	-	-
	euro/pc		-	-		-			-	-


no partial packaging

Protrim N in stainless steel is a line of profiles with rounded shape, specially designed to edge and protect the external corners of ceramic coverings and also recommended for floors, steps, worktops and platforms.

The AISI 304 versions are recommended for food industries, kitchens, hospitals and outdoor spaces, while the AISI 316 versions are recommended for applications in areas subject to greater stresses.



RIN/10 stainless steel AISI 304 - DIN 1.4301

RIN/
RINS/
RINX/**PROTRIM N**

length = 270 cm - pack 20 pcs

		H			
ART.	finishing	8	10	12,5	
STAINLESS STEEL					
RIN/	stainless steel AISI 304 - DIN 1.4301		92353	92356	92359
	euro/m				
RINS/	brushed stainless steel AISI 304 - DIN 1.4301		92354	92357	92360
	euro/m				
RINX/	stainless steel AISI 316 - DIN 1.4401		92355	92358	92361
	euro/m				

individually packed

PROTRIM N - OUTSIDE CORNER

		H			
ART.	finishing	8	10	12,5	
pack 5 pcs					
TIEN/	stainless steel AISI 304 - DIN 1.4301		92813	92816	92819
	euro/pc				
TIENS/	brushed stainless steel AISI 304 - DIN 1.4301		92814	92817	92820
	euro/pc				
TIENX/	stainless steel AISI 316 - DIN 1.4401		92815	92818	92821
	euro/pc				

PROTRIM N - INSIDE CORNER

		H			
ART.	finishing	8	10	12,5	
pack 5 pcs					
TIIN/	stainless steel AISI 304 - DIN 1.4301		92828	92831	92834
	euro/pc				
TIINS/	brushed stainless steel AISI 304 - DIN 1.4301		92829	92832	92835
	euro/pc				
TIINX/	stainless steel AISI 316 - DIN 1.4401		92830	92833	92836
	euro/pc				

TIEN/ stainless
steel AISI 304 -
DIN 1.4301TIIN/ stainless
steel AISI 304 -
DIN 1.4301

Complete the article code with H measure
(for example RIN/ for H=8 becomes RIN/8)




cerfix® protrim

Protrim in polished brass is classic and modern at the same time and can be easily combined to handles, taps and other furniture accessories of the same material and finish.

The chromium-plated version stands out for its brilliance and is perfect as decorative element in spaces characterized by elegance and attention to details.



RKN/10 chromium-plated brass



RLN/
RKN/



PROTRIM

length = 270 cm - pack 20 pcs

		H			
ART.	finishing	6	8	10	12,5

POLISHED BRASS

RLN/	polished		92465	92466	92467	92468
	euro/m					

CHROMIUM-PLATED BRASS

RKN/	chromium plated		92469	92470	92471	92472
	euro/m					

individually packed - art. RLN/10, RLN/12,5, RKN/10, RKN/12,5 packaging of 10 pcs



TIEL/

PROTRIM - OUTSIDE / INSIDE CORNERS

		H			
ART.	finishing	6	8	10	12,5

OUTSIDE CORNERS FOR RLN/ ARTICLES

ALUMINIUM

TB/	bright polished gold		92700	92702	92704	92706
	euro/pc					

INSIDE CORNERS FOR RLN/ ARTICLES

ALUMINIUM

TIB/	bright polished gold		92585	92586	92587	92588
	euro/pc					

no partial packaging



TIIL/

		H			
ART.	finishing	6	8	10	12,5

OUTSIDE CORNERS FOR RKN/ ARTICLES

STAINLESS STEEL

TIE/	stainless steel AISI 304 - DIN 1.4301		92480	92481	92482	92483
	euro/pc					

INSIDE CORNERS FOR RKN/ ARTICLES

STAINLESS STEEL

TII/	stainless steel AISI 304 - DIN 1.4301		92490	92491	92492	92493
	euro/pc					


Complete the article code with H measure
(for example RLN/ for H=8 becomes RLN/8)



Protrim in coextruded PVC is a line of profiles with rounded shape, specially designed to edge and protect the external corners of ceramic coverings. Their shape also acts as symmetric and rounded finishing. Thanks to the special section with soft PVC inserts, these profiles absorb the micro-movements that discharge on the corner due to the tension of the wall coverings. Mass-dye coloured, they are available in many different colours and can be used in the most varied spaces.



RPA/8 white co-extruded PVC



RPA/

**PROTRIM**

length = 270 cm - pack 20/100 pcs

		H		
		CO-EXTRUDED PVC		
ART.	finishing	6	8	10
RPA/	snow white	80640	80641	80642
	white	80644	80645	80646
	cream white RAL 9001	80648	80649	80650
	ivory RAL 1015	80652	80653	80654
	beige grey RAL 1019	80656	80657	80658
	stone grey RAL 7030	80660	80661	80662
	ash grey RAL 7038	80664	80665	80666
	light grey RAL 7035	80668	80669	80670
	beige bahama	80680	80681	80682
	brown	80692	80693	80694

pack 20 pcs
euro/m

pack 100 pcs
euro/m

no partial packaging


To order profiles in packs of 100 pcs, mark /100 after article code (for example code 80640 becomes 80640/100)

PROTRIM

pack 12 pcs

pack 12 pcs		H					
		TPAE/			TPAI/		
		ABS					
		OUTSIDE CORNER			INSIDE CORNER		
finishing		6	8	10	6	8	10
snow white		80700	80701	80702	80753	80751	80752
white		80703	80704	80705	80750	80754	80755
cream white RAL 9001		80706	80707	80708	80756	80757	80758
ivory RAL 1015		80709	80710	80711	80759	80760	80761
beige grey RAL 1019		80712	80713	80714	80762	80763	80764
stone grey RAL 7030		80715	80716	80717	80765	80766	80767
ash grey RAL 7038		80718	80719	80720	80768	80769	80770
light grey RAL 7035		80721	80722	80723	80771	80772	80773
beige bahama		80730	80731	80732	80780	80781	80782
brown		80739	80740	80741	80789	80790	80791
euro/pc							

Complete the article code with H measure
(for example RPA/ for H=8 becomes RPA/8)



RE/



RE/8 PVC-U red RAL 3002

PROTRIM

lengt = 270 cm - pack 20/100 pcs

		H			
		PVC-U			
ART.	finishing	6	8	10	12,5
	snow white	79996	79997	79998	79999
	white	80100	80101	80102	80103
	cream white RAL 9001	80104	80105	80106	80107
	ivory RAL 1015	80108	80109	80110	-
	beige grey RAL 1019	80112	80113	80114	-
	stone grey RAL 7030	80116	80117	80118	-
	ash grey RAL 7038	80120	80121	80122	-
	light grey RAL 7035	80124	80125	80126	80127
	anthracite	80175	80176	80177	-
	blue	80160	80161	80162	-
	pastel blue	80140	80141	80142	-
RE/	light green	80179	80180	80181	-
	red RAL 3002	80128	80129	80130	-
	black RAL 9005	80132	80133	80134	-
	yellow RAL 1023	80136	80137	80138	-
	pastel pink	80144	80145	80146	-
	beige bahama	80150	80151	80152	-
	peach	80154	80155	80156	-
	caramel	80164	80165	80166	-
	brown	80168	80169	80170	-
	dark brown	80172	80173	80174	-
	coral red	80187	80188	80189	-
	raw sienna	80191	80192	80193	-
	terracotta	80195	80362	80194	-

pack 20 pcs - euro/m**pack 100 pcs - euro/m**

no partial packaging - to order the pack of 100 pcs, mark /100 after article code

Complete the article code with H measure
(for example RE/ for H=8 becomes RE/8)**PROTRIM**

pack 12 pcs

ART.

H

TE/


finishing

ABS

		OUTSIDE CORNER				INSIDE CORNER			
		6	8	10	12,5	6	8	10	12,5
	snow white	80396	80397	80398	80399	79800	79801	79802	79803
	white	80400	80401	80402	80403	79804	79805	79806	79807
	cream white RAL 9001	80404	80405	80406	80407	79808	79809	79810	79811
	ivory RAL 1015	80408	80409	80410	-	79812	79813	79814	-
	beige grey RAL 1019	80412	80413	80414	-	79816	79817	79818	-
	stone grey RAL 7030	80416	80417	80418	-	79820	79821	79822	-
	ash grey RAL 7038	80420	80421	80422	-	79824	79825	79826	-
	light grey RAL 7035	80424	80425	80426	80427	79828	79829	79830	79831
	anthracite	80479	80480	80481	-	79875	79876	79877	-
	blue	80470	80471	80472	-	79848	79849	79850	-
	pastel blue	80440	80441	80442	-	79844	79845	79846	-
	light green	80475	80476	80477	-	79879	79880	79881	-
	red RAL 3002	80428	80429	80430	-	79832	79833	79834	-
	black RAL 9005	80432	80433	80434	-	79836	79837	79838	-
	yellow RAL 1023	80436	80437	80438	-	79840	79841	79842	-
	pastel pink	80444	80445	80446	-	79852	79853	79854	-
	beige bahama	80448	80449	80450	-	79856	79857	79858	-
	peach	80452	80453	80454	-	79860	79861	79862	-
	caramel	80458	80459	80460	-	79864	79865	79866	-
	brown	80462	80463	80464	-	79868	79869	79870	-
	dark brown	80466	80467	80468	-	79872	79873	79874	-
	coral red	80483	80484	80485	-	79887	79888	79889	-
	raw sienna	80487	80488	80489	-	79891	79892	79893	-
	terracotta	80491	80492	80493	-	79895	79896	79897	-

euro/pc

no partial packaging



REC0/


PROTRIM ECO

length = 260 cm - pack 80 pcs

		H		
ART.	finishing	PVC-U		
		6	8	10
REC0/ /80	snow white	 79400	79401	79402
	white	 79403	79404	79405
	cream white RAL 9001	 79406	79407	79408
	ivory RAL 1015	 79409	79410	79411
	ash grey RAL 7038	 79412	79413	79414
	light grey RAL 7035	 79415	79416	79417
	beige bahama	 79418	79419	79420
	euro/m			

no partial packaging

others colour on request for minimum 2700 meters for colour



REC/

PROTRIM ECO

length = 260 cm - pack 100 pcs

		H		
ART.	finishing	PVC-U		
		-	8	10
REC/ /100	snow white	 -	79601/100	79602/100
	cream white RAL 9001	 -	79605/100	79606/100
	ivory RAL 1015	 -	-	79610/100
	beige grey RAL 1019	 -	-	79614/100
	stone grey RAL 7030	 -	-	79618/100
	ash grey RAL 7038	 -	-	79622/100
	light grey RAL 7035	 -	-	79626/100
	beige bahama	 -	-	79642/100
	euro/m	-		

no partial packaging

others colour on request for minimum 2700 meters for colour

Complete the article code with H measure
(for example REC/ /100 for H=8 becomes
REC/8/100)



REC/10 white PVC-U ecoline




cerfix® proangle F

Proangle F is a triangular profile in aluminium or stainless steel indicated as a decorative element and closing of the outside corners of the tiles.

The stainless steel version with reduced base is rather suitable for the protection and finishing of the interior angles of ceramic coverings.



FMB/10 + FMBE/10 bright polished silver aluminium



FMA/
FMB/



PROANGLE F

length = 270 cm - pack 20 pcs

ART.	finishing	8	10	12,5
ALUMINIUM				
FMA/	silver anodised <i>euro/m</i>	93025	93026	93027
FMB/	bright polished silver <i>euro/m</i>	93028	93029	93030

individually packed

PROANGLE F

length = 270 cm - pack 20 pcs

ART.	finishing	8	10
STAINLESS STEEL			
FMI/	stainless steel AISI 304 - DIN 1.4301 <i>euro/m</i>	with base 93050	without base 93051
FMIS/	brushed stainless steel AISI 304 - DIN 1.4301 <i>euro/m</i>	93054	93055

individually packed

OUTSIDE CORNER

ART.	finishing	8	10	12,5
ALUMINIUM				
FMAE/	silver anodised <i>euro/pc</i>	93031	93032	93033
FMBE/	bright polished silver <i>euro/pc</i>	93040	93041	93042

INSIDE CORNER

ART.	finishing	8	10	12,5
ALUMINIUM				
FMAI/	silver anodised <i>euro/pc</i>	93034	93035	93036
FMBI/	bright polished silver <i>euro/pc</i>	93043	93044	93045

END CAP

ART.	finishing	8	10	12,5
ALUMINIUM				
FMAC/	silver anodised <i>euro/pc</i>	93037	93038	93039
FMBC/	bright polished silver <i>euro/pc</i>	93046	93047	93048

no partial packaging for aluminium accessories

OUTSIDE CORNER

ART.	finishing	8	10
STAINLESS STEEL			
FMIE/	stainless steel AISI 304 - DIN 1.4301 <i>euro/pc</i>	93058	93059
FMIES/	brushed stainless steel AISI 304 - DIN 1.4301 <i>euro/pc</i>	93064	93065

INSIDE CORNER

ART.	finishing	8	10
STAINLESS STEEL			
FMII/	stainless steel AISI 304 - DIN 1.4301 <i>euro/pc</i>	93060	93061
FMIS/	brushed stainless steel AISI 304 - DIN 1.4301 <i>euro/pc</i>	93066	93067

END CAP

ART.	finishing	8	10
STAINLESS STEEL			
FMIC/	stainless steel AISI 304 - DIN 1.4301 <i>euro/pc</i>	93062	93063
FMICS/	brushed stainless steel AISI 304 - DIN 1.4301 <i>euro/pc</i>	93068	93069

Complete the article code with H measure (for example FMA/ for H=8 becomes FMA/8)




cerfix® proangle AX - pronivel M

Proangle AX M Design is a profile in anodised or colour-coated aluminium, which finishes the vertical edge of the coverings, accentuating the discontinuity between the wall in an elegant way.



AX/2/ silver anodised aluminium



AX/2/



PROANGLE AX- M DESIGN

length = 270 cm - pack 10 pcs


length = 270 cm - pack 10 pcs			H		
ART.	finishing	6	10	12,5	
ALUMINIUM					
AX/2/	silver anodised		13208	13209	13210
	euro/m				
	titanium anodised		13211	13213	13212
	colour-coated polished white RAL 9010		13215	13216	13214
	euro/m				

individually packed

Pronivel M is a line of profiles designed to connect floors of different heights during the installation. Thanks to its shape, MIN/ can be also used as edging profile for the protection of 135-degrees external corners of tile coverings.



MIN/10 polished stainless steel AISI 304 DIN 1.4301



MIN/10




PRONIVEL M

length = 270 cm - pack 10 pcs

length = 270 cm - pack 10 pcs		H	
ART.	finishing	8	10
MIN/	polished stainless steel AISI 304 - DIN 1.4301		93023
	euro/m		93024

individually packed

MIN/10
application
for floors of
different height


Complete the article code with H measure
(for example MIN/ for H=10 becomes MIN/10)




cerfix® procorner M

Procorner M is a line of profiles in aluminium, stainless steel or brass for the protection of the outside corners of wall coverings, to be applied on already laid tiles or on wall coverings. Procorner profiles are also available in self-adhesive version for a quick and easy installation.

210H/A boasts the certified antibacterial technology (in compliance with ISO 22196:2011 standards) which reduces the presence of the most dangerous bacteria up to 99%, thus assuring the best hygiene over time.



210/A silver anodised aluminium



210/
210H/A



PROCORNER M


length = 300 cm - pack 30 pcs

LxL

25x25

ART.	finishing	/SF	/A
ALUMINIUM			
	silver anodised	76068	76098
	gold anodised	-	76108
210/	euro/m		
	colour-coated white RAL 9003	76128	76208
	euro/m		

SF = not drilled A = adhesive
individually packed



220/

PROCORNER M


length = 300 cm - pack 30 pcs

LxL

25x25

ART.	finishing	/SF	/A
ANTIBACTERIAL COLOUR-COATED ALUMINIUM			
210H/A	colour-coated antibacterial white RAL 9003	76209	
	euro/m		

A = adhesive
individually packed



277/

PROCORNER M

length = 300 cm - pack 30 pcs

LxL

25x25

ART.	finishing	/SF	/A
ALUMINIUM			
	silver anodised	77888	77894
220/	euro/m		
	colour-coated white RAL 9003	77900	-
	euro/m		-

SF = not drilled A = adhesive
individually packed

PROCORNER M

SILVER ANODISED ALUMINIUM


length = 300 cm - pack 30 pcs

ART.	measure LxL	code	euro/m
277/SF/	20x20	76308	
277/A/ adhesive	20x20	76309	
277/SF/	25x25	76318	
277/A/ adhesive	25x25	76319	
277/SF/	30x30	76328	
277/A/ adhesive	30x30	76329	



individually packed

Complete the article code with L measure
(for example 277/SF/ for L= 20 becomes 277/SF/20)


Upon request, we can produce Cerfix® Procorner M in different LxL dimensions than those included in the price list. Please contact our technical department for further information.




775/A/40 polished stainless steel AISI 304 DIN 1.4301

777/
776/

775/



774/



779/SF

PROCORNER M**POLISHED STAINLESS STEEL AISI 430 DIN 1.4016**

length = 300 cm - thickness = 0,60 mm

ART.	measure LxL	code	euro/m	pack
777/SF/	15x15	76888		30
777/A/ adhesive	15x15	76938		30
777/SF/	20x20	76898		30
777/A/ adhesive	20x20	76948		30
777/SF/	25x25	76908		15
777/A/ adhesive	25x25	76958		15
777/SF/	30x30	76918		20
777/A/ adhesive	30x30	76968		20

length = 200 cm - thickness = 1 mm

ART.	measure LxL	code	euro/m	pack
776/SF/	30x30	77004		20
776/A/ adhesive	30x30	77044		20
776/SF/	40x40	77014		10
776/A/ adhesive	40x40	77054		10
776/SF/	50x50	77024		10
776/A/ adhesive	50x50	77064		10

length = 270 cm - thickness = 1 mm

ART.	measure LxL	code	euro/m	pack
776/SF/	30x30	77008		10
776/A/ adhesive	30x30	77048		10
776/SF/	40x40	77018		10
776/A/ adhesive	40x40	77058		10
776/SF/	50x50	77028		5
776/A/ adhesive	50x50	77068		5

POLISHED STAINLESS STEEL AISI 304 DIN 1.4301

length = 270 cm - thickness = 1 mm

ART.	measure LxL	code	euro/m	pack
775/SF/	30x30	77108		10
775/A/ adhesive	30x30	77148		10
775/SF/	40x40	77118		10
775/SF/	50x50	77128		5
775/A/ adhesive	50x50	77168		5

BRUSHED STAINLESS STEEL AISI 304 DIN 1.4301

length = 270 cm - thickness = 1 mm

ART.	measure LxL	code	euro/m	pack
775/SF/	30x30	77110		10
775/SF/	50x50	77130		5

POLISHED STAINLESS STEEL AISI 304 DIN 1.4301

length = 270 cm - thickness = 1 mm

ART.	measure LxL	code	euro/m	pack
774/SF	30x30	77954		10

BRUSHED STAINLESS STEEL AISI 304 DIN 1.4301

length = 270 cm - thickness = 1 mm

ART.	measure LxL	code	euro/m	pack
779/SF	30x30	77106		10

SF = not drilled A = adhesive

Complete the article code with L measure
(for example 777/SF/ for L=15 becomes 777/
SF/15)


Upon request, we can produce Cerfix®
Procormer M in different LxL dimensions than
those included in the price list.
Please contact our technical department for
further information.



cerfix® procorner M - procorner P



076/A/30 polished brass


076/SF/
076/A/**PROCORNER M****POLISHED BRASS**

length = 270 cm - thickness = 1,00 mm


ART.	measure LxL	code	euro/m	pack
076/SF/	15x15	76800		30
076/A/ adhesive	15x15	76840		15
076/SF/	20x20	76802		15
076/A/ adhesive	20x20	76842		15
076/SF/	25x25	76806		15
076/A/ adhesive	25x25	76846		10
076/SF/	30x30	76808		10
076/A/ adhesive	30x30	76848		10

SF = not drilled A = adhesive

Procorner P is a soft PVC corner protection profile, available in bright colours to visually highlight wall corners. Recommended for public environments such as schools, offices or kindergartens.



IP/40 blue soft PVC



IP/40

**PROCORNER P**

length = 270 cm - pack 20 pcs

ART.	finishing	LxL
SOFT PVC		42x42
IP/40	white	95010
	yellow	95011
	red	95012
	blu	95013
euro/m		

Complete the article code with L measure
(for example 076/SF/ for L=15 becomes 076/
SF/15)

Upon request, we can produce Cerfix®
Procorner M in different LxL dimensions than
those included in the price list.
Please contact our technical department for
further information.


Article IP/40 in PVC must be stored horizontally.



Procorner P 8610 and 8611 are a line of impact-resistant, quick and easy-to-install expanded PVC-U corner protection profiles. Available in a range of wood-effect finishes or solid colours, they are ideal for environments such as schools, kindergartens and public spaces in general.



8610 white dec. 555



8610

**PROCORNER P**

length 300 cm - pack 20/50 pcs

EXPANDED PVC-U

ART.	decors	code	decors	code	decors	code
8610		518 29810		536 29830		yellow 561 29848
		520 29812		540 29832		green 562 29850
		524 29814		542 29834		light blue 563 29847
		525 29816		544 29836		red 564 29849
		528 29818		545 29838		
		530 29820		white 555 29840		
		531 29822		light grey 556 29842		
		532 29824		black 557 29844		
		534 29828		anthracite 558 29846		

pack 20 pcs

euro/m

pack 50 pcs

euro/m

no partial packaging

PROCORNER P

length 300 cm - pack 20/50 pcs

EXPANDED PVC-U

ART.	decors	code	decors	code	decors	code	decors	code
8611		518 29910		white 555 29940		yellow 561 29946		silver dec. 559 29949
		532 29924		light grey 556 29942		green 562 29948		
		542 29934		black 557 29944		light blue 563 29945		
		545 29938				red 564 29947		


pack 20 pcs

euro/m

pack 50 pcs

euro/m


no partial packaging



8611



8610 dec. 532



8611 silver dec. 559

Skirting board available with the same decors on page. 231




cerfix® probord

Probord ILN in stainless steel is a profile for protecting the external corners of ceramic coverings. It can be combined with Proround M profiles and is recommended for environments where high hygiene standards are required, such as kitchens, food factories, schools, etc. The AISI 316 stainless steel version is suitable for areas subject to greater stresses.



ILN/10 polished stainless steel AISI 304 DIN 1.4301



ILN/
ILNS/
ILNX/

PROBORD

length = 270 cm - pack 5 pcs

ART.	finishing	8	10	12,5
------	-----------	---	----	------

STAINLESS STEEL


ILN/	polished stainless steel AISI 304 - DIN 1.4301		94997	94998	94999
	euro/m				
ILNS/	brushed stainless steel AISI 304 - DIN 1.4301		94984	94985	94986
	euro/m				
ILNX/	stainless steel AISI 316 - DIN 1.4401		94987	94988	94989
	euro/m				

individually packed


Probord IL, ILE and ILES have a rounded angle (compared to the model ILN). The fixing system with a single flange favors the correct alignment of the profile even in the presence of corners and uneven surfaces.



IL/10 polished stainless steel AISI 304 DIN 1.4301



IL/



ILE/
ILES/

PROBORD

length = 270 cm - pack 10 pcs

ART.	finishing	8	10	12,5
------	-----------	---	----	------

STAINLESS STEEL

IL/	polished stainless steel AISI 304 - DIN 1.4301		94994	94995	94996
	euro/m				

individually packed

PROBORD

length = 270 cm - pack 5 pcs

ART.	finishing	10
------	-----------	----

STAINLESS STEEL

ILE/10	polished stainless steel AISI 304 - DIN 1.4301		95002
	euro/m		
ILES/10	brushed stainless steel AISI 304 - DIN 1.4301		95003
	euro/m		

individually packed

Complete the article code with H measure (for example ILN/ for H=8 becomes ILN/8)


Upon request, we can produce Cerfix® Probord in different H dimensions than those included in the price list. Please contact our technical department for further information.



Cerfix® Protop is an aluminium profile for protecting and finishing external corners of worktops and ceramic-covered kitchens. Also recommended for platforms and steps made with tiles.



TOP/A/10 silver anodised aluminium

TOP/A/
TOP/TM/**PROTOP**

length = 270 cm - pack 10 pcs

		H	
ART.	finishing	10	12
ALUMINIUM			
TOP/A/	silver anodised	86050	86060
	euro/m		
TOP/TM/	titanium anodised	86052	86062
	euro/m		
TOP/TM/	bright brushed titanium	86051	86061
	euro/m		

individually packed

OUTSIDE CORNER - pack 2 pcs

ART.	finishing	90°	135°	90°	135°
ALUMINIUM					
TOP/E	silver anodised	86074	86072	86074	86072
	titanium anodised	86080	86082	86080	86082
TOP/ETM	euro/pc				
	bright brushed titanium	86075	86073	86075	86073
TOP/ETM	euro/pc				

INSIDE CORNER - pack 2 pcs

ART.	finishing	90°	135°	90°	135°
ALUMINIUM					
TOP/I	silver anodised	86078	86076	86078	86076
	titanium anodised	86081	86083	86081	86083
TOP/ITM	euro/pc				
	bright brushed titanium	86079	86077	86079	86077
TOP/ITM	euro/pc				

no partial packaging



TOP/A/10 + TOP/90/E + TOP/135/I silver anodised aluminium

Complete the article code with H measure
(for example TOP/A/ for H=10 becomes
TOP/A/10)



listellos and decorative profiles

The line of decorative listellos provides a wide variety of finishes, suitable for endless combinations and multiple aesthetic architectural tastes, from classic to contemporary; they are applicable to all environments with ceramic tiles from kitchen to bathroom, from living rooms to large commercial spaces.






cerfix® prolist

Prolist is a range of decorative listellos designed to create stylish and eye-catching aesthetic effects of wall coverings. They are available in aluminium or stainless steel in different finishes and can be combined with Proangle, Proangle Q and Protrim profiles to obtain elegant and sophisticated effects.



LDB/20 bright polished silver aluminium




PROLIST



length = 270 cm - pack 20 pcs

length = 270 cm - pack 20 pcs			L x H			
ART.	finishing		10x7	15x7	20x7	25x7
ALUMINIUM						
LDA/	silver anodised		93255	93215	93220	93256
	euro/m					
LDB/	bright polished silver		93258	93219	93224	93259
	bright polished titanium		93198	93199	93201	93203
	euro/m					
LDS/	bright brushed silver		93240	93216	93221	93244
	bright brushed gold		93241	93217	93222	93245
LDTM/	bright brushed titanium		93266	93211	93225	93246
LDRS/	bright brushed copper		93242	93267	93229	93269
	euro/m					
LDAG/	bright scratched silver		93263	93214	93228	93243
	euro/m					
COLOUR-COATED ALUMINIUM						
LDV/	white stone		-	-	93207	-
	black stone		-	-	93209	-
	euro/m		-	-		-

individually packed



LB/B/10

LB/A
LB/B/25LA/I/
LA/IS/

PROLIST

length = 270 cm - pack 20 pcs

length = 270 cm - pack 20 pcs			L x H	
ART.	finishing		10x7	25x7
ALUMINIUM				
LB/A	silver anodised		-	93270
	euro/m		-	
LB/B/	bright polished silver		93252	93272
	bright polished gold		93253	93273
	euro/m			

individually packed

PROLIST

length = 270 cm - pack 10 pcs

length = 270 cm - pack 10 pcs			L x H		
ART.	finishing		10x10	15x10	25x10
STAINLESS STEEL					
LA/I/	polished stainless steel AISI 304 DIN 1.4301		93283	93284	93285
	euro/m				
LA/IS/	brushed stainless steel AISI 304 DIN 1.4301		93296	93297	93298
	euro/m				

individually packed

Complete the article code with L measure (for example LDA/ for L=10 becomes LDA/10)

Stainless steel listellos: different LxH dimensions available upon request, with a minimum order of 108 meters.




metal line AF - prolist x design

Metal Line AF M Design is a decorative listello in aluminium characterized by modern and minimalist lines that, thanks to its special shape, creates an elegant shadow that crosses the ceramic covering.



AF/1 silver anodised aluminium



AF/1/


**METAL LINE AF - M DESIGN**

length = 270 cm - pack 10 pcs


ART.	finishing		6	10	12,5
ALUMINIUM					
AF/1/	silver anodised		13198	13199	13200
	euro/m				
	titanium anodised		13201	13203	13202
	colour-coated polished white RAL 9010		13196	13197	13204
	euro/m				

individually packed

Prolist is available in five original finishes X Design. In anodised aluminium, X Design is characterized by a special scratched finish and original colours that allow different chromatic combinations, created for interior designers and architects by following the latest trends of modern design.



LDAD carbon anodised aluminium



LDAD

**PROLIST - X DESIGN**

length = 270 cm - pack 10 pcs

ART. finishing		25x7	
ANODISED ALUMINIUM			
LDAD	platinum		31320
	titanium		31322
	brown		31324
	dark brown		31326
	carbon		31328
	euro/m		

individually packed



LED-light decorative listellos on page 245






cerfix® C design

C Design is a line of high-end brass profiles, embellished with crystals from Swarovski®. The combination of the chromium-plated or gold-plated profile and the crystal enhances the brightness of the lines and makes elegant any space.



UKC/10 chromium-plated brass with crystals from Swarovski®



DJKC/10

PRODECOR - C DESIGN

length = 270 cm - pack 5 pcs

H

ART. finishing

10

CHROMIUM-PLATED BRASS

chromium-plated + crystals from Swarovski®

13300

euro/m

DJKC/10

chromium-plated + crystals from Swarovski®

13302

euro/m


individually packed



DJKC/10 chromium-plated brass with crystals from Swarovski® (cod. 13300)



DJKC/10 chromium-plated brass with crystals from Swarovski® (cod. 13302)



UKC/10

PROSTYLE - C DESIGN

length = 270 cm - pack 5 pcs

H

ART. finishing

10

CHROMIUM-PLATED BRASS

UKC/10 chromium-plated + crystals from Swarovski®


13310

euro/m

individually packed



UKC/10 chromium-plated brass with crystals from Swarovski®



DJKGC/10

**PRODECOR - C DESIGN**

length = 270 cm - pack 5 pcs


H**ART. finishing****10****BRASS**

DJKGC/10 24 kt gold plated + crystals
from Swarovski®

13402

euro/m

individually packed

*DJKGC/10 24 kt gold plated brass + crystals from Swarovski®*

UKGC/10

PROSTYLE - C DESIGN

length = 270 cm - pack 5 pcs


H**ART. finishing****10****BRASS**

UKGC/10 24 kt gold plated + crystals
from Swarovski®

13410

euro/m

individually packed

*UKGC/10 24 kt gold plated brass + crystals from Swarovski®*

DJKG/10

PRODECOR - C DESIGN


length = 270 cm - pack 5 pcs

H**ART. finishing****10****BRASS****DJKG/10** 24kt gold plated

12902

euro/m

individually packed



UKG/10

PROSTYLE - C DESIGN

length = 270 cm - pack 5 pcs

H**ART. finishing****10****BRASS****UKG/10** 24kt gold plated

12910

euro/m

individually packed



internal corner profiles

A line of profiles that fits the perimetric junction between floor and wall. Created for the elimination of 90° corners and applicable to installed or to be installed floors, ensure high hygienic efficiency in private and public environments such as hospitals, food industries, SPA and industrial kitchens.






cerfix® proround


Proround M in aluminum is a connection profile between floor and wall. The current health and sanitary maintenance requirements imposed by European standards require the elimination of the 90° angles to prevent the accumulation of dirt and possible sources of bacteria, creating a curve that facilitates cleaning.



GA/10 silver anodised aluminium



GA/4



GA/8-10-12
GV/

PROROUND M

length = 270 cm - pack 10 pcs

		H			
ART.	finishing	4,5	8	10	12
ALUMINIUM					
GA/	silver anodised		95730	95031	95032
	euro/m				95033
GV/	colour-coated white RAL 9003		-	95071	95072
	euro/m		-	95073	95073

individually packed- GA/4 packaging 20 pcs

OUTSIDE CORNER

pack 5 pcs

		H	
ART.	finishing	4,5	8 - 10 - 12
ALUMINIUM			
GTA/E	silver anodised		95075
	euro/pc	-	-
GTV/E	colour-coated white RAL 9003		95083
	euro/pc	-	-

INSIDE CORNER

pack 5 pcs

		H	
ART.	finishing	4,5	8 - 10 - 12
ALUMINIUM			
GTA/I	silver anodised		95077
	euro/pc	-	-
GTV/I	colour-coated white RAL 9003		95085
	euro/pc	-	-

no partial packaging

Complete the article code with H measure (for example GA/ for H=8 becomes GA/8)


Items GV available in different colours on demand - minimum quantity 540 meters per colour.



GTA/E silver anodised aluminium



GTA/I silver anodised aluminium




GA/4 silver anodised aluminium




Proround M GAN/ is a profile in aluminum for the connection between floor and wall covering, characterized by a 17-mm radius.

The current health and sanitary maintenance requirements imposed by European standards require the elimination of the 90° angles to prevent the accumulation of dirt and possible sources of bacteria, creating a curve that facilitates cleaning.

GVNH/ boasts the certified antibacterial technology (in compliance with ISO 22196:2011 standards) which reduces the presence of the most dangerous bacteria up to 99%, thus assuring the best hygiene over time.



GAN/10 silver anodised aluminium



GAN/
GVNH/



PROROUND M

length = 270 cm - pack 10 pcs

length = 270 cm - pack 10 pcs			H		
ART.	finishing		8	10	12,5
ALUMINIUM					
GAN/	silver anodised		95034	95035	95036
	euro/m				
GVNH/	colour-coated white RAL 9003 antibacterial		95037	95038	95039
	euro/m				

individually packed


OUTSIDE/INSIDE/TRIAXIAL CORNER/END CAP

pack 12 pcs

pack 12 pcs			for all H			
ART.	finishing		GTP/E	GTP/I	GTP/T	GTP/C
ABS						
	colour-coated silver		95121	95122	95123	95124
euro/pc						
	colour-coated white RAL 9003		95125	95126	95127	95128
euro/pc						

no partial packaging

Complete the article code with H measure (for example GAN/ with H=8 becomes GAN/8).



GTP/E silver colour-coated ABS



GTP/T silver colour-coated ABS




cerfix® proround

Proround M in stainless steel is a connection profile for use in situations where particular attention to hygiene is required (e.g. in clinics, food industry, swimming pools, wellness centres, industrial kitchens, hospitals, etc.).


The current health and sanitary maintenance requirements imposed by European standards require the elimination of the 90° angles to prevent the accumulation of dirt and possible sources of bacteria, creating a curve that facilitates cleaning. In particular, the AISI 316 DIN 1.4401 quality version offers superior corrosion resistance and is therefore recommended for applications in areas subject to higher stresses.




GIN/10 + ILN/10 polished stainless steel AISI 304 DIN 1.4301



GIN 8/10/11



GIN/SA

**PROROUND M**

length = 270 cm - pack 10 pcs

		H				
ART.	finishing	8	10	11	12,5	15
STAINLESS STEEL						
GIN/	polished stainless steel AISI 304 DIN 1.4301 <i>euro/m</i>	95046	95047	95045	-	-
GINS/	brushed stainless steel AISI 304 DIN 1.4301 <i>euro/m</i>	95050	95051	95057	-	-
GINX/	stainless steel AISI 316 DIN 1.4401 <i>euro/m</i>	95054	95055	-	-	-

individually packed

PROROUND M

length = 270 cm - pack 10 pcs

		H				
ART.	finishing	8	10	11	12,5	15
STAINLESS STEEL						
GIN/SA	polished stainless steel AISI 304 DIN 1.4301 <i>euro/m</i>	-	95044	-	95048	95049
GINS/SA	brushed stainless steel AISI 304 DIN 1.4301 <i>euro/m</i>	-	-	-	95052	-
GINX/SA	stainless steel AISI 316 DIN 1.4401 <i>euro/m</i>	-	-	-	95056	-

individually packed

OUTSIDE CORNER-E

pack 5 pcs

		for all H
ART.	finishing	
STAINLESS STEEL		
GTIN/E	polished stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>	95059
GTINS/E	brushed stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>	95063
GTINX/E	stainless steel AISI 316 DIN 1.4401 <i>euro/pc</i>	95067

INSIDE CORNER-I

pack 5 pcs

		for all H
ART.		
GTIN/I		95058
GTINS/I		95062
GTINX/I		95066

TRIAXIAL CORNER-T

pack 5 pcs

		for all H
ART.	finishing	
GTIN/T	polished stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>	95060
GTINS/T	brushed stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>	95064
GTINX/T	stainless steel AISI 316 DIN 1.4401 <i>euro/pc</i>	95068

JUNCTION-G

pack 5 pcs

		for all H
ART.		
GTIN/G	95061	GTIN/C 95040
GTINS/G	95065	GTINS/C 95041
GTINX/G	95069	GTINX/C 95042

END CAPS


Complete the article code with H measure
(for example GIN/ for H=8 becomes GIN/8)

Cerfix® Proround M in stainless steel:
other measures on demand - minimum quantity
540 meters


no partial packaging



Proround P in impact-resistant PVC-U is a connection profile between floor and wall covering. The current health and sanitary maintenance requirements imposed by European standards require the elimination of the 90° angles to prevent the accumulation of dirt and possible sources of bacteria, creating a curve that facilitates cleaning. Models with a single anchoring flange can be used as a connection between floors and wall coverings of different thicknesses.



GP/10 white co-extruded PVC-U




GP/

**PROROUND P**

length = 270 cm - pack 20 pcs

		H		H	
ART.		GP/		GPU/	
finishing		8	10	10	12,5
CO-EXTRUDED PVC-U					
white		95800	95801	95804	95803
light grey RAL 7035		95805	95806	-	-
stone grey RAL 7030		95810	95811	-	-
beige grey RAL 1019		95815	95816	-	-
euro/m					



GPU/

INSIDE/OUTSIDE/TRIAXIAL CORNER/END CAP

pack 12 pcs		for all H			
ART.		GTP/E	GTP/I	GTP/T	GTP/C
finishing					
ABS					
white		95852	95851	95850	95853
light grey RAL 7035		95862	95861	95860	95863
stone grey RAL 7030		95872	95871	95870	95873
beige grey RAL 1019		95882	95881	95880	95883
euro/pc					

no partial packaging


Complete the article code with H measure
(for example GP/ for H=8 becomes GP/8)



GTP/E light grey RAL 7035 ABS



GTP/T light grey RAL 7035 ABS





cerfix® proround


Proround M GIC/ and Proint PIN/ are two stainless steel connection profiles with a rounded, cove-shaped design for use in situations where special hygiene protection is required.

The closed shape of GIC/ is particularly versatile thanks to the internal fixing flange.

The special section of Proint PIN/ allows installation on existing floors or coverings.



GIC/8 polished stainless steel AISI 304 DIN 1.4301



GIC/



PROROUND M

length = 270 cm - pack 5 pcs

ART. finishing

H

8

STAINLESS STEEL

GIC/ polished stainless steel
AISI 304 DIN 1.4301

95140

euro/m

OUTSIDE CORNER FOR GIC/

pack 5 pcs

ART. finishing

STAINLESS STEEL

GTIN/E polished stainless steel
AISI 304 DIN 1.4301

95059

euro/pc

no partial packaging


INSIDE CORNER FOR GIC/

pack 5 pcs

ART.

GTIN/I

95058



TRIAXIAL CORNER FOR GIC/

pack 5 pcs

ART. finishing

STAINLESS STEEL

GTIN/T polished stainless steel
AISI 304 DIN 1.4301

95060

euro/pc

no partial packaging

JUNCTION FOR GIC/

pack 5 pcs

ART.

GTIN/G


95061

END CAPS FOR GIC/

ART.

GTIN/C

95040



PIN/



PROINT

length = 270 cm - pack 10 pcs

ART. finishing

10

12,5

STAINLESS STEEL


PIN/ polished stainless steel
AISI 304 - DIN 1.4301

85392

85394

euro/m

individually packed



PIN/

Complete the article code with H measure (for example GIC/ for H=8 becomes GIC/8)

Upon request, we can produce Cerfix® Proround GIC/ in different H dimensions for floors and coverings of different thickness. Please contact our technical department for further information.



PIN/10 polished stainless steel AISI 304 DIN 1.4301




Proint PIA/ and PI/ are a line of aluminium and PVC-U profiles ideal as perimeter connections between wall coverings and floors or as perimeter joints.

Proint PIA/ and PI/ eliminate the need for silicone, creating an attractive finish and ensuring a high level of hygiene.


The special sections of the Proint line facilitate corner connections between wall covering and floors, ensuring corner expansion between the two surfaces.



PIA/9 silver anodised aluminium



PIA/3



PIA/
PI/

PROINT

length = 270 cm - pack 20 pcs

		H			
ART.	finishing	3,5	7	9	12
ALUMINIUM					
PIA/	silver anodised		95431	95430	95432
	euro/m				95429

individually packed

PROINT

length = 270 cm - pack 20 pcs

		H	
ART.	finishing	7	9
PVC-U			
PI/	snow white		95396
	white		95400
	cream white RAL 9001		-
	ivory RAL 1015		-
	beige grey RAL 1019		-
	stone grey RAL 7030		-
	ash grey RAL 7038		-
	light grey RAL 7035		-

pack 20 pcs
euro/m

pack 100 pcs
euro/m

no partial packaging - to order the pack of 100 pcs, mark /100 after article code

Complete the article code with H measure
(for example PIA/ for H=7 becomes PIA/7)

Items PI/ available in different colours on
demand - minimum quantity 2700 meters per
colour



PI/9 white co-extruded PVC-U



PIA/3 silver anodised aluminium





cerfix® proround


Proround B in aluminium or PVC are perimetral connection profiles to be used between floors and walls, specially designed for the application on already-laid surfaces. These profiles are the best solution for renovations and to be compliant with health and sanitary regulations. BLAH/ boasts the certified antibacterial technology (in compliance with ISO 22196:2011 standards) which reduces the presence of the most dangerous bacteria up to 99%, thus assuring the best hygiene over time.




BLA/20 silver anodised aluminium

BLA/
BLAH/

BL/20



BL/40



BL/50



accessories in ABS

PROROUND B

length = 270 cm - pack 20 pcs

LxL

ART.	finishing		20x20	40x40	50x50
ALUMINIUM					
BLA/	silver anodised		95570	95580	-
	euro/m				-
ANTIBACTERIAL COLOUR-COATED ALUMINIUM					
BLAH/	colour-coated white RAL 9003 antibacterial		95572	95582	-
	euro/m				-

individually packed

PROROUND B

length = 270 cm - pack 20 pcs

LxL

ART.	finishing		20x20	40x40	50x50
CO-EXTRUDED PVC					
BL/	white		95550	95500	95551
	euro/m				

ABS ACCESSORIES - PACK

8 pcs

4 pcs

4 pcs

OUTSIDE CORNER IN ABS

GBL/ /E	silver		95574	95584	-
	white		95556	95510	95552
	euro/pc				

INSIDE CORNER IN ABS

GBL/ /I	silver		95576	95586	-
	white		95557	95512	95553
	euro/pc				

TRIAXIAL CORNER IN ABS

GBL/ /T	silver		-	95588	-
	white		-	95511	95554
	euro/pc		-		

RIGHT-LEFT END CAPS IN ABS

GBL/ /C	silver		95578	95590	-
	white		95558	95513	95555
	euro/pc				

no partial packaging - article GBL/ /C pack of 16 pcs (20x20) and 8 pcs (40x40 and 50x50)


Complete the article code with L measure (for example BLA/ for L= 20 becomes BLA/20)



Proround B in stainless steel are perimetral connection profiles to be used between floors and walls, specially designed for the application on already-laid surfaces. These profiles are the best solution for renovations and to be compliant with health and sanitary regulations. Stainless steel is particularly resistant to the attack of organic and inorganic agents and, therefore, it is suitable in spaces such as hospitals, food and chemical industries.



BI/40 stainless steel AISI 304 DIN 1.4301



BI/40
BI/40/A



PROROUND B

length = 270 cm - pack 20 pcs			LxL
ART.	finishing		40x40
STAINLESS STEEL			
BI/40	stainless steel AISI 304 DIN 1.4301 euro/m		94992
BI/40/A adhesive	stainless steel AISI 304 DIN 1.4301 euro/m		94993

ACCESSORIES IN POLISHED STEEL-EFFECT ABS - PACK 4 PCS

OUTSIDE CORNER IN ABS

GTL/E	polished steel effect <i>euro/pc</i>		95515
-------	---	--	-------

INSIDE CORNER IN ABS

GTL/I	polished steel effect <i>euro/pc</i>		95517
-------	---	--	-------

TRIAXIAL CORNER IN ABS

GTL/T	polished steel effect <i>euro/pc</i>		95516
-------	---	--	-------

RIGHT-LEFT END CAPS IN ABS

GTL/C	polished steel effect <i>euro/pc</i>		95518
-------	---	--	-------

no partial packaging



outside corner

triaxial corner



inside corner

rh-lh end caps



linear shower drains and systems for bathrooms

Profilpas offers a wide range of solutions for bathrooms which combine functionality and modern design. In particular, Profilpas bathroom systems allow the creation of floor-level showers, with a wide selection of linear shower drains - like PP Drain Aqua, PP Drain Varioguard, Thin Drain, Slim Drain and Smart Drain, all customizable with different grates - and Q-Drain, available in several models. Profilpas bathroom range also includes Glass Profile, a line of profiles for the insertion of glass walls and the finishing of the shower surface, designed to compensate the 2% slope.

PP Drain Aqua

ppdrain | Aqua

The linear shower drains PP Drain Aqua, made of stainless steel AISI 316 DIN 1.4401 and provided with a patented removable siphon in antibacterial ABS, are a perfect synthesis of beauty and practicality. Profilpas has taken care of every aspect of their design, production and quality control, to offer a product that is always efficient and aesthetically perfect.


The linear shower drains PP Drain Aqua, composed of a single piece without welds, distinguish for their design and functionality that make them elegant, simple to install and easy to clean. Each part of the shower drain is studied in detail, to contain in few components all that is needed to guarantee the maximum ease of installation and maintenance.

Aesthetics



Elegant and exclusive design, customisable with a wide range of covers and finishes.

Removable siphon



The siphon is simple to remove and can be easily inspected, for the maximum efficiency.

Ease of installation



The assembly and the adjustment of the shower drain are simplified, for a simple and quick installation.


Cleanliness and hygiene



The removable siphon in antibacterial ABS simplifies the maintenance and allows a quick and efficient cleanliness.



The essentiality of the linear shape of the shower drain, combined to the beauty of the multiple finishes, allows to offer an aesthetically perfect solution, able to adapt to any kind of design and to any material (porcelain stoneware, marble, mosaic, natural stone...).






PP Drain Aqua


With PP Drain Aqua linear shower drains, maintenance and cleaning are fully simplified. The siphon, made of antibacterial ABS, can be removed and inspected completely. Furthermore, the AISI 316 stainless steel shower drain base is composed of a single piece without welds and sharp edges for the best hygiene and efficiency. Studied to minimize installation times, they are equipped with a pre-glued waterproofing membrane, supports from 6 to 18 mm for the height adjustment of the covers and bases in polystyrene foam.



PP Drain Aqua



pp drain aqua PP/



pp drain aqua PP50/



pp drain aqua PP360/

PP DRAIN AQUA - shower drain base with siphon

		L						
ART.	finishing	60 cm	70 cm	80 cm	90 cm	100 cm	120 cm	
STAINLESS STEEL								
PP/	stainless steel AISI 316 DIN 1.4401 euro/pc		22100	22101	22102	22103	22104	22105

PP DRAIN AQUA - shower drain base with direct drainage diam. 50 mm (without siphon)

		L						
ART.	finishing	60 cm	70 cm	80 cm	90 cm	100 cm	120 cm	
STAINLESS STEEL								
PP50/	stainless steel AISI 316 DIN 1.4401 euro/pc		22106	22107	22108	22109	22110	22111

Shower drain base with direct drainage diam. 40 mm available upon request.

PP DRAIN AQUA 360 - shower drain base with 360° swivelling siphon

		L						
ART.	finishing	60 cm	70 cm	80 cm	90 cm	100 cm	120 cm	
STAINLESS STEEL								
PP360/	stainless steel AISI 316 DIN 1.4401 euro/pc		22180	22181	22182	22183	22184	22185

cover¹

frame²

ABS supports

hair catcher filter

removable top in antibacterial ABS


removable siphon in antibacterial ABS

waterproofing membrane

single-piece base in stainless steel AISI 316

base in polystyrene

drain in antibacterial ABS



¹ Different types of cover available.

² The frame is present in Classic Cover model. The other covers are not equipped with frame.


Complete the article code with L measure (for example PP/ for L = 70 becomes PP/70)




Classic Cover, in polished or brushed stainless steel AISI 316 DIN 1.4401, is available in different lengths (from 60 to 120 cm). It includes the frame and the adjustment supports from 6 to 18 mm, and it is reversible: if turned upside down, it becomes tileable (up to 12 mm), thus creating aesthetic continuity with the bathroom covering.



PP Drain Aqua - Classic Cover polished stainless steel AISI 316 - DIN 1.4401



Classic Cover



Classic Cover
tileable



Classic Cover brushed stainless steel
AISI 316 DIN 1.4401

CLASSIC COVER - tiles thickness from 6 to 18 mm

		L					
ART.	finishing	60 cm	70 cm	80 cm	90 cm	100 cm	120 cm
STAINLESS STEEL							
XPC/	polished stainless steel AISI 316 DIN 1.4401		22112	22113	22114	22115	22116
	brushed stainless steel AISI 316 DIN 1.4401		22118	22119	22120	22121	22122
	euro/pc						

Classic Cover is reversible, if turned upside down it becomes tileable (with a thickness up to 12 mm).



PP Drain Aqua - Design Cover brushed stainless steel AISI 316 DIN 1.4401

Complete the article code with L measure
(for example XPC/ for L = 70 becomes XPC/70)




PP Drain Aqua


Flat Cover, available in several finishes and different lengths (from 60 to 120 cm), stands out for the perfectly flat and linear design. It is provided with adjustment supports that allow it to be adapted to tiles with thickness from 6 to 18 mm.



PP Drain Aqua - Flat Cover matt black colour-coated aluminium



Flat Cover
aluminium



Flat Cover
aluminium +
stainless steel



Flat Cover brushed stainless steel

FLAT COVER - tiles thickness from 6 to 18 mm

		L						
ART.	finishing		60 cm	70 cm	80 cm	90 cm	100 cm	120 cm
ALUMINIUM + STAINLESS STEEL								
XPF/	polished stainless steel AISI 316 DIN 1.4401		22136	22137	22138	22139	22140	22141
	brushed stainless steel AISI 316 DIN 1.4401		22142	22143	22144	22145	22146	22147
	euro/pc							
COLOUR-COATED ALUMINIUM								
XPF/	matt white		22148	22149	22150	22151	22152	-
	matt black		22154	22155	22156	22157	22158	-
	euro/pc							-
ALUMINIUM + STAINLESS STEEL								
XPF/	polished nickel		22226	22227	22228	22229	22230	-
	brushed nickel		22231	22232	22233	22234	22235	-
	polished pink gold		22236	22237	22238	22239	22240	-
	euro/pc							-
	polished graphite		22241	22242	22243	22244	22245	-
	brushed graphite		22246	22247	22248	22249	22250	-
	euro/pc							
	polished gold		22251	22252	22253	22254	22255	-
brushed gold		22256	22257	22258	22259	22260	-	
euro/pc								-



Flat Cover

Complete the article code with L measure
(for example XPF/ for L = 70 becomes XPF/70)




PP Drain Aqua

Design Cover stands out for the absolute elegance of its design and for the central drain. In polished or brushed stainless steel AISI 316, it is available in different lengths, from 60 to 120 cm.



PP Drain Aqua - Design Cover brushed stainless steel AISI 316 DIN 1.4401



Design Cover




Design Cover

With Invisible Cover, the shower tray and the linear shower drain become as one and blend perfectly with the bathroom covering. In natural aluminium and different lengths (from 60 to 120 cm), it disappears under the tile for a completely invisible aesthetic effect.



PP Drain Aqua - Invisible Cover



Invisible Cover



Invisible Cover

Complete the article code with L measure
(for example XPD/ for L = 70 becomes XPD/70)

DESIGN COVER - tiles thickness from 6 to 18 mm

		L						
ART.	finishing		60 cm	70 cm	80 cm	90 cm	100 cm	120 cm
STAINLESS STEEL								
XPD/	polished stainless steel AISI 316 DIN 1.4401		22214	22215	22216	22217	22218	22219
	brushed stainless steel AISI 316 DIN 1.4401		22220	22221	22222	22223	22224	22225
euro/pc								

INVISIBLE COVER

		L						
ART.	finishing		60 cm	70 cm	80 cm	90 cm	100 cm	120 cm
ALUMINIUM								
XPI/	natural aluminium		22130	22131	22132	22133	22134	22135
euro/pc								




PP Drain Varioguard

PP drain | varioguard

PP Drain Varioguard is a floor-level shower drain made of AISI 304 stainless steel. Adjustable in both length and height, this drain offers maximum flexibility, meeting any technical and aesthetic requirement. It is also easy to clean thanks to the removable siphon.

PP Drain Varioguard is an extremely practical and versatile linear drain, adaptable to any installation method. From start to finish, this product adapts flexibly to different situations. Furthermore, everything you need is included in the package.

Adjustable length




The linear drain can be cut to lengths ranging from 120 to 30 cm, adapting perfectly to any shower space.

360° rotatable




The drain body can be rotated 360°, ensuring perfect adaptation to the drainage system.

Flexible height



The height of the linear drain can be adjusted from 60 to 150 mm, allowing for perfect installation on any type of substrate.

Adaptable positioning



The position of the linear drain can be adjusted before final installation.





PP Drain Varioguard

The system consists of:

- ✓ linear shower drain with cover 68x1200 mm in stainless steel AISI 304 - DIN 1.4301;
 - ✓ cover removal tool;
 - ✓ immersion pipe H 50 mm, can be cut to size, in PP;
 - ✓ siphon H 50 mm, 40 mm, 25 mm in PP;
 - ✓ extension element in PP with integrated membrane;
 - ✓ drain body with PP drain connection (adjustable by 8°);
- Everything needed for installation is included in the package (marker pen and cutting aid).



PP DRAIN VARIOGUARD

ART.	finishing	120 cm
STAINLESS STEEL		
PPVG/120	brushed stainless steel AISI 304 DIN 1.4301	22190
euro/pc		


linear shower drain

immersion pipe

siphon

extension element with integrated waterproofing membrane

drain body



thin drain

thindrain


Thin Drain is a line of flush with the floor shower drains for a quick and easy installation, which allows to customize the shower with any kind of covering. Thanks to the syphon with low thickness and the height of the shower drain of just 55 mm, they are particularly suitable for refurbishments or in spaces where lightness and versatility are the main features.

ADVANTAGES


- ✓ Installation flush with the floor (it eliminates architectural barriers)
- ✓ Possibility of installation close to the wall
- ✓ Height of the shower drain of 55 mm (laying surface)
- ✓ Suitable for tiles with thickness up to 12 mm
- ✓ Possibility of laying tiles with thickness up to 12 mm with Tile Cover
- ✓ Drain with minimum flow rate 24 l/min (EN 1253-1)
- ✓ Supports for quick installation
- ✓ Integrated waterproof membrane to reduce the risk of seepages
- ✓ Possibility of inspection of the syphon for periodic cleaning
- ✓ Filter for cleaning/hair
- ✓ Quick installation
- ✓ Drain adapter from 4 to 50 mm included




classic cover - polished stainless steel AISI 304 - DIN 1.4301



classic cover - brushed stainless steel AISI 304 - DIN 1.4301



cube cover - brushed stainless steel AISI 304 - DIN 1.4301



single line cover - polished stainless steel AISI 304 - DIN 1.4301



THIN DRAIN - BASE - pack 10 pcs

ART.	finishing		60 cm	70 cm	80 cm	90 cm	100 cm	120 cm
STAINLESS STEEL								
THIN/	stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		19400	19401	19402	19403	19404	19405

CLASSIC COVER - pack 10 pcs

ART.	finishing		60 cm	70 cm	80 cm	90 cm	100 cm	120 cm
STAINLESS STEEL								
XTC/	brushed stainless steel AISI 304 DIN 1.4301		19410	19412	19414	19416	19418	19420
	polished stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		19411	19413	19415	19417	19419	19421

CUBE COVER - pack 10 pcs




ART.	finishing		60 cm	70 cm	80 cm	90 cm
STAINLESS STEEL						
XTCC/	brushed stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		19430	19431	19432	19433

SINGLE LINE COVER - pack 10 pcs

ART.	finishing		60 cm	70 cm	80 cm	90 cm
XTL/	polished stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		19440	19441	19442	19443

TILE COVER - pack 10 pcs

ART.	finishing		60 cm	70 cm	80 cm	90 cm
XTT/	stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		19450	19451	19452	19453



slim drain

slimdrain

Slim Drain is a line of flush with the floor shower drains for a quick and easy installation, which allows to customize the shower with any kind of covering and any tile thickness by choosing Slim Drain Invisible. Thanks to the syphon with low thickness and the height of the shower drain of just 65 mm, they are particularly suitable for refurbishments or in spaces where lightness and versatility are the main features.

ADVANTAGES

- ✓ Installation flush with the floor (it eliminates architectural barriers)
- ✓ Possibility of installation close to the wall
- ✓ Height of the shower drain of 65 mm (laying surface)
- ✓ Suitable for any tile thickness (Slim Invisible version)
- ✓ Adjustable frame (thickness 7-12,5 mm), Slim Invisible excluded
- ✓ Drain with minimum flow rate 24 l/min (EN 1253-1)
- ✓ Integrated adjusting supports for an easy levelling
- ✓ Integrated waterproof membrane to reduce the risk of seepages
- ✓ Possibility of inspection of the syphon for periodic cleaning
- ✓ Filter for cleaning/hair
- ✓ Quick installation
- ✓ Drain adapter from 40 to 50 mm included




classic cover - polished stainless steel AISI 304 DIN 1.4301




classic cover - brushed stainless steel AISI 304 DIN 1.4301



cube cover - brushed stainless steel AISI 304 DIN 1.4301



single line cover - polished stainless steel AISI 304 DIN 1.4301



slim invisible - stainless steel AISI 304 DIN 1.4301

**SLIM DRAIN - BASE** - pack 10 pcs

ART.	finishing		60 cm	70 cm	80 cm	90 cm	100 cm	120 cm
STAINLESS STEEL								
SLIM/	stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		19504	19506	19508	19510	19512	19514

CLASSIC COVER - pack 10 pcs

ART.	finishing		60 cm	70 cm	80 cm	90 cm	100 cm	120 cm
STAINLESS STEEL								
XSC/	brushed stainless steel AISI 304 DIN 1.4301		19524	19526	19528	19530	19532	19534
	polished stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		19523	19525	19527	19529	19531	19533

CUBE COVER - pack 10 pcs

ART.	finishing		60 cm	70 cm	80 cm	90 cm
STAINLESS STEEL						
XSCC/	brushed stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		19544	19546	19548	19550


SINGLE LINE COVER - pack 10 pcs

ART.	finishing		60 cm	70 cm	80 cm	90 cm
XSL/	polished stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		19563	19565	19567	19569

SLIM INVISIBLE - BASE + COVER - pack 10 pcs

ART.	finishing		60 cm	70 cm	80 cm	90 cm
SLIM-I/	stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		19505	19507	19509	19511

Slim Invisible does not include the adjustable frame



smart drain

smartdrain

Smart Drain is a line of flush with the floor shower drains for a quick and easy installation, which allows to customize the shower with any kind of covering and any tile thickness by choosing Smart Drain Invisible. With high aesthetic level, varied sizes available and the height of the shower drain of 75 mm, they are particularly suitable for large size of tiles in every space.

ADVANTAGES

- ✓ Installation flush with the floor (it eliminates architectural barriers)
- ✓ Possibility of installation close to the wall
- ✓ Height of the shower drain of 75 mm (laying surface)
- ✓ Suitable for tiles with every tiles thickness (Smart Invisible version)
- ✓ Adjustable frame (thickness 7-12,5 mm), excluded Smart Invisible
- ✓ Orientable siphoned body
- ✓ Drain with minimum flow rate 24 l/min (EN 1253-1)
- ✓ Integrated regular supports for a simple set - aside at the same level
- ✓ Integrated waterproof membrane to reduce the risk of seepages
- ✓ Suitable Inox stain steel AISI 316 - DIN 1.4401 version
- ✓ 180° Rotatable classic cover for tiles (maximum thickness 10 mm)
- ✓ Possibility of inspection of the syphon for periodic cleaning
- ✓ Filter for cleaning/hair
- ✓ Quick installation



classic cover - polished stainless steel AISI 304 DIN 1.4301



classic cover - brushed stainless steel AISI 304 DIN 1.4301



cube cover - brushed stainless steel AISI 304 DIN 1.4301



double line cover - polished stainless steel AISI 304 DIN 1.4301



smart invisible - stainless steel AISI 304 DIN 1.4301

**SMART DRAIN - BASE** - pack 10 pcs

ART.	finishing		70 cm	80 cm	90 cm	100 cm	110 cm	120 cm
STAINLESS STEEL								
SMART/	stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		19704	19706	19708	19710	19712	19714
SMART3/	stainless steel AISI 316 DIN 1.4401 <i>euro/pc</i>		19715	19716	19717	19718	-	-
							-	-

CLASSIC COVER - pack 10 pcs

ART.	finishing		70 cm	80 cm	90 cm	100 cm	110 cm	120 cm
STAINLESS STEEL								
XLC/	brushed stainless steel AISI 304 DIN 1.4301		19724	19726	19728	19730	19732	19734
	polished stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		19723	19725	19727	19729	19731	19733
XLC3/	brushed stainless steel AISI 316 DIN 1.4401 <i>euro/pc</i>		19741	19742	19743	19744	-	-
							-	-

CUBE COVER - pack 10 pcs

ART.	finishing		70 cm	80 cm	90 cm	100 cm	110 cm	120 cm
STAINLESS STEEL								
XLCC/	brushed stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		19764	19766	19768	19770	19772	19774

DOUBLE LINE COVER - pack 10 pcs


ART.	finishing		70 cm	80 cm	90 cm	100 cm	110 cm	120 cm
STAINLESS STEEL								
XLL/	polished stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		19783	19785	19787	19789	19791	19793

SMART INVISIBLE - BASE + COVER - pack 10 pcs

ART.	finishing		70 cm	80 cm	90 cm	100 cm	110 cm	120 cm
STAINLESS STEEL								
SMART-I/	stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		19703	19705	19707	19709	19711	19713

Smart Invisible does not include the adjustable frame

All Smart shower drains and covers are available until stock is depleted.



Q drain




q-drain

Q-Drain is a line of point drainages for flush with the floor showers which are quick and easy to install and allow to customize the shower with any kind of covering. Provided with insulating flange and with a height of 72/78 mm, they are the ideal solution for traditional showers flush with the floor.

ADVANTAGES

- ✓ Installation flush with the floor (it eliminates architectural barriers)
- ✓ Height of the point drainage of 72/78 mm (laying surface)
- ✓ Directable syphon
- ✓ Drain with minimum flow rate 24 l/min (EN 1253-1)
- ✓ Integrated waterproof membrane to reduce the risk of seepages
- ✓ Possibility of laying tiles with thickness up to 10 mm with Q Drain Tile
- ✓ Possibility of inspection of the syphon for periodic cleaning
- ✓ Filter for cleaning/hair
- ✓ Quick installation



Q Drain Cube



Q Drain Line



Q DRAIN CLASSIC - pack 10 pcs

ART.	finishing	10x10 cm
STAINLESS STEEL		floor thickness of 12,5 mm
QDC/1010	brushed stainless steel AISI 304 DIN 1.4301	19850
	polished stainless steel AISI 304 DIN 1.4301	19851
euro/pc		



Q DRAIN CUBE - pack 10 pcs

ART.	finishing	10x10 cm
STAINLESS STEEL		floor thickness of 12,5 mm
QDCC/1010	brushed stainless steel AISI 304 DIN 1.4301	19852
	polished stainless steel AISI 304 DIN 1.4301	19853
euro/pc		






Q DRAIN LINE - pack 10 pcs

ART.	finishing	10x10 cm
STAINLESS STEEL		floor thickness of 12,5 mm
QDL/1010	brushed stainless steel AISI 304 DIN 1.4301	19854
	polished stainless steel AISI 304 DIN 1.4301	19855
euro/pc		



Q DRAIN TILE - pack 10 pcs

ART.	finishing	10x10 cm
STAINLESS STEEL		floor thickness of 10 mm
QDI/1010	stainless steel AISI 304 DIN 1.4301	19856
euro/pc		





Glass Profile

The floor-level shower is a trendy and design element that represents a real opportunity for designing bathrooms of every dimension, highlighting their practicality and beauty. Removing the traditional shower tray, the floor-level shower can be made with the same covering of the bathroom, thus creating a uniform and elegant surface. Moreover, the absence of architectural barriers makes the access easier for children, elderly people or disabled.

Profilpas offers a series of integrated solutions for floor-level showers: a system of linear floor-level drains in stainless steel, with the possibility of also opting for the invisible version, thus creating a whole with the shower ceramic covering, which is completed by a wide range of stainless steel profiles for the insertion of glass walls and for finishing the sloping surface.



Glass Profile is a line of stainless steel profiles designed to cover the difference in height of the surface with 2% slope and create a coplanar surface with a modern and linear design. The range includes two finishes: brushed stainless steel and matt black colour coated stainless steel. The versatility of these two colours become guarantee of elegance, assuring a minimalist and trendy effect.







glass profile

Glass Profile GPS1/ is a stainless steel profile for the insertion of glass walls of floor-level showers. GPS1/ is provided with a 2% slope on the shower inner side for a perfect aesthetic solution of the sloped surface.


On completion of the profile, there is GPS/6, the end cap for hiding the section of the glass wall.




GPS1/DX/19 brushed stainless steel AISI 304 DIN 1.4301



GPS1/DX/19



GPS1/SX/19



GPS/6



transparent pvc glass gasket

GLASS PROFILE

pack 5 pcs

ART.	GPS1/ /19							
	DX	SX	DX	SX	DX	SX	DX	SX
length cm	98		120		148		200	
H2 mm	34		37		42		60	

STAINLESS STEEL

brushed stainless steel AISI 304 DIN 1.4301		31505	31507	31515	31517	31525	31527	31535	31537
--	--	-------	-------	-------	-------	-------	-------	-------	-------

euro/pc

MATT BLACK COLOUR-COATED STAINLESS STEEL

matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301		31506	31508	31516	31518	31526	31528	-	-
---	--	-------	-------	-------	-------	-------	-------	---	---

euro/pc

individually packed

GLASS PROFILE - END CAP FOR GPS1/ /19

pack 5 pcs

ART.	GPS/6
------	-------

STAINLESS STEEL

brushed stainless steel AISI 304 DIN 1.4301		31564
--	--	-------

euro/pc

MATT BLACK COLOUR-COATED STAINLESS STEEL

matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301		31566
---	--	-------

euro/pc

no partial packaging

TRANSPARENT PVC GLASS GASKET

pack 5 mt

ART.	measuresf	
GG/2	thickness 2 mm	31590
GG/3	thickness 3 mm	31592
GG/4	thickness 4 mm	31594

euro/pack

no partial packaging

For 8 mm thick glass, we recommend GG/2 on both sides.

For 10 mm thick glass, we recommend GG/3 on the inside of the shower.


Complete the article code with DX and SX (DX = RH and SX = LH) - for example GPS1/ /19 RH becomes GPS1/DX/19.



Glass Profile GPS2/ and GPS14/12 are two stainless steel profiles for inserting glass walls on the wall covering. GPS2/ is simple to install, is suitable for tiles of any thickness and does not require drilling. GPS/6 is the end cap to complete the profile, to hide the visible section of the glass wall. GPS14/12 can be fixed directly onto the already-laid wall covering.



GPS2/19 brushed stainless steel AISI 304 DIN 1.4301



GPS2/

**GLASS PROFILE**

length = 210 cm - pack 5 pcs

ART.	finishing	10	12,5	19
------	-----------	----	------	----

STAINLESS STEEL

GPS2/	brushed stainless steel AISI 304 DIN 1.4301		31541	31542	31543
	euro/pc				

MATT BLACK COLOUR-COATED STAINLESS STEEL

GPS2/	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301		31546	31547	31545
	euro/pc				

individually packed

GLASS PROFILE

length = 250 cm - pack 5 pcs

ART.	finishing	10	12,5	19
------	-----------	----	------	----

STAINLESS STEEL

GPS2/	brushed stainless steel AISI 304 DIN 1.4301		31548	31549	31544
	euro/pc				

individually packed

GLASS PROFILE - END CAP FOR GPS2/19

pack 5 pcs

ART.	GPS/6
------	-------


STAINLESS STEEL

	brushed stainless steel AISI 304 DIN 1.4301		31564
	euro/pc		


MATT BLACK COLOUR-COATED STAINLESS STEEL

	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301		31566
	euro/pc		

no partial packaging



GPS/6



GPS14/12

**GLASS PROFILE**

pack 5 pcs

ART.	GPS14/12
------	----------

STAINLESS STEEL

length cm	210	250
brushed stainless steel AISI 304 DIN 1.4301	 32000	32001
euro/pc		


individually packed

Complete the article code with H measure
(for example GPS2/ for H=10 becomes GPS2/10).




glass profile


Glass Profile GPS3/ is a stainless steel profile provided with a 2% slope on the shower inner side for a perfect aesthetic solution of the sides of the sloped surface.



GPS3/SX/10 brushed stainless steel AISI 304 DIN 1.4301



GPS3/DX/



GPS3/SX/



GLASS PROFILE

length = 98 cm - pack 5 pcs

ART.	finishing		H	H2	DX	SX
STAINLESS STEEL						
GPS3/ /10	brushed stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		10	25	31615	31617
GPS3/ /11	brushed stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		11	26	31619	31620
GPS3/ /12	brushed stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		12,5	27,5	31625	31627
MATT BLACK COLOUR-COATED STAINLESS STEEL						
GPS3/ /10	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		10	25	31616	31618
GPS3/ /11	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		11	26	31629	31630
GPS3/ /12	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		12,5	27,5	31626	31628

individually packed

GLASS PROFILE

length = 120 cm - pack 5 pcs

ART.	finishing		H	H2	DX	SX
STAINLESS STEEL						
GPS3/ /10	brushed stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		10	28	31645	31647
GPS3/ /11	brushed stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		11	29	31649	31650
GPS3/ /12	brushed stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		12,5	30,5	31655	31657
MATT BLACK COLOUR-COATED STAINLESS STEEL						
GPS3/ /10	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		10	28	31646	31648
GPS3/ /11	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		11	29	31652	31654
GPS3/ /12	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		12,5	30,5	31656	31658

individually packed

GPS3/ is also available in 8 mm height on request, with a minimum order of 30 pcs.

Complete the article code with DX and SX (DX = RH and SX = LH) - for example GPS3/ /10 RH becomes GPS3/DX/10)

**GLASS PROFILE**

length = 148 cm - pack 5 pcs

ART.	finishing		H	H2	DX	SX
STAINLESS STEEL						
GPS3/ /10	brushed stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		10	33	31675	31677
GPS3/ /11	brushed stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		11	34	31679	31680
GPS3/ /12	brushed stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		12,5	35,5	31685	31687
MATT BLACK COLOUR-COATED STAINLESS STEEL						
GPS3/ /10	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		10	33	31676	31678
GPS3/ /11	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		11	34	31682	31684
GPS3/ /12	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		12,5	35,5	31686	31688

individually packed

GLASS PROFILE

length = 200 cm - pack 5 pcs

ART.	finishing		H	H2	DX	SX
STAINLESS STEEL						
GPS3/ /10	brushed stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		10	51	31694	31695
GPS3/ /11	brushed stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		11	52	31709	31710
GPS3/ /12	brushed stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		12,5	53,5	31698	31699

individually packed



GPS3/DX/10 matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301




glass profile


Glass Profile GPS4/ is a stainless steel profile provided with a 2% slope on the shower inner side. It connects the sloped floor and the covering perfectly, thus avoiding the oblique cut of the tiles.



GPS4/DX/10 matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301



GPS4/DX/



GPS4/SX/

GLASS PROFILE

length = 98 cm - pack 5 pcs

ART.	finishing		H	H2	DX	SX
STAINLESS STEEL						
GPS4/ /10	brushed stainless steel AISI 304 DIN 1.4301		10	23	31715	31717
	euro/pc					
GPS4/ /11	brushed stainless steel AISI 304 DIN 1.4301		11	23	31716	31718
	euro/pc					
GPS4/ /12	brushed stainless steel AISI 304 DIN 1.4301		12,5	23	31725	31727
	euro/pc					

MATT BLACK COLOUR-COATED STAINLESS STEEL

GPS4/ /10	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301		10	23	31719	31720
	euro/pc					
GPS4/ /11	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301		11	23	31722	31724
	euro/pc					
GPS4/ /12	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301		12,5	23	31726	31728
	euro/pc					

individually packed

GLASS PROFILE

length = 120 cm - pack 5 pcs

ART.	finishing		H	H2	DX	SX
STAINLESS STEEL						
GPS4/ /10	brushed stainless steel AISI 304 DIN 1.4301		10	26	31745	31747
	euro/pc					
GPS4/ /11	brushed stainless steel AISI 304 DIN 1.4301		11	26	31746	31748
	euro/pc					
GPS4/ /12	brushed stainless steel AISI 304 DIN 1.4301		12,5	26	31755	31757
	euro/pc					

GPS4/ is also available in 8 mm height on request, with a minimum order of 30 pcs.

Completare codice articolo con DX e SX
(for example GPS4/ /8 DX becomes GPS4/DX/8)

**MATT BLACK COLOUR-COATED STAINLESS STEEL**

GPS4/ /10	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		10	26	31749	31750
GPS4/ /11	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		11	26	31752	31754
GPS4/ /12	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		12,5	26	31756	31758

individually packed

GLASS PROFILE

length = 148 cm - pack 5 pcs

ART.	finishing		H	H2	DX	SX
STAINLESS STEEL						
GPS4/ /10	brushed stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		10	31	31775	31777
GPS4/ /11	brushed stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		11	31	31776	31778
GPS4/ /12	brushed stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		12,5	31	31785	31787

MATT BLACK COLOUR-COATED STAINLESS STEEL

GPS4/ /10	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		10	31	31779	31780
GPS4/ /11	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		11	31	31782	31784
GPS4/ /12	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		12,5	31	31786	31800

individually packed

GLASS PROFILE

length = 200 cm - pack 5 pcs

ART.	finishing		H	H2	DX	SX
STAINLESS STEEL						
GPS4/ /10	brushed stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		10	49	31794	31795
GPS4/ /11	brushed stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		11	49	31806	31808
GPS4/ /12	brushed stainless steel AISI 304 DIN 1.4301 <i>euro/pc</i>		12,5	49	31798	31799

individually packed




GPS4/SX/10 brushed stainless steel AISI 304 DIN 1.4301




glass profile

Glass Profile GPS5/ is a stainless steel profile to be positioned on the wall covering, above the shower drain with sloped surface, in order to avoid the cut of the tiles. GPS5/ allows you to complete the look of the floor-level shower perimeter.



GPS5/ brushed stainless steel AISI 304 DIN 1.4301



GPS5/



GLASS PROFILE

length = 125 cm - pack 5 pcs

ART.	finishing		H	H2		
STAINLESS STEEL				23	33	45
GPS5/10/	brushed stainless steel AISI 304 DIN 1.4301		10	31551	31553	31559
	euro/pc					
GPS5/11/	brushed stainless steel AISI 304 DIN 1.4301		11	31563	31572	-
	euro/pc					-
GPS5/12/	brushed stainless steel AISI 304 DIN 1.4301		12,5	31555	31557	31561
	euro/pc					
MATT BLACK COLOUR-COATED STAINLESS STEEL						
GPS5/10/	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301		10	31567	31568	-
	euro/pc					-
GPS5/11/	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301		11	31570	31571	-
	euro/pc					-
GPS5/12/	matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301		12,5	31573	31574	-
	euro/pc					-

individually packed

GPS5/ is also available in 8 mm height on request, with a minimum order of 30 pcs.


Complete the article code with H2 measure (for example GPS5/10/ for H2 = 23 becomes GPS5/10/23).




GPS5/ matt black RAL 9005 colour-coated stainless steel AISI 304 DIN 1.4301



GU/ and TGU/ are anodised aluminium profiles suitable for the insertion of glass walls on the floor and on the wall of floor-level showers.



GU/40/12 + TGU/12 silver anodised aluminium



TGU/




GLASS PROFILE

length = 270 cm - pack 10 pcs

ART. finishing		12	14
ALUMINIUM			
TGU/	silver anodised	67760	67762
euro/m			

individually packed



GU/30/


GLASS PROFILE

length = 270 cm - pack 10 pcs

ART. finishing		12	14
ALUMINIUM			
GU/30/	silver anodised	67770	67772
euro/m			

GU/40/	silver anodised	67780	67782
euro/m			

individually packed



GU/40/

Complete the article code with L measure
(for example GU/30/ for L = 12 becomes
GU/30/12)



sanibord


Sanibord BP/22 and BP/25 are technical profiles in coextruded PVC to be installed between the covering and the bath tub or shower tray during the laying. These profiles allow to avoid the use of silicone and, besides the aesthetic advantages, guarantee a high hygienic level over time.



BP/22



BP/25



BP/22



SANIBORD


length = 270 cm - pack 20 pcs

ART. finishing

CO-EXTRUDED PVC

BP/22	anti-mould white	☐	95520
euro/m			

no partial packaging



BPT/22

INSIDE CORNER AND RIGHT/LEFT END CAPS FOR BP/22


pack 6 blister

ART. finishing

ABS

BPT/22	white	☐	95530
euro/blister			

no partial packaging



BP/25

SANIBORD


length = 270 cm - pack 20 pcs

ART. finishing

CO-EXTRUDED PVC

BP/25	anti-mould white	☐	95540
euro/m			

no partial packaging



BPT/25

INSIDE CORNER AND RIGHT/LEFT END CAPS FOR BP/25

pack 6 blister

ART. finishing

ABS

BPT/25	white	☐	95545
euro/blister			

no partial packaging

KIT: 1 PC OF 180 CM + 2 PCS OF 90 CM + 2 INSIDE CORNERS AND RIGHT/LEFT END CAPS

pack 10 pcs

ART. finishing

CO-EXTRUDED PVC

BPK/25	anti-mould white	☐	95494
euro/kit			

no partial packaging




Sanibord BH/20 and BP/20 are technical profiles in colour-coated aluminium or coextruded PVC to be installed between the wall and the bath tub or the shower tray. These profiles allow to avoid the use of silicone and, besides the aesthetic advantages, guarantee a high hygienic level over time.


BH/20 in colour-coated aluminium is provided with the certified antibacterial technology (in compliance with ISO 22196:2011 standards) which allows to reduce the presence of the most dangerous bacteria up to 99%.




BP/20 anti-mould white co-extruded PVC



BH/20



BP/20



BPT/20

SANIBORD

length = 270 cm - pack 20 pcs

ART. finishing

ANTIBACTERIAL COLOUR-COATED ALUMINIUM

BH/20	colour-coated white antibacterial RAL 9003	☐	95459
BH/20/A adhesive	colour-coated white antibacterial RAL 9003	☐	95460
	euro/m		

individually packed

SANIBORD

length = 270 cm - pack 20 pcs

ART. finishing

CO-EXTRUDED PVC

BP/20	anti-mould white	☐	95490
BP/20/A adhesive	anti-mould white	☐	95470
	euro/m		

no partial packaging

INSIDE CORNER, OUTSIDE CORNER, RIGHT/LEFT END CAPS FOR BH/20 AND BP/20

pack 6 blister

ART. finishing

ABS

BPT/20	white	☐	95480
	euro/blister		

no partial packaging

KIT: 1 PC OF 180 CM + 2 PCS OF 90 CM + 2 INSIDE CORNERS AND RIGHT/LEFT END CAPS

pack 10 pcs

ART. finishing

CO-EXTRUDED PVC

BPK/20	anti-mould white	☐	95544
	euro/kit		

no partial packaging

RECOMMENDED ADHESIVE

ART.

MAPEFLEX MS 45	white	☐	6PB010043
MAPEFLEX MS 55	white	☐	6PV010043

For further information, please visit mapei.com.





profiles for floors of same height

The range of profiles is designed to combine different materials with elegance and simplicity. The coupling of different materials thus becomes interior style and not visual limit.




cerfix® proangle

Proangle is a line of profiles to finish, protect and decorate floors of same level in ceramic, marble, granite, wood or other glued materials. It is also ideal as separation and decoration joint between floors made of different materials, as finishing and protection element for the edges of steps, platforms and worktops and as perimeter profile for the shaping of dirt barriers.

Proangle B in natural aluminium is particularly suitable where it is necessary to proceed to polishing of marble, resin and wood surfaces.



Al/10 stainless steel AISI 304 DIN 1.4301



ZG/
ZA/
ZN/
ZK/

PROANGLE

length = 270 cm - pack 20 pcs

		H				
ART.	finishing	2	2,5	3	4,5	6

ALUMINIUM

ZG/	natural aluminium		90207	90206	90208	90210	88159
	euro/m						
ZA/	silver anodised		90336	90337	90338	90340	88204
	euro/m						

BRASS

ZN/	natural brass		-	-	90078	90080	88024
	euro/m		-	-			
ZK/	chromium plated		-	-	-	90081	88114
	euro/m		-	-	-		

individually packed - ZA/ H 10 and ZG/ H 8 - 10 - 12 are available in length of 90 cm euro/m + art. ZN/22,5 pack 5 pcs

PROANGLE


length = 270 cm - pack 20 pcs

		H			
ART.	finishing	3	4,5	6	8

STAINLESS STEEL

AI/	stainless steel AISI 304 DIN 1.4301		91636	91638	91642	91644
	euro/m					
AIS/	brushed stainless steel AISI 304 - DIN 1.4301		-	91671	91673	91674
	euro/m		-			
AIX/	stainless steel AISI 316 DIN 1.4401		-	-	91684	91685
	euro/m		-	-		

individually packed - AI/ H 10 is available in length of 90 cm euro/m +



AI/
AIS/
AIX/


Profiles PROANGLE sandblasted stainless steel finish see page 30

Complete the article code with H measure (for example ZG/ for H=10 becomes ZG/10)

Items AIX/ in other heights, on demand for minimum 540 meters for each height



ZG/10 natural aluminium



ZBG/10 natural aluminium




ZN/10 natural brass



ZK/10 brass chromium plated

H												
8	9	10	11	12,5	14	15	17,5	20	22,5	25	27,5	30
88160	88155	88161	88156	88162	88157	88163	88164	88165	88166	88167	-	-
											-	-
88205	88217	88206	88218	88207	-	88208	88209	88210	88211	88212	-	-
					-						-	-
88025	-	88026	88038	88027	-	88028	88029	88030	88031	-	-	-
	-				-					-	-	-
88115	-	88116	88118	88117	-	-	-	-	-	-	-	-
	-				-	-	-	-	-	-	-	-

H												
9	10	11	12,5	14	15	17,5	20	22,5	25	27,5	30	
91645	91646	91647	91648	91649	91650	91652	91654	91656	91658	91660	91662	
-	91675	91677	91676	-	91678	-	91679	-	-	-	-	-
-				-		-		-	-	-	-	-
-	91686	91688	91687	-	-	-	-	-	-	-	-	-
-				-	-	-	-	-	-	-	-	-



ZBG/



PROANGLE B

length = 270 cm - pack 20 pcs

length = 270 cm - pack 20 pcs			H					
ART.	finishing		8	10	12,5	15	20	22,5
ALUMINIUM								
ZBG/	natural aluminium		90010	90012	90014	90016	90018	90020
	euro/m							

euro/m

individually packed

Complete the article code with H measure (for example ZBG/ for H=10 becomes ZBG /10)




proflex line


Proangle is also available in the Flex version, specially studied for those situations where there is the need to curve the profile.
Proangle Flex can be curved by hand or through the specific tool Proflex Machine.




AIF/10 stainless steel AISI 304 DIN 14301



ZGF/
ZNF/



AIF/



ZBGF/

PROANGLE FLEX

length = 270 cm - pack 20 pcs

ART.	finishing	3	4,5	6	8	10	12,5	15
------	-----------	---	-----	---	---	----	------	----

ALUMINIUM

ZGF/	natural aluminium		88720	88721	88722	88723	88724	88725	88726
------	-------------------	--	-------	-------	-------	-------	-------	-------	-------

euro/m

BRASS

ZNF/	natural brass		88701	-	88703	88704	88705	88706	-
------	---------------	--	-------	---	-------	-------	-------	-------	---

euro/m

length = 270 cm - pack 10 pcs

STAINLESS STEEL

AIF/	stainless steel AISI 304 DIN 14301		-	-	91622	91623	91624	91625	-
------	---------------------------------------	--	---	---	-------	-------	-------	-------	---

euro/m

Proangle Flex is available in other heights on request.

PROANGLE FLEX

length = 270 cm - pack 20 pcs


ART.	finishing	8	10	12,5	15	20	22,5
------	-----------	---	----	------	----	----	------

ALUMINIUM

ZBGF/	natural aluminium		90011	90013	90015	90017	90019	90021
-------	-------------------	--	-------	-------	-------	-------	-------	-------

euro/m

individually packed



Complete the article code with H measure
(for example ZGF/ for H=8 becomes ZGF/8)

PROFLEX MACHINE - hand machine to bend proflex line profiles, see page 262




Prodecor and Prodecor DJ are two lines of profiles for finishing and protecting floors of same level in ceramic, marble, granite, wood or other materials. They are also ideal as separation and decoration joints between floors made of different materials, as perimeter profiles for the shaping of doormats or as protection and finishing of platforms and ceramic steps.

The visible thickness makes the profile an elegant separation element perfectly integrated into the floor.



DJK/15 chromium-plated brass



DJG/
DJA/
DJN/
DJK/

**PRODECOR DJ**

length = 270 cm - pack 20 pcs

ART.	finishing		8	10	12,5	15	20
ALUMINIUM							
DJG/	natural aluminium		95670	95672	95674	-	-
	<i>euro/m</i>					-	-
DJA/	silver anodised		95680	95682	95684	-	-
	<i>euro/m</i>					-	-
BRASS							
DJN/	natural brass		95690	95692	95694	95691	95693
	<i>euro/m</i>						
CHROMIUM-PLATED BRASS							
DJK/	chromium plated		95700	95702	95704	95703	95705
	<i>euro/m</i>						

individually packed - art. DJN/20 and DJK/20 pack 10 pcs

OUTSIDE AND INSIDE CORNERS

pack 5 pcs

ART.	finishing		8	10	12,5	15	20
ALUMINIUM							
DJG/ /EI	natural aluminium		95676	95677	95678	-	-
	<i>euro/pc</i>					-	-
DJA/ /EI	silver anodised		95686	95687	95688	-	-
	<i>euro/pc</i>					-	-
BRASS							
DJN/ /EI	natural brass		95696	95697	95698	95715	95716
	<i>euro/pc</i>						
CHROMIUM-PLATED BRASS							
DJK/ /EI	chromium plated		95706	95707	95708	95709	95710
	<i>euro/pc</i>						

no partial packaging



PRODECOR DJ FLEX

length = 270 cm - pack 10 pcs


ART.	finishing		8	10	12,5	15	20
ALUMINIUM							
DJAF/	silver anodised		-	95685	95689	-	-
	<i>euro/m</i>						
BRASS							
DJNF/	natural brass		-	95695	95699	-	-
	<i>euro/m</i>						

individually packed

DJNF in height 8, 15 and 20 mm is available upon request, with a minimum order of 100 pcs per height



DJAF/
DJNF/



DI/

**PRODECOR**

length = 270 cm - pack 20 pcs


ART.	finishing		8	10	12,5	15	20
STAINLESS STEEL							
DI/	polished stainless steel AISI 304 DIN 1.4301		95906	95908	95910	95911	95907
	<i>euro/m</i>						

art. DI/20 pack 10 pcs




cerfix® prostyle


Prostyle is a line of multi-purpose profiles for the finishing and decoration of floors of same level in ceramic, marble, granite or other types of materials. It is also ideal as separation and decoration joint between floors of different materials and, in the stainless steel version, it is suitable for the protection of ceramic steps and for the surfaces subject to the passage of heavy and frequent loads.




UK/12 chromium-plated brass



UG/
UA/
UN/
UK/



UI/
UIS/



PROSTYLE

length = 270 cm - pack 20 pcs

		H					
ART.	finishing	8	10	11	12,5	15	20
ALUMINIUM							
UG/	natural aluminium		93368	93370	-	93372	93377
	euro/m			-			-
UA/	silver anodised		93378	93380	-	93382	93387
	euro/m			-			-

length = 270 cm - pack 10 pcs

STAINLESS STEEL							
UI/	polished stainless steel AISI 304 DIN 1.4301		93400	93401	-	93402	93403
	euro/m			-			93404
UIS/	brushed stainless steel AISI 304 DIN 1.4301		93348	93350	-	93352	93360
	euro/m			-			93361
BRASS							
UN/	natural brass		93300	93302	93311	93304	93306
	euro/m						93308
UK/	chromium plated		93325	93327	93312	93329	93338
	euro/m						93340

individually packed

OUTSIDE AND INSIDE CORNERS

pack 5 pcs


		H					
ART.	finishing	8	10	11	12,5	15	20
ALUMINIUM							
UG/ /EI	natural aluminium		93373	93374	-	93375	93376
	euro/pc			-			-
UA/ /EI	silver anodised		93383	93384	-	93385	93386
	euro/pc			-			-
STAINLESS STEEL							
UI/ /EI	polished stainless steel AISI 304 DIN 1.4301		93405	93406	-	93407	93408
	euro/pc			-			93409
UIS/ /EI	brushed stainless steel AISI 304 DIN 1.4301		93353	93354	-	93355	93356
	euro/pc			-			93357
BRASS							
UN/ /EI	natural brass		93301	93303	93341	93305	93307
	euro/pc						93309
UK/ /EI	chromium plated		93334	93335	93342	93336	93337
	euro/pc						93339

no partial packaging


Complete the article code with H measure
(for example UG/ for H=8 becomes UG/8)



Projoint U and Projoint they are a range of separation joints in stainless steel and brass, especially suitable in case of transit of high and frequent loads. The version 799 / in case of need can be inserted and polished even after the installation after the cutting of the flooring.



799/U/12 polished stainless steel AISI 304 DIN 1.4301



799/U/
399/U



PROJOINT U

length = 270 cm - pack 20 pcs

H	10	12,5
---	----	------

ART. finishing


STAINLESS STEEL

799/U/	polished stainless steel AISI 304 DIN 1.4301		75078	75072
	euro/m			

BRASS

399/U	polished brass		75077	-
	euro/m			-

individually packed



799/



PROJOINT


length = 270 cm - pack 20 pcs

H	10
---	----

ART. finishing

STAINLESS STEEL

799/	stainless steel AISI 304 DIN 1.4301		74966	
	euro/m			



380/8

PROJOINT

length = 270 cm - pack 20 pcs

measures LxH	8x10
--------------	------

ART. finishing

BRASS

380/8	natural brass		75047	
	euro/m			

Complete the article code with H measure
(for example 799/U/ for H=10 becomes 799/U/10)




projoint


Projoint T is a line of profiles for the separation, protection and decoration of same-level floors in ceramic, marble, granite, wood or other glued materials. It is also ideal to cover any imperfections due to the cutting or the laying of floors of different materials. Its special section allows to cover slight height differences (2÷3 mm) between two different types of floor. It is also easy to install, thanks to the arrow shape which allows a perfect fixing with sealants or adhesives.




99/T/14 silver anodised aluminium



99/T/
399/T/
399/TC/



99/T/14 silver anodised aluminium



99/TR/26

PROJOINT T

length = 270 cm - pack	50 pcs	50 pcs	30 pcs	20 pcs
width	8	14	20	26
ART. finishing				

ALUMINIUM

99/T/	silver anodised		75075	75080	63600	75082
	euro/m					
	gold anodised		-	75083	75084	75085
	euro/m		-			
	titanium anodised		-	75099	-	-
	euro/m		-		-	-
length = 270 cm - pack			-	10 pcs	-	-
width			-	14	-	-

ART. finishing

ALUMINIUM decors ALCROM® PLUS

99/T/	black 97		-	75095	-	-
	euro/m		-		-	-

individually packed

PROJOINT T

length = 90 cm - pack 10 pcs / blister	L
ART. finishing	14

ALUMINIUM

499/T	silver anodised		20008
	euro/pc		
	gold anodised		20010
	euro/pc		

PROJOINT T

length = 270 cm - pack 20 pcs	LxH
ART. finishing	26 X 4,5

ALUMINIUM


99/TR/26	silver anodised		75081
	euro/m		

individually packed

Projoint T 99/T/ can be bent with Proflex Machine (except 99/T/14 black 97).

Complete the article code with L measure (for example 99/T/ for L=14 becomes 99/T/14)

packaging in blister - no partial packaging



799/T/
799/TS/



PROJOINT T

length = 270 cm - pack	30 pcs	20 pcs
width	14	26

ART. finishing

STAINLESS STEEL

799/T/	polished stainless steel AISI 304 DIN 1.4301		75092	75096
799/TS/	brushed stainless steel AISI 304 DIN 1.4301		75093	75097

individually packed

PROJOINT T

length = 90 cm - pack 10 pcs / blister		L
ART. finishing		14

4799/T	polished stainless steel AISI 304 DIN 1.4301		20001	-
4799/TS	brushed stainless steel AISI 304 DIN 1.4301		20002	-

PROJOINT T

length = 270 cm - pack	50 pcs	20 pcs	20 pcs	20 pcs
width	8	14	20	26

ART. finishing

BRASS


399/T/	polished		75070	75087	75090	75088
	pack		30 pcs	30 pcs	-	10 pcs
399/TC/	chromium plated		75071	75086	-	75089

individually packed

PROJOINT T

length = 90 cm - pack 10 pcs / blister		L
ART. finishing		14

4399/T	polished		20016
--------	----------	--	-------



399/T/
399/TC/



799/T/26 polished stainless steel AISI 304 DIN 1.4301



399/T/14 polished brass

Projoint T 399/T/ and 399/TC/ can be bent with Proflex Machine.

Complete the article code with L measure
(for example 799/T/ for L=14 becomes 799/T/14)




projoint

Projoint R is a line of profiles in aluminium or brass for subdivision and / or decoration of floors of the same level in ceramic, marble, granite, wood or other glued materials. The thickness of the upper part makes it particularly suitable for the polishing of wood, marble, etc..



399/R/10 natural brass



99/R/
399/R/



PROJOINT R

length = 270 cm - pack 50 pcs

H

ART.	finishing	10	14
------	-----------	----	----

ALUMINIUM

99/R/	natural aluminium	75006	75016
-------	-------------------	-------	-------

euro/m

length = 270 cm - pack 20 pcs

H

BRASS

399/R/	natural brass	75007	75017
--------	---------------	-------	-------

euro/m

length = 90 cm - pack 10 pcs

BRASS


4399/R/10	natural brass	20006	-
-----------	---------------	-------	---

euro/pc

Projoint M is ideal as a separation joint and / or renovation and decoration between floors of the same level laid with glue or mortar. Used between materials of different thickness or type, it could also be polished both in the aluminium and brass version.



399/M natural brass



99/M
399/M
399/10



PROJOINT M

length = 270 cm - pack

50 pcs

measures	5x3x25	10x4x25
----------	--------	---------

ART.	finishing		
------	-----------	--	--

ALUMINIUM

99/M	natural aluminium	75005	-
------	-------------------	-------	---

euro/m

pack	20 pcs	10 pcs
------	--------	--------

BRASS

399/M	natural brass	74975	-
-------	---------------	-------	---

euro/m

399/10	natural brass	-	74906
--------	---------------	---	-------

euro/m

Complete the article code with H measure
(for example 99/R/ for H=10 becomes 99/R/10)

packaging in blister - no partial packaging




Proclassic R is a line of profiles specially designed as threshold cover and to hide junctions and possible imperfections due to the cutting or the laying between floors of different materials.


The rounded shape allows to compensate a slight height difference (2÷3 mm) between two different types of floor. Installation is also particularly simple, thanks to the possibility of fixing with adhesive or, in case of heavy traffic, with screws.



30/A silver anodised aluminium



21/



30/

**PROCLASSIC R**


length = 270 cm - pack 20 pcs

ART.	finishing	A
ALUMINIUM		
21/	silver anodised	71037
	euro/m	
	gold anodised	71047
	euro/m	
individually packed		


PROCLASSIC R

pack				30 pcs		10 pcs / blister 							
length cm				270		83		93		103		166	
ART.				30/		430/							
finishing		F	A	CV	AD	CV	AD	CV	AD	CV	AD		
ALUMINIUM													
silver anodised		71067	71097	20128	20148	20132	20152	-	20156	20140	20160		
gold anodised		71077	71107	-	-	20133	20153	-	20157	-	20161		
euro/m				-	-	-	-	-	-	-	-		
euro/pc		-	-					-					
titanium anodised		-	71098	-	-	-	-	-	-	-	-		
euro/m		-		-	-	-	-	-	-	-	-		
euro/pc		-	-	-	-	-	-	-	-	-	-		
bronze anodised		-	71117	-	-	-	20154	-	-	-	-		
euro/m		-		-	-	-	-	-	-	-	-		
euro/pc		-	-	-	-	-		-	-	-	-		
colour-coated anthracite grey RAL 7016		-	71101	-	-	-	-	-	-	-	-		
euro/m		-		-	-	-	-	-	-	-	-		

individually packed



35/



41/

PROCLASSIC R

length = 270 cm - pack 20 pcs

ART.		35/	
finishing		F	A
ALUMINIUM			
silver anodised		71387	71417
<i>euro/m</i>			
individually packed			

PROCLASSIC R

pack	20 pcs		10 pcs / blister	
length cm	270		90	
ART.	41/		441/	
finishing	F	A	AD	
ALUMINIUM				
silver anodised		71587	71617	20552
euro/m				-
euro/pc		-	-	
gold anodised		-	71627	20553
titanium anodised		-	71618	20555
euro/m		-		-
euro/pc		-	-	
bronze anodised		-	71637	-
euro/m		-		-
euro/pc		-	-	-
individually packed				

Complete the article code with F= drilled, A-A-D=adhesive, CV=with screws (for example 30/ becomes 30/F)


packaging in blister - no partial packaging




proclassic

Proclassic R in stainless steel is particularly suitable in public spaces and in the case of passage of frequent and heavy loads. The sparkle of polished stainless steel also matches perfectly the modern floors and furnishings.

Proclassic R in polished brass is classic and modern at the same time and can be easily combined to handles, taps and other furniture accessories of the same material and finish.



720/A polished stainless steel AISI 430 DIN 1.4016



720/
722/
020/

PROCLASSIC R

pack	20 pcs	20 pcs					
length cm	270	73	83	93	103	166	
ART.	720/	720/					
finishing	F A	F A	F A	F A	F A	F A	
STAINLESS STEEL (thickness 10/10)							
polished stainless steel AISI 430 - DIN 1.4016	 71287 71297	71280 71290	71281 71291	71282 71292	- -	- 71294	
euro/m		- -	- -	- -	- -	- -	
euro/pc	- -				- -	-	

		10 pcs / blister							
ART.		4720/							
finishing		CV AD	CV AD	CV AD	CV AD	CV AD	CV AD	CV AD	CV AD
polished stainless steel AISI 430 - DIN 1.4016	- -	20287 20293	20288 20294	20289 20295	20290 20296	20291 20297			
euro/pc	- -	- -	- -	- -	- -	- -	- -	- -	- -
brushed stainless steel AISI 430 - DIN 1.4016	- 71298	- -	- -	- -	- -	- -	- -	- -	- -
euro/m	- -	- -	- -	- -	- -	- -	- -	- -	- -

individually packed

PROCLASSIC R

pack	20 pcs	10 pcs / blister 									
length cm	270	73		83		93		103		166	
ART.	722/	4722/									
finishing	- A	CV	AD	CV	AD	CV	AD	CV	AD	CV	AD
STAINLESS STEEL (thickness 10/10)											
brushed stainless steel AISI 304 - DIN 1.4301	 - 71268	-	-	-	-	-	20300	-	-	-	-
euro/m	-	-	-	-	-	-	-	-	-	-	-
euro/pc	-	-	-	-	-	-	-	-	-	-	-

individually packed

PROCLASSIC R

pack	20 pcs		10 pcs / blister 									
length cm	270		73		83		93		103		166	
ART.	020/		4020/									
finishing	F	A	CV	AD	CV	AD	CV	AD	CV	AD	CV	AD
BRASS (thickness 10/10)												
polished		71187 71207	20207	20213	20208	20214	20209	20215	20210	20216	20211	20217
euro/m			-	-	-	-	-	-	-	-	-	-
euro/pc	-	-										


individually packed



020/A polished brass

Complete the article code with F= drilled, A=adhesive, CV=with screws (for example 720/ drilled becomes 720/F)

packaging in blister - no partial packaging



726/



PROCLASSIC R

pack	20 pcs	20 pcs			
length	270	83	93	166	
ART.	726/	726/			
finishing	F A	F A	F A	F A	

STAINLESS STEEL (thickness 10/10)

polished stainless steel AISI 430 - DIN 1.4016		71507	71517	-	-	71502	71512	-	-
euro/m		-	-	-	-	-	-	-	-
euro/pc		-	-	-	-	-	-	-	-

				10 pcs / blister 						
ART.				4726/						
finishing				CV	AD	CV	AD	CV	AD	
polished stainless steel			-	-	-	26016	26010	26017	-	26019
AISI 430 - DIN 1.4016										
euro/pc			-	-	-				-	


brushed stainless steel AISI 430 - DIN 1.4016		-	71518	-	-	-	-	-	-
euro/m		-	-	-	-	-	-	-	-

individually packed


PROCLASSIC R

pack	20 pcs		10 pcs / blister 		
length cm	270		93		
ART.	026/		4026/		
finishing	F	A	CV	AD	
BRASS (thickness 10/10)					
polished		71447	71457	20409	20415
euro/m				-	-
euro/pc	-	-			

individually packed



026/



729/

PROCLASSIC R

pack	20 pcs		5 pcs / blister 	
length	270		93	
ART.	729/		4729/	
finishing	F	A	CV	AD
STAINLESS STEEL (thickness 12/10)				
polished stainless steel AISI 430 - DIN 1.4016		71667	71677	- 40220
euro/m				- -
euro/pc		- -		- -
brushed stainless steel AISI 430 - DIN 1.4016		- 71678		- -
euro/m		- -		- -

individually packed

Complete the article code with F= drilled, A-A-D=adhesive, CV=with screws (for example 726/ drilled becomes 726/F)

packaging in blister - no partial packaging



722/A brushed stainless steel AISI 304 DIN 1.4301




proclassic

Proclassic F is a line of threshold cover profiles with a thickness that allows the application under the doors. 19/ and 25/ are provided with a useful non-slip knurled surface. Installation is also particularly simple, thanks to the possibility of fixing with adhesive or, in case of heavy traffic, with screws.



25/A silver anodised aluminium




19/



PROCLASSIC F


pack	30 pcs		10 pcs / blister 	
length cm	270		93	
ART.	19/		419/	
finishing	F	A	CV	AD
ALUMINIUM				
silver anodised 	71867	71897	27074	27092
euro/m			-	-
euro/pc	-	-		
gold anodised 	-	71907	-	27099
euro/m	-		-	-
euro/pc	-	-	-	
individually packed				



25/

PROCLASSIC F

pack	20 pcs			10 pcs / blister 	
length cm	270			93	
ART.	25/			425/	
finishing	F	D	A	CV	AD
ALUMINIUM					
silver anodised 	71947	71948	71977	22533	22553
euro/m				-	-
euro/pc	-	-	-		
gold anodised 	71957	-	71987	22534	22554
euro/m				-	-
euro/pc	-	-	-		
bronze anodised 	-	-	71997	-	22555
euro/m	-	-		-	-
euro/pc	-	-	-	-	
individually packed					



22/A
422/AD


PROCLASSIC F

pack		10 pcs	10 pcs / blister	
length cm		270	90	
ART.		22/A	422/AD	
finishing				
ALUMINIUM				
silver		44000	43790	
euro/m			-	
euro/pc		-		
titanium		44001	43791	
euro/m			-	
euro/pc		-		
ALUMINIUM - decors ALCROM® PLUS				
black 97		43996	-	
euro/m			-	
euro/pc		-	-	

Complete the article code with F=drilled, A/AD=adhesive, CV=with screws (for example 19/ drilled becomes 19/F)

packaging in blister - no partial packaging


Wood-effect decors available on page 184-185



PROCLASSIC F

pack	20 pcs			10 pcs / blister 	10 pcs
length cm	270			90	270
measures LxH	15x1,8	20x1,8	30x2,5	30x2,5	40x2,5 thickness 10/10
ART.	723/A	724/A	730/A	4730/AD	740/A
STAINLESS STEEL					
polished stainless steel AISI 430 - DIN 1.4016 	71717	71777	72117	20692	72377
euro/m				-	
euro/pc	-	-	-		-

art. 723/ no individually packed - art. 730/ and 740/ individually packed



PROCLASSIC F

pack	20 pcs			10 pcs / blister 	10 pcs
thickness 10/10 - length cm	270			90	270
measures LxH	15x1,8	20x1,8	30x2,5	30x2,5	40x2,5
ART.	023/A	024/A	030/A	4030/AD	040/A
BRASS					
polished 	71697	71757	72057	20612	72317
euro/m				-	
euro/pc	-	-	-		-

art. 030/ and 040/ individually packed - art. 023/ and 024/ not individually packed



 packaging in blister - no partial packaging

22/A aluminium covered with Alcrom® Plus black 97



proclassic fire

Proclassic Fire


Proclassic Fire is a line of AISI 316 stainless steel profiles designed for use as thresholds for REI fire doors and all doors requiring a non-combustible threshold. This element is recommended in hospitals, nursing homes, hotels and other places where there are resilient floors and REI fire doors that require a non-combustible threshold.

Proclassic Fire is available in two versions:

- Level version: 2,5 mm thick, to be installed during floor laying to ensure perfect flatness between the threshold and the resilient flooring.
- Top version: 2 mm thick, applicable on existing flooring, whether resilient, textile or wooden.

Proclassic Fire profiles are produced on request, in the dimensions specified by the customer and according to the clear opening of the REI fire door.

Non-combustible threshold




Suitable for fire doors.

In AISI 316 stainless steel



High resistance to the main chemical agents.

Dimensions on request



Lengths can be customised based on the dimensions provided by the customer.

Available on request, for further information please contact the technical department.





Advantages:

- ✓ The AISI 316 stainless steel used for the thresholds is highly resistant to the main chemical agents;
- ✓ High melting point of the threshold (1350°C in line with the REI steel door);
- ✓ With Proclassic Fire Level, perfect flatness between the threshold and the resilient flooring;
- ✓ The shape with guides of Proclassic Fire Top minimises the impact of wheels when trolleys, stretchers, etc. pass over it;
- ✓ Countersunk holes for solid mechanical anchoring with dowel and Torx screw at threshold level;
- ✓ In case of damage, the threshold can be removed and replaced;
- ✓ At its end of life, the threshold can be reintroduced into the production chain as an active compound for the production of new steel.



Proclassic Fire Level



Proclassic Fire Top





profiles for floors of different height

The range of profiles for floors of different height is made with a sloping section and allows to connect floors with different thicknesses. Products made of stainless steel, brass or aluminium, are chosen according to the target environment.



cerfix® pronivel


Pronivel NZS/ is a line of aluminium connection profiles for floors of different level, consisting of a supporting profile and two connection wings of different size.

When combined, the two pieces eliminate the step between floors of different thicknesses.

The articulated connection allows for many combinations and the laying of a new flooring on the connection side even after the profile has been installed.



NZS/B/12 + NZS/S2 silver anodised aluminium



NZS/B/




PRONIVEL N


length = 270 cm - pack 10 pcs

length = 270 cm - pack 10 pcs			H			
ART.	finishing		10	12,5	15	20
ALUMINIUM						
NZS/B/	silver anodised		99905	99906	99907	99908
euro/m						
L						
			38	50		
NZS/S1	connection silver anodised		99900	-		
NZS/S2	connection silver anodised		-	99901		
euro/m						

individually packed



NZS/S1



NZS/S2


art. NZS/B/10	art. NZS/S1	art. NZS/S2
10	38,5 → +7 0 → -15	51 → +5 0 → -25
12,5	38 → +10 0 → -12	50,5 → +5 0 → -23
15	37 → +10 0 → -10	50 → +6 0 → -21
20	35 → +18 0 → -5	48 → +15 0 → -15
art. NZS/B/20		

Complete the article code with H measure (eg. NZS/B/ for H=10 becomes NZS/B/10)





Pronivel P is a line of aluminium, stainless steel or brass profiles to be used during the installation of ceramic or marble flooring and is suitable for connecting flooring of different thicknesses.

The steel and brass versions are designed to withstand heavy loads.



PNI/10 polished stainless steel AISI 304 DIN 1.4301



PRONIVEL P

length = 270 cm - pack 10 pcs

		H						
ART.	finishing	4,5	8	10	11	12,5	15	20
ALUMINIUM								
PA/	silver anodised		93175	93181	93182	93185	93183	-
	euro/m							-
STAINLESS STEEL								
PNI/	polished stainless steel AISI 304 DIN 1.4301		-	93092	93094	93090	93096	93098
	euro/m		-					93100
PNIS/	brushed stainless steel AISI 304 DIN 1.4301		-	93093	93095	93091	93097	93099
	euro/m		-					93101
BRASS								
PN/	natural brass		-	-	93122	-	93123	-
	euro/m		-	-		-		-

individually packed

Complete the article code with H measure
(eg. PA/ for H=8 becomes PA/8)




cerfix® pronivel

Pronivel L is an aluminium profile suitable for connecting floors of different levels. Applicable on already laid flooring, it is fixed to the floor with adhesive.



45/SF silver anodised aluminium



45/



PRONIVEL L

length = 270 cm - pack 20 pcs

ART. finishing

H

10

SF

A

ALUMINIUM

45/ silver anodised



73550

73552


euro/m

individually packed

Pronivel PB is an aluminium profile for connecting two floors of different levels that are subject to stress. The moderate slope makes it easier for trolleys or wheelchairs to pass over.



PBA/10 silver anodised aluminium



PBA/



PRONIVEL PB

length = 270 cm - pack 10 pcs

ART. finishing

5

10

12,5

15

ALUMINIUM

PBA/ silver anodised



93204

93206

93208

93210

euro/m

individually packed

Complete the article code with SF=undrilled, A=adhesive, (eg. 45/ adhesive becomes 45/A)


Complete the article code with H measure (eg. PBA/ for H=10 becomes PBA/10)



Pronivel PL is a line of aluminium profiles to be used during the installation of ceramic or glued wood flooring and is suitable for connecting flooring of different thicknesses.



PLA/10 silver anodised aluminium



PLA/



PRONIVEL PL

length = 270 cm - pack 10 pcs

		H	
ART.	finishing	8	10
ALUMINIUM			
PLA/	silver anodised	93191	93193
euro/m			


individually packed

Pronivel M is a line of stainless steel profiles designed to connect floors of different levels during installation.

The special section is ideal for connecting carpet or LVT flooring, whether glued or loose-laid.



MIN/10 polished stainless steel AISI 304 DIN 1.4301



MIN/




PRONIVEL M

length = 270 cm - pack 10 pcs

		H	
ART.	finishing	8	10
STAINLESS STEEL			
MIN/	polished stainless steel AISI 304 DIN 1.4301	93023	93024
euro/m			

individually packed



MIN/

Complete the article code with H measure
(for example PLA/ for H=8 becomes PLA/8)

Complete the article code with H measure
(for example MIN/ for H=10 becomes MIN/10)




prolevel

Prolevel High 61/ is a line of aluminium profiles to be applied after installation, capable of compensating for differences in height ranging from 6.5 to 13 mm.



61/A silver anodised aluminium



61/



PROLEVEL HIGH


pack	20 pcs	10 pcs / blister
length cm	270	90
ART.	61/	461/
finishing	A	AD
ALUMINIUM		
silver anodised	73437	21200
euro/m		-
euro/pc	-	

art. 61/ individually packed

Prolevel High 55/ and 57/ are two profiles in aluminium that allows to remove the small step between two floors with a respective difference in height of 8 and 12 mm.



57/A silver anodised aluminium




55/



PROLEVEL HIGH

pack	20 pcs	10 pcs / blister
length cm	270	90
ART.	55/	455/
finishing	F A	CV AD
ALUMINIUM		
silver anodised	73907 73937	42312 42330
gold anodised	- 73947	- 42336
euro/m		- -
euro/pc	- -	

art. 55/ individually packed



57/

PROLEVEL HIGH

pack	20 pcs	10 pcs / blister
length cm	270	90
ART.	57/	457/
finishing	F A	CV AD
ALUMINIUM		
silver anodised	73967 73997	42352 42370
gold anodised	- 74007	- 42376
euro/m		- -
euro/pc	- -	


art. 57/ individually packed

Complete the item code with F=drilled, A-AD=adhesive, CV=screws (eg. 61/ adhesive becomes 61/A)


packaging in blister - no partial packaging



Prolevel High 711/ and 311/ are a line of self-adhesive profiles in steel or polished brass to be applied after the installation of the flooring and capable of compensating for differences in height ranging from 7 to 12 mm.



711/A polished stainless steel AISI 430 - DIN 1.4016



711/
311/



PROLEVEL HIGH

pack	20 pcs	10 pcs / blister 	
length cm	270	83	93
ART.	711/	4711/	
finishing	A	AD	AD
STAINLESS STEEL			
polished stainless steel AISI 430 - DIN 1.4016	 73627	40431	40432
euro/m	-	-	-
euro/pc	-	-	-
brushed stainless steel AISI 430 - DIN 1.4016	 73628	-	-
euro/m	-	-	-


ART.	311/	4311/	
finishing	A	AD	AD
BRASS			
polished	 73607	-	22656
euro/m	-	-	-
euro/pc	-	-	-

art. 711/ and 311/ individually packed

Prolevel High 712/ and 312/ are a line of self-adhesive profiles in steel or polished brass to be applied after the flooring has been laid and capable of compensating for differences in height between 12 and 16 mm.



312/A polished brass



712/
312/



PROLEVEL HIGH

pack	10 pcs	5 pcs / blister	
length cm	270	90	
ART.	712/	4712/	
finishing	A	AD	
STAINLESS STEEL			
polished stainless steel AISI 430 - DIN 1.4016		73637	40898
euro/m			-
euro/pc	-		

ART.		312/	4312/
finishing		A	AD
BRASS			
polished		73617	40868
euro/m			-
euro/pc		-	


art. 712/ and 312/ individually packed

Complete the item code with A - AD=adhesive (eg. 711/ adhesive becomes 711/A) -  packaging in blister - no partial packaging




prolevel

Prolevel High 732/ is a line of profiles for the protection of the perimetral border of floors. Available in stainless steel, it can be also used as stair nosing.



732/SF/10 polished stainless steel AISI 430 DIN 1.4016



732/SF/



PROLEVEL HIGH

length = 270 cm - pack 15 pcs


		H	
ART.	finishing	10	12,5
STAINLESS STEEL			
732/SF/	polished stainless steel AISI 430 DIN 1.4016	74217	74227
euro/m			

individually packed

Prolevel Medium 700/, 701/ and 300/ are a line of stainless steel or brass connection profiles for low-thickness flooring that has already been laid.



700/A polished stainless steel AISI 430 DIN 1.4016



700/
300/



PROLEVEL MEDIUM

pack		20 pcs	10 pcs / blister
length cm	270	270	93
ART.	700/	701/	4701/
finishing	A	F A	AD
STAINLESS STEEL			
polished stainless steel AISI 430 DIN 1.4016	72877	- 72957	21135
euro/m	-	-	-
euro/pc	-	-	-

art. 700/ and 701/ individually packed

PROLEVEL MEDIUM

pack		20 pcs	10 pcs / blister
length cm	270	93	
ART.	300/	4300/	
finishing	A	AD	
BRASS			
polished	72857	21035	-
euro/m	-	-	-
euro/pc	-	-	-


art. 300/ individually packed

Complete the article code with F=drilled, A-AD=adhesive, CV=screws (eg. 700/ drilled becomes 700/F)


packaging in blister - no partial packaging



Prolevel Medium 6/ is a line of aluminium connection profiles for low-thickness flooring that has already been laid.



6/A silver anodised aluminium



6/



PROLEVEL MEDIUM


pack	30 pcs			10 pcs / blister 			
length cm	270			93		166	
ART.	6/			46/			
finishing	F		A	CV	AD	CV	AD
ALUMINIUM							
silver anodised		72727	72757	20932	20952	20940	20960
gold anodised		72737	72767	20933	20953	-	-
euro/m				-	-	-	-
euro/pc		-	-				
bronze anodised		-	72777	-	-	-	-
euro/m		-		-	-	-	-

art. 6/ individually packed

Prolevel Medium 10/ and Prolevel Thin 54/ are two aluminium connection profiles for glued or loose-laid resilient floors with a thickness between 2.5 and 4.5 mm, designed to protect the edges of the flooring.



54/A gold anodised aluminium




10/



PROLEVEL MEDIUM

pack	20 pcs
length cm	270
ART.	10/
finishing	A
ALUMINIUM	
silver anodised	 72527
euro/m	

individually packed



54/



PROLEVEL THIN

length = 270 cm - pack 20 pcs			
ART.	finishing	SF	A
ALUMINIUM			
54/	silver anodised		72587 72617
	gold anodised		- 72627
euro/m			

individually packed

Complete the item code with SF=undrilled,
A-AD=adhesive, (eg. 54/ undrilled becomes 54/SF)

 packaging in blister - no partial packaging






joints


A line designed to compensate for the expansion and contraction that materials undergo as a result of seasonal temperature changes. A wide range of finishes is available to suit the different stresses to which the floor is exposed.

cerfix® projoint

Projoint DIL NE/ is a co-extruded PVC expansion joint. Suitable for glue-down installation, it is available in three colours and four heights and is ideal for large areas with pedestrian traffic. Placed along the fractionation joints created on the screed, it absorbs compression and expansion stresses thanks to its elastic central section.



NE/10 co-extruded PVC grey + grey RAL 7035



NE/



PROJOINT DIL

length = 270 cm

		H			
ART.	finishing	8	10	12,5	15
CO-EXTRUDED PVC					
NE/	grey+grey RAL 7035	99650	99660	99670	99680
	stone grey+ stone grey RAL 7030	99653	99663	99673	99683
	cream white+cream white RAL 9001	99652	99662	-	-

pack 20 pcs
euro/m


pack 100 pcs
euro/m

no partial packaging

Projoint DIL NJ/ is a co-extruded PVC expansion joint with punched side flanges. Suitable for glued floors, it is able to absorb tension and compression stresses thanks to its elastic centre section.



NJ/10 co-extruded PVC light grey RAL 7035



NJ/



PROJOINT DIL

length = 270 cm - pack 20 pcs

		H				
ART.	finishing	4,5	8	10	12,5	15
CO-EXTRUDED PVC						
NJ/	light grey RAL 7035	99757	99750	99760	99770	99780
	stone grey RAL 7030	99758	99752	99762	99772	99782
	euro/m					

no partial packaging


Complete the article code with H measure (for example NE/ for H=8 becomes NE/8)



Projoint DIL NL/ is a co-extruded PVC expansion joint with punched side flanges. Suitable for floors or marble laid with adhesive, it is able to absorb tension and compression stresses thanks to its elastic centre section. It is suitable for both pedestrian and light vehicle traffic (cars).



NL/10 co-extruded PVC grey + grey RAL 7035



NL/



PROJOINT DIL

length = 270 cm - pack 20 pcs

		H				
ART.	finishing	8	10	12,5	15	20

CO-EXTRUDED PVC

NL/	grey+grey RAL 7035		99700	99710	99720	-	-
	stone grey+ stone grey RAL 7030		99704	99714	99724	99734	99744
	black+black RAL 9005		99703	99713	99723	-	-


euro/m

no partial packaging

Projoint DIL NF/ is a co-extruded PVC fractionation joint for mortar installation, equipped with an elastic central section. Available in three colours and three heights, it is suitable for fractionating large surfaces with pedestrian traffic.



NF/45 co-extruded PVC grey + grey RAL 7035



NF/



PROJOINT DIL

length = 270 cm

		H		
ART.	finishing	25	35	45

CO-EXTRUDED PVC

NF/	grey+grey RAL 7035		99800	99810	99820
	stone grey+ stone grey RAL 7030		99803	99813	99823
	cream white+cream white RAL 9001		99802	99812	-

pack 20 pcs

euro/m

pack 40 pcs

euro/m

pack 50 pcs

euro/m

pack 80 pcs

euro/m

no partial packaging


Complete the article code with H measure
(for example NL/ for H=10 becomes NL/10)

cerfix® projoint

Projoint DIL NAN/ is an aluminium fractionation joint with an interchangeable plasticised PVC insert characterised by a visible section of 15 mm. The joint structure protects the edge of the tile and withstands heavy foot and vehicle traffic.



NAN/10 natural aluminium + stone grey plasticised PVC



NAN/



PROJOINT DIL

length = 270 cm - pack 10 pcs

		H		
ART.	finishing	10	12,5	15
ALUMINIUM				
NAN/	natural aluminium + plasticised PVC, grey RAL 7035	99974	99975	99976
	natural aluminium + plasticised PVC, stone grey RAL 7030	99977	99978	99979
euro/m				

individually packed - available on request NAN/ + black plasticised PVC minimum 100 pcs

SPARE INSERT IN PLASTICISED PVC FOR NAN/


length= 270 cm - pack 20 pcs

ART.	finishing	
GM/I	grey RAL 7035	99993
	stone grey RAL 7030	99989
euro/m		

Projoint DIL NPAN/ is an aluminium fractionation joint with an interchangeable plasticised PVC insert characterised by a visible section of 21 mm. The joint structure protects the edge of the tile and withstands compression and expansion caused by heavy foot and vehicle traffic.



NPAN/10 natural aluminium + stone grey plasticised PVC



NPAN/



PROJOINT DIL

length = 270 cm - pack 10 pcs

		H		
ART.	finishing	10	12,5	15
ALUMINIUM				
NPAN/	natural aluminium + plasticised PVC, stone grey RAL 7030	99984	99985	99986
euro/m				

individually packed - available on request NPAN/ + black plasticised PVC minimum 100 pcs

SPARE INSERT IN PLASTICISED PVC FOR NPAN/

length= 270 cm - pack 20 pcs

ART.	finishing	
GMP/I	stone grey RAL 7030	99988
euro/m		


Complete the article code with H measure
(for example NAN/ for H=10 becomes NAN/10)



Projoint DIL NIN/ is a stainless steel fractionation joint with interchangeable plasticised PVC insert, featuring a visible section of 15 mm. The joint structure protects the edge of the tile and withstands heavy traffic, both pedestrian and vehicular (forklifts, pallet trucks and cars).



NIN/10 stainless steel + stone grey plasticised PVC



NIN/



PROJOINT DIL

length = 270 cm - pack 5 pcs

length = 270 cm - pack 5 pcs			H			
ART.	finishing		10	12,5	15	20
STAINLESS STEEL						
NIN/	stainless steel AISI 304 DIN 1.4301 + plasticised PVC, grey RAL 7035		99915	99916	99917	99918
	stainless steel AISI 304 DIN 1.4301 + plasticised PVC, stone grey RAL 7030		99925	99926	99927	99928
euro/m						

individually packed - available on request NIN/ + black plasticised PVC minimum 100 pcs

SPARE INSERT IN PLASTICISED PVC FOR NIN/


length= 270 cm - pack 20 pcs

ART.	finishing		
GM/10	grey RAL 7035		99998
	stone grey RAL 7030		99999
euro/m			

Projoint DIL NIL/ is a stainless steel perimeter expansion joint with interchangeable plasticised PVC insert, featuring a visible section of 14 mm. The joint structure allows the floor to be connected to the wall covering.



NIL/10 stainless steel + stone grey plasticised PVC



NIL/



PROJOINT DIL

length = 270 cm - pack 5 pcs

length = 270 cm - pack 5 pcs			H			
ART.	finishing		10	12,5	15	20
STAINLESS STEEL						
NIL/	stainless steel AISI 304 DIN 1.4301 + plasticised PVC, stone grey RAL 7030		99896	99897	99898	99899
euro/m						

individually packed - available on request NIL/ + black plasticised PVC minimum 100 pcs

SPARE INSERT IN PLASTICISED PVC FOR NIL/

length= 270 cm - pack 20 pcs

ART.	finishing		
GM12/L	stone grey RAL 7030		99987
euro/m			

Complete the article code with H measure
(for example NIN/ for H=10 becomes NIN/10)




cerfix® projoint


Projoint NTA/, NTI/ and NTO/ are aluminium, stainless steel and brass fractionation joints for glue-down installation, with a vulcanised EPDM inner section. The metal structure easily withstands frequent pedestrian and vehicle traffic (forklifts, pallet trucks and cars).



NTA/10 natural aluminium + EPDM grey polishable RAL 7046



NTA/
NTO/



NTI/



PROJOINT DIL

length = 270 cm - pack 10 pcs


ART.	finishing	3	4,5	8	10	12,5	15	20
ALUMINIUM								
NTA/	natural aluminium + EPDM grey polishable RAL 7046	99421	99425	99441	99445	99449	99453	99457
	natural aluminium + EPDM black polishable RAL 9005	99422	99426	99442	99444	99450	99454	99458
	euro/m							
	natural aluminium + EPDM bahama polishable RAL 10070	99427	99428	-	-	-	-	-
NTI/	natural aluminium + EPDM brown polishable RAL 10071	99429	99430	-	-	-	-	-
	euro/m			-	-	-	-	-
STAINLESS STEEL								
NTI/	stainless steel AISI 304 DIN 1.4301 + EPDM grey RAL 7046	99471	99475	99481	99485	99489	99493	99497
	stainless steel AISI 304 DIN 1.4301 + EPDM black RAL 9005	99472	99474	99482	99486	99490	-	-
	euro/m							
	stainless steel AISI 304 DIN 1.4301 + EPDM bahama RAL 10070	99431	99432	-	-	-	-	-
NTI/	stainless steel AISI 304 DIN 1.4301 + EPDM brown RAL 10071	99433	99434	-	-	-	-	-
	euro/m			-	-	-	-	-
BRASS								
NTO/	brass natural + EPDM grey polishable RAL 7046	-	-	99401	99405	99409	99413	99417
	euro/m	-	-					

art. NTO/15 and NTO/20 pack 5 pcs

Projoint STA/ and STI/ are fractionation joints with a vulcanised EPDM inner section, designed to divide floors laid with mortar. The metal structure easily withstands frequent pedestrian and vehicle traffic (forklifts, pallet trucks and cars), making it particularly suitable for shopping centres and areas with frequent load traffic. For correct installation, use ST/7 stainless steel hooks.



STI/40 stainless steel AISI 304 DIN 1.4301 + EPDM grey polishable RAL 7046



STA/
STI/



PROJOINT DIL

length = 250 cm - pack 10 pcs

ART.	finishing	30	40	50
ALUMINIUM				
STA/	natural aluminium + EPDM grey polishable RAL 7046	99581	99585	99589
	euro/m			
STAINLESS STEEL				
STI/	stainless steel AISI 304 DIN 1.4301 + EPDM grey polishable RAL 7046	99621	99625	99629
	euro/m			


Upon request, we can make different measures and colours for articles STA/ and STI/. Please contact our technical department.

ACCESSORIES

pack 100 pcs

ART.	finishing	
STAINLESS STEEL		
ST/7	steel hook for STA/ and STI/ profiles	99640
	euro/pc (euro/pack)	

no partial packaging




ST/7



Projoint NZA/ is an aluminium fractionation joint consisting of two interlocking and sliding profiles. Suitable for ceramic floors subject to heavy traffic, it ensures high resistance to loads and heavy pedestrian and vehicular traffic (forklifts, pallet trucks and cars).



NZA/10 natural aluminium



NZA/

**PROJOINT DIL**

length = 270 cm - pack 20 pcs

		H				
ART.	finishing	3	5	8	10	12,5
ALUMINIUM						
NZA/	natural aluminium	-	-	99910	99912	99914
	euro/m	-	-			
NZA/	silver anodised	99300	99320	-	-	-
	euro/m			-	-	-

individually packed


Projoint NZS is a high-absorption aluminium fractionation joint. Thanks to its two telescopically joined parts, the joint can absorb movements of +/- 5 mm, with articulated flanges that allow three-dimensional movements. The joint structure protects the edge of the tile, withstanding foot and vehicle traffic. NZS is also available in a joint cover version (for tiles already laid) NZS/A, or as a side joint for industrial buildings NZS/L.



NZS/10 silver anodised aluminium



NZS/A/40 silver anodised aluminium



NZS/

**PROJOINT DIL**

length = 270 cm - pack 5 pcs

		H			
ART.	finishing	10	12,5	15	20
ALUMINIUM					
NZS/	silver anodised	99880	99881	99882	99883
	euro/m				

PROJOINT DIL


length = 270 cm - pack 5 pcs

ART.		finishing		8	
ALUMINIUM					
NZS/A/40	silver anodised			99885	
euro/m					


PROJOINT DIL

length = 270 cm - pack 5 pcs

		H			
ART.	finishing	10	12,5	15	20
ALUMINIUM					
NZS/L/	silver anodised	99890	99891	99892	99893
	euro/m				



NZS/A/40




NZS/L/


Complete the article code with H measure (for example NZA/ for H=8 becomes NZA/8)

cerfix® projoint


Projoint DIL PBE is a structural joint composed of two L-shaped profiles in natural aluminium and an expanding part in interchangeable plasticized PVC, available in black or grey. The two L-shaped profiles have drilled bases to allow the mechanical fixing with screws to the underlying structure.




PBE/30 natural aluminium + black striated plasticised PVC




PBE/20
smooth
plasticised PVC




PBE/20
striated
plasticised PVC




PBE/30
smooth
plasticised PVC



PBE/30
striated
plasticised PVC



PBE/40
smooth
plasticised PVC



PBE/40
striated
plasticised PVC

PROJOINT DIL

length = 300 cm - pack 5 pcs

ART.	finishing	14	24	42	50	82
ALUMINIUM						
	natural aluminium + grey smooth plasticised PVC	99321	99322	99323	99324	99325
	natural aluminium + black smooth plasticised PVC	99326	99327	99328	99329	99330
PBE/20/ euro/m						
	natural aluminium + grey striated plasticised PVC	99331	99332	99333	99334	99335
	natural aluminium + black striated plasticised PVC	99336	99337	99338	99339	99340
euro/m						

no partial packaging - profiles are provided with accessories for mechanical fixing



smooth plasticised PVC



striated plasticised PVC

PROJOINT DIL

length = 300 cm - pack 5 pcs

ART.	finishing	14	24	42	50	82
ALUMINIUM						
	natural aluminium + grey smooth plasticised PVC	99341	99342	99343	99344	99345
	natural aluminium + black smooth plasticised PVC	99346	99347	99348	99349	99350
PBE/30/ euro/m						
	natural aluminium + grey striated plasticised PVC	99351	99352	99353	99354	99355
	natural aluminium + black striated plasticised PVC	99356	99357	99358	99359	99360
euro/m						

no partial packaging - profiles are provided with accessories for mechanical fixing



smooth plasticised PVC



striated plasticised PVC

PROJOINT DIL

length = 300 cm - pack 5 pcs

ART.	finishing	14	24	42	50	82
ALUMINIUM						
	natural aluminium + grey smooth plasticised PVC	99361	99362	99363	99364	99365
	natural aluminium + black smooth plasticised PVC	99366	99367	99368	99369	99370
PBE/40/ euro/m						
	natural aluminium + grey striated plasticised PVC	99371	99372	99373	99374	99375
	natural aluminium + black striated plasticised PVC	99376	99377	99378	99379	99380
euro/m						

no partial packaging - profiles are provided with accessories for mechanical fixing



smooth plasticised PVC



striated plasticised PVC

The use of a black insert provides greater resistance to wear.

Delivery times to be agreed at the time of order.




Projoint DIL PBH and PAS are two structural joints composed of two L-shaped profiles in natural aluminium and an expanding part in interchangeable EPDM, available in black or grey.

Projoint DIL PHDE is a structural joint composed of two interlocking and sliding profiles in natural aluminium. All profiles have drilled bases to allow the mechanical fixing with screws to the underlying structure and are designed to withstand structural movements of big buildings.



PBH/65/ natural aluminium + black EPDM insert



PBH/65




PROJOINT DIL

length = 300 cm - pack 2 pcs

		H			
ART.	finishing	18	35	50	80
ALUMINIUM		L=50	L=40	L=40	L=40
PBH/65/	natural aluminium + grey EPDM insert	99500	99501	99502	99503
	natural aluminium + black EPDM insert	99504	99505	99506	99507
euro/m					

no partial packaging - profiles are provided with accessories for mechanical fixing




PBH/75

PROJOINT DIL

length = 300 cm - pack 2 pcs

		H			
ART.	finishing	18	35	50	80
ALUMINIUM		L=60	L=50	L=50	L=50
PBH/75/	natural aluminium + grey EPDM insert	99508	99509	99510	99511
	natural aluminium + black EPDM insert	99512	99513	99514	99515
euro/m					

no partial packaging - profiles are provided with accessories for mechanical fixing



PAS/105




PROJOINT DIL

length = 300 cm - pack 2 pcs

		H			
ART.	finishing	18	35	50	80
ALUMINIUM		L=95	L=85	L=85	L=85
PAS/105/	natural aluminium + grey EPDM insert	99516	99517	99518	99519
	natural aluminium + black EPDM insert	99520	99521	99522	99523
euro/m					

no partial packaging - profiles are provided with accessories for mechanical fixing



PAS/125

PROJOINT DIL


length = 300 cm - pack 2 pcs

		H			
ART.	finishing	18	35	50	80
ALUMINIUM		L=111	L=100	L=100	L=100
PAS/125/	natural aluminium + grey EPDM insert	99524	99525	99526	99527
	natural aluminium + black EPDM insert	99528	99529	99530	99531
euro/m					

no partial packaging - profiles are provided with accessories for mechanical fixing

The use of a black insert provides greater resistance to wear.

cerfix® projoint




PHDE/80

PROJOINT DIL

length = 300 cm - pack 2 pcs

		H			
ART.	finishing	18	35	50	80
ALUMINIUM		L=60	L=50	L=50	L=50
PHDE/80/	natural aluminium	99590	99591	99592	99593
		euro/m			

no partial packaging - profiles are provided with accessories for mechanical fixing




PHDE/110

PROJOINT DIL

length = 300 cm - pack 2 pcs

		H	
ART.	finishing	50	80
ALUMINIUM			
PHDE/110/	natural aluminium	99594	99595
		euro/m	

no partial packaging - profiles are provided with accessories for mechanical fixing



PFFE/20



PROJOINT DIL

length = 300 cm - pack 5 pcs

ART.	finishing	
ALUMINIUM		
PFFE/20	natural aluminium + grey smooth plasticised PVC	99596
	natural aluminium + black smooth plasticised PVC	99597
	natural aluminium + grey striated plasticised PVC	99598
	natural aluminium + black striated plasticised PVC	99599
		euro/m


no partial packaging - profiles are provided with accessories for mechanical fixing



smooth plasticised PVC



striated plasticised PVC



PFFE/30

PROJOINT DIL

length = 300 cm - pack 5 pcs

ART.	finishing	
ALUMINIUM		
PFFE/30	natural aluminium + grey smooth plasticised PVC	99600
	natural aluminium + black smooth plasticised PVC	99601
	natural aluminium + grey striated plasticised PVC	99602
	natural aluminium + black striated plasticised PVC	99603
		euro/m


no partial packaging - profiles are provided with accessories for mechanical fixing



smooth plasticised PVC



striated plasticised PVC



PFFE/40

PROJOINT DIL

length = 300 cm - pack 5 pcs

ART.	finishing	
ALUMINIUM		
PFFE/40	natural aluminium + grey smooth plasticised PVC	99604
	natural aluminium + black smooth plasticised PVC	99605
	natural aluminium + grey striated plasticised PVC	99606
	natural aluminium + black striated plasticised PVC	99607
		euro/m

no partial packaging - profiles are provided with accessories for mechanical fixing



smooth plasticised PVC



striated plasticised PVC




Procover Flex is a line of structural joint covers made of aluminium and EPDM, suitable for withstanding transverse tension and compression movements. They can withstand pedestrian and vehicular traffic with rubber wheels (cars). Procover Fix is a line of flat aluminium joint covers for coplanar walls (GJA/) and perimeter joint covers for connecting floors and wall coverings (GWA/), suitable for covering structural expansion or compression movements between two different load-bearing structures.



GJF/40 natural aluminium + EPDM black RAL 9005



GJA/70 silver anodised aluminium



GJF/40




PROCOVER FLEX

length = 400 cm - pack 5 pcs

L

ART.	finishing	40	50
ALUMINIUM			
GJF/	natural aluminium + EPDM black insert RAL 9005	74490	74492
	euro/m		




GJF/50

SPARE INSERT

length = 400 cm

L

ART.	finishing	40	50
ALUMINIUM			
GM/	EPDM black RAL 9005	74491	74493
	euro/m		



GJA/50 +
GJS/10




PROCOVER FIX

length = 300 cm - pack 10 pcs

L

ART.	finishing	50	70
ALUMINIUM			
GJA/	silver anodised	74550	74610
	euro/m		
GWA/	silver anodised	-	74552
	euro/m	-	



GJA/70 +
GJS/10


SPRING CLIP

from 15 to 35 mm - pack 50 pcs


STAINLESS STEEL

GJS/10	harmonic steel	74730
	euro/pc	

no partial packaging



GWA/70 +
GJS/10



GJS/10


Complete the article code with L measure (es. GJF/ for L=40 becomes GJF/40)

cerfix® procover


Procover G in anodised aluminium are joint covers suitable for creating continuity on structures with continuous spans. These joint covers are available in self-adhesive and non-adhesive versions. The SF version (without holes) must be drilled on one side and fixed to a single structure, allowing free movement on the other.




G/80/A silver anodised aluminium




G/40/



G/60/



G/80/



GR/80/SF

PROCOVER

pack	20 pcs	20 pcs	6 pcs / blister	20 pcs
length cm	300	300	100	300
ART.	G/40/	G/60/	G/460/	G/80/
finishing	A	SF	A	AD
ALUMINIUM				
silver anodised	74528	74558	74588	21982
euro/m				-
euro/pc	-	-	-	-

art. G/40, G/60 and G/80 individually packed

PROCOVER

length = 270 cm - pack 10 pcs	L
width	80
ART.	GR/80/
finishing	SF
ALUMINIUM	
silver anodised	71855
euro/m	

individually packed

Complete the article code with
A-AD=adhesive, SF=undrilled (for example
G/40/ adhesive becomes G/40/A)


packaging in blister - no partial packaging




GR/80/SF silver anodised aluminium




Procover G in stainless steel or polished brass are joint covers designed to create continuity on structures with continuous spans. These joint covers are available in self-adhesive and non-adhesive versions. The SF version (without holes) must be drilled on one side and fixed to a single structure, allowing free movement on the other. These versions are also suitable for vehicular traffic.



760/SF polished stainless steel AISI430-DIN 1.4016



0100/A polished brass

**PROCOVER**

pack	10 pcs	6 pcs / blister	10 pcs	6 pcs / blister	5 pcs	3 pcs / blister	5 pcs
length cm	300	100	300	100	300	100	300
width mm	50	50	60	60	80	80	100
thickness	12/10						
ART.	750/	4750/	760/	4760/	780/	4780/	7100/
finishing	SF A	AD	SF A	AD	SF A	AD	SF A

STAINLESS STEEL

polished stainless steel AISI 430 - DIN 1.4016	74818	74828	22090	74838	74848	40531	74858	74868	40553	74878	74888
euro/m	-	-	-	-	-	-	-	-	-	-	-
euro/pc	-	-	-	-	-	-	-	-	-	-	-

art. 750/, 760/, 780/, 7100/ individually packed

PROCOVER

pack	10 pcs	6 pcs / blister	5 pcs	6 pcs / blister	5 pcs	3 pcs / blister	5 pcs.
length cm	300	100	300	100	300	100	300
width mm	50	50	60	60	80	80	100
thickness	13/10						
ART.	050/	4050/	060/	4060/	080/	4080/	0100/
finishing	SF A	AD	SF A	AD	SF A	AD	SF A

BRASS

polished	74738	74748	22050	74758	74768	40504	-	74788	40512	74798	74808
euro/m	-	-	-	-	-	-	-	-	-	-	-
euro/pc	-	-	-	-	-	-	-	-	-	-	-

art. 050/, 060/, 080/, 0100/ individually packed

Complete the article code with A-AD=adhesive, SF=undrilled (eg. 050/ adhesive becomes 050/A)

packaging in blister - no partial packaging





profiles for balconies and terraces

A functional and stylish line for the protection of terraces, balconies and pavements. The effectiveness of the protection decorates and completes every architectural detail.




cerfix® protec

Protec CPCV and CPCI are a series of edge profiles for the protection and the finishing of the outside edges of terraces and balconies. Available in colour-coated aluminium and stainless steel, they have been designed with a protruding section and can be used with tiles thicknesses up to 21 mm. In addition to protecting and finishing the outside edges, they guarantee the outflow of water from the floor, avoiding the contact with the outside border.

Protec CPCV is also available in the bendable version CPCVF, provided with a special cutout that allows to bend the profile with a radius up to 1 meter.



CPCV/55/10 ancient grey colour-coated aluminium



CPCV/



PROTEC

length = 270 cm - pack 5 pcs

length = 270 cm - pack 5 pcs					H						
1012,521					1012,521			1012,521			
ART.CPCV/55/					CPCV/75/			CPCV/95/			
finishing											
COLOUR-COATED ALUMINIUM											
white RAL 9003		87677	87678	-	87687	87688	-	87697	87698	-	
ash grey RAL 7038		87681	87682	87660	87691	87692	87661	87701	87702	87662	
ash grey RAL 7038 embossed		87713	87714	-	87715	87716	-	87717	87718	-	
dark brown RAL 8019		87683	87684	-	87693	87694	-	87703	87704	-	
rust		87616	87617	-	87618	87619	-	-	-	-	
metal grey RAL 9006		87720	87721	-	87723	87724	-	87726	87727	-	
aluminium grey RAL 9007		87750	87751	-	87753	87754	-	87756	87757	-	
ancient grey		87707	87708	-	87709	87710	-	87711	87712	-	
euro/m											

To request custom colours, please contact our technical department.

PROTEC

length = 270 cm - pack 5 pcs

length = 270 cm - pack 5 pcs					H					
		10	12,5		10	12,5		10	12,5	
ART.		CPCI/55/			CPCI/75/			CPCI/95/		
finishing										
STAINLESS STEEL										
polished stainless steel			87671	87672	-	87673	87674	-	87675 87676	-
AISI 304 DIN 1.4301										
euro/m				-			-			-


PROTEC FLEX

length = 270 cm - pack 2 pcs


length = 270 cm - pack 2 pcs		H	
		10	12,5
ART.	finishing	CPCVF/55/	
COLOUR-COATED ALUMINIUM			
ash grey RAL 7038		87790	-
ash grey RAL 7038 embossed		87791	87793
ancient grey		87792	87794
euro/m			

no partial packaging

To request custom colours and heights, please contact our technical department.




CPCV/



CPCVF/55/10 ash grey RAL 7038 embossed colour-coated aluminium

On request, a special coating can be applied for installation in marine areas with a 50% surcharge.

Complete the article code with H measure (for example CPCV/55/ for H=10 becomes CPCV/55/10)




CPCV//E
CPCI//E

90° OUTSIDE CORNER

pack 5 pcs					H					
		10	12,5	21	10	12,5	21	10	12,5	21
ART.	finishing	CPCV/55/ /E			CPCV/75/ /E			CPCV/95/ /E		
COLOUR-COATED ALUMINIUM										
white RAL 9003		87817	87818	-	87827	87828	-	87837	87838	-
ash grey RAL 7038		87821	87822	87663	87831	87832	87664	87841	87842	87665
ash grey RAL 7038 embossed		87894	87895	-	87896	87897	-	87898	87899	-
dark brown RAL 8019		87825	87826	-	87835	87836	-	87845	87846	-
rust		87620	87621	-	87622	87623	-	-	-	-
metal grey RAL 9006		87730	87731	-	87733	87734	-	87736	87737	-
aluminium grey RAL 9007		87760	87761	-	87763	87764	-	87766	87767	-
ancient grey		87877	87878	-	87879	87880	-	87881	87882	-
euro/pc										

90° OUTSIDE CORNER


pack 5 pcs					H				
		10	12,5		10	12,5		10	12,5
ART.	finishing	CPCI/55/ /E			CPCI/75/ /E			CPCI/95/ /E	
STAINLESS STEEL									
polished stainless steel AISI 304 DIN 1.4301			87801	87802	-	87803	87804	-	87805 87806 -
euro/pc									



CPCV/55/ I

90° INSIDE CORNER

pack 5 pcs					H				
			10	12,5					
ART.	finishing	CPCV/55/ /I							
COLOUR-COATED ALUMINIUM									
ash grey RAL 7038		87890	87891	-					
ash grey RAL 7038 embossed		87807	87808	-					
ancient grey		87892	87893	-					
euro/pc				-					



CPCV// G
CPCI// G

JUNCTION

width = 70 mm - pack 5 pcs					H					
		10	12,5	21	10	12,5	21	10	12,5	21
ART.	finishing	CPCV/55/ /G			CPCV/75/ /G			CPCV/95/ /G		
COLOUR-COATED ALUMINIUM										
white RAL 9003		87847	87848	-	87857	87858	-	87867	87868	-
ash grey RAL 7038		87851	87852	87666	87861	87862	87667	87871	87872	87668
ash grey RAL 7038 embossed		87748	87749	-	87758	87759	-	87768	87769	-
dark brown RAL 8019		87853	87854	-	87863	87864	-	87873	87874	-
rust		87624	87625	-	87626	87627	-	-	-	-
metal grey RAL 9006		87740	87741	-	87743	87744	-	87746	87747	-
aluminium grey RAL 9007		87770	87771	-	87773	87774	-	87776	87777	-
ancient grey		87883	87884	-	87885	87886	-	87887	87888	-
euro/pc										

no partial packaging

JUNCTION

width = 70 mm - pack 5 pcs					H				
		10	12,5		10	12,5		10	12,5
ART.	finishing	CPCI/55/ /G			CPCI/75/ /G			CPCI/95/ /G	
STAINLESS STEEL									
polished stainless steel AISI 304 DIN 1.4301			87811	87812	-	87813	87814	-	87815 87816 -
euro/pc									

no partial packaging



CPCV/55/E + CPCV/55/G ancient grey colour-coated aluminium




cerfix® protec

Protec CPCV/30/ is an aluminium profile designed for existing terraces.


The reduced dimensions of the protruding part allow the perimeter railings to remain in place during renovation work.




CPCV/30/ ancient grey colour-coated aluminium



CPCV/30/



CPCV/30/ / E



CPCV/30/ / G

PROTEC

length = 270 cm - pack 5 pcs

		H	
		10	12,5
ART.		CPCV/30/10	CPCV/30/12
finishing			
COLOUR-COATED ALUMINIUM			
ash grey RAL 7038		87651	87652
ash grey RAL 7038 embossed		87655	87656
ancient grey		87653	87654
euro/m			

90° OUTSIDE CORNER

pack 5 pcs

		H	
		10	12,5
ART.	finishing	CPCV/30/10/E	CPCV/30/12/E
COLOUR-COATED ALUMINIUM			
ash grey RAL 7038		87780	87781
ash grey RAL 7038 embossed		87784	87785
ancient grey		87782	87783
euro/pc			

JUNCTION

width = 70 mm - pack 5 pcs

		H	
		10	12,5
ART.	finishing	CPCV/30/10/G	CPCV/30/12/G
COLOUR-COATED ALUMINIUM			
ash grey RAL 7038		87631	87632
ash grey RAL 7038 embossed		87635	87636
ancient grey		87633	87634
euro/pc			

no partial packaging

On request, a special coating can be applied for installation in marine areas with a 50% surcharge.


Complete the article code with H measure (for example CPCV/30/ for H=10 becomes CPCV/30/10)




CPCV/30/ / E ancient grey colour-coated aluminium




Protec CPCVD/30/ is a draining perimeter profile, provided with a visible part that facilitates the outflow of rainwater from the tiled surface and an underlying protruding part equipped with holes for a further discharge of the water seeped under the tiles. The reduced dimensions of the visible part allow to avoid removing the perimetral balustrades in case of refurbishment.




CPCVD/30/10 ash grey RAL 7038 embossed colour-coated aluminium



CPCVD/30/



CPCVD/30/ E



CPCVD/30/ G

PROTEC

length = 270 cm - pack 5 pcs

		H	
		10	12,5
ART.		CPCVD/30/10	CPCVD/30/12
finishing			
COLOUR-COATED ALUMINIUM			
ash grey RAL 7038		87613	87628
ash grey RAL 7038 embossed		87614	87629
ancient grey		87615	87630
euro/m			

90° OUTSIDE CORNER

pack 5 pcs

		H	
		10	12,5
ART.	finishing	CPCVD/30/10/E	CPCVD/30/12/E
COLOUR-COATED ALUMINIUM			
ash grey RAL 7038		87645	87648
ash grey RAL 7038 embossed		87646	87649
ancient grey		87647	87650
euro/pc			

JUNCTION

width = 70 mm - pack 5 pcs

		H	
		10	12,5
ART.	finishing	CPCVD/30/10/G	CPCVD/30/12/G
COLOUR-COATED ALUMINIUM			
ash grey RAL 7038		87657	87669
ash grey RAL 7038 embossed		87658	87670
ancient grey		87659	87719
euro/pc			

no partial packaging

white RAL 9003, dark brown RAL 8019, rust, metal grey RAL 9006 and aluminium grey RAL 9007 with a minimum of 270 meters, on request, without surcharge.

To request custom colours, please contact our technical department.


On request, a special coating can be applied for installation in marine areas with a 50% surcharge.

Complete the article code with H measure (for example CPCVD/30/ for H=10 becomes CPCVD/30/10)




cerfix® protec

Protec CPGV is an aluminium perimetral profile for the protection and finishing of the outside edges of terraces and balconies. This profile is composed of a vertical part that facilitates the outflow of rainwater from the tiled surface and protects the border of the floor, and a sloping part equipped with holes for a further discharge of the water seeped under the tiles. This technical solution and the consequent drainage reduce the problems of freezing and thawing and the unsightly efflorescences on the tiles grouts. It can be used with tiles thicknesses up to 12,5 mm.



CPGV/55/10 stone white colour-coated aluminium



CPGV/55/



PROTEC

length = 270 cm - pack 5 pcs

		H	
		10	12,5
ART.	finishing	CPGV/55/10	CPGV/55/12
COLOUR-COATED ALUMINIUM			
	ash grey RAL 7038	87580	87581
	ash grey RAL 7038 embossed	87578	87579
	metal grey RAL 9006	87590	87591
	ancient grey	87582	87583
	white stone	87547	87548
euro/m			

white RAL 9003, dark brown RAL 8019, rust, aluminium grey RAL 9007 with a minimum of 270 meters, on request, without surcharge. To request custom colours, please contact our technical department.

90° OUTSIDE CORNER

pack 5 pcs

		H	
		10	12,5
ART.	finishing	CPGV/55/10/E	CPGV/55/12/E
COLOUR-COATED ALUMINIUM			
	ash grey RAL 7038	87584	87585
	ash grey RAL 7038 embossed	87595	87596
	metal grey RAL 9006	87592	87593
	ancient grey	87586	87587
	white stone	87536	87537
euro/pc			

90° INSIDE CORNER

pack 5 pcs


		H	
		10	12,5
ART.	finishing	CPGV/55/10/I	CPGV/55/12/I
COLOUR-COATED ALUMINIUM			
	ancient grey	87566	87567
	white stone	87538	87539
euro/pc			

JUNCTION


width = 70 mm - pack 5 pcs

width = 70 mm - pack 5 pcs			H		
		10	12,5	10	12,5
ART.	finishing	CPGV/55/ /G		CPGV/N/ /G	
COLOUR-COATED ALUMINIUM					
ash grey RAL 7038		87610	87610	87487	87492
ash grey RAL 7038 embossed		87612	87612	87488	87493
metal grey RAL 9006		87594	87594	87489	87494
ancient grey		87611	87611	87490	87495
white stone		87528	87528	87491	87496
euro/pc					


no partial packaging




CPGV/55/ /E



CPGV/55/ /I



CPGV/55/ /G




CPGV/N/ /G
single piece

On request, a special coating can be applied for installation in marine areas with a 50% surcharge.




Protec CPQV is an aluminium perimetral profile for the protection and finishing of the outside edges of terraces and balconies. This profile is composed


of a vertical part that covers the border of the floor and facilitates the outflow of rainwater from the tiled surface, and a sloping part equipped with holes for a further discharge of the water seeped under the tiles. This technical solution and the consequent drainage reduce the problems of freezing and thawing and the unsightly efflorescences on the tiles grouts. It can be used with tiles thicknesses up to 12,5 mm.




CPQV/50/10 ancient grey colour-coated aluminium



CPQV



CPQV//E



CPQV//G



CPQV ash grey RAL 7038

On request, a special coating can be applied for installation in marine areas with a 50% surcharge.

Complete the article code with H measure (for example CPQV/50/ for H=12,5 becomes CPQV/50/12)

PROTEC

length = 270 cm - pack 5 pcs

length = 270 cm - pack 5 pcs		H			
		10	12,5	10	12,5
ART.	finishing	CPQV/50/ (H1=50)		CPQV/70/ (H1=70)	
COLOUR-COATED ALUMINIUM					
ash grey RAL 7038		86960	86961	86962	86963
ash grey RAL 7038 embossed		86964	86965	86966	86967
metal grey RAL 9006		86968	86969	86970	86971
ancient grey		86972	86973	86974	86975
white stone		86976	86977	86978	86979
euro/m					

white RAL 9003, dark brown RAL 8019, rust, aluminium grey RAL 9007 with a minimum of 270 meters, on request, without surcharge. To request custom colours, please contact our technical department.

90° OUTSIDE CORNER

pack 5 pcs

pack 5 pcs		H			
		10	12,5	10	12,5
ART.	finishing	CPQV/50/ /E		CPQV/70/ /E	
COLOUR-COATED ALUMINIUM					
ash grey RAL 7038		86980	86981	86982	86983
ash grey RAL 7038 embossed		86984	86985	86986	86987
metal grey RAL 9006		86988	86989	86990	86991
ancient grey		86992	86993	86994	86995
white stone		86996	86997	86998	86999
euro/pc					

JUNCTION

width = 70 mm - pack 5 pcs

width = 70 mm - pack 5 pcs		H	
ART.	finishing	CPQV/50/G	CPQV/70/G
COLOUR-COATED ALUMINIUM			
ash grey RAL 7038		87000	87001
ash grey RAL 7038 embossed		87002	87003
metal grey RAL 9006		87004	87005
ancient grey		87006	87007
white stone		87008	87009
euro/pc			

no partial packaging




cerfix® protec


Protec CPEV and CPEI are a series of edge reversible profiles for the protection and finishing of the outside edges of terraces and balconies.

Available in stainless steel and colour-coated aluminium, they can be installed flush with the border or detached from it. They can be used with tiles or marble thicknesses from 11 to 32 mm.


The particular section is recommended to protect the stair nosing and sidewalk edge, hiding the connection between tread and riser.




CPEV/45/12 ancient grey colour-coated aluminium



CPEV/45/



CPEV/72/



CPEI/

PROTEC

length = 270 cm - pack 5 pcs

length = 270 cm - pack 5 pcs			H			
		11	12,5	15	20	12,5
ART.	CPEV/45/					CPEV/72/
finishing						
COLOUR-COATED ALUMINIUM						
ash grey RAL 7038		87530	87550	87551	87552	87252
metal grey RAL 9006		87531	87540	87541	87542	-
ancient grey		87532	87553	87554	87555	-
euro/m						

for CPEV/72 white RAL 9003, dark brown RAL 8019, metal grey RAL 9006, aluminium grey RAL 9007, ancient grey, ash grey RAL 7038 embossed and rust with minimum 270 meters, on request, without surcharge. To request custom colours, please contact our technical department. For CPEV/45 white RAL 9003, dark brown RAL 8019, aluminium grey RAL 9007, ash grey RAL 7038 embossed and rust with minimum 270 meters, on request, without surcharge. To request custom colours, please contact our technical department.


PROTEC

length = 270 cm - pack 10 pcs

length = 270 cm - pack 10 pcs				H		
				12,5	15	20
ART.				CPEI/45/		
STAINLESS STEEL						
polished stainless steel			-	87570	87571	87572
AISI 304 DIN 1.4301						
euro/m			-			

On request, a special coating can be applied for installation in marine areas with a 50% surcharge.

Complete the article code with H measure (for example CPEV/45/ for H=12,5 becomes CPEV/45/12)




CPEV// /E
CPEI// /E

90° OUTSIDE CORNER

pack 5 pcs		H				
		11	12,5	15	20	12,5
ART.	CPEV/45/ /E					CPEV/72/ /E
finishing						
COLOUR-COATED ALUMINIUM						
ash grey RAL 7038		87533	87556	87557	87558	87255
metal grey RAL 9006		87534	87543	87544	87545	-
ancient grey		87535	87559	87560	87561	-
euro/pc						

90° OUTSIDE CORNER

pack 5 pcs			H		
			12,5	15	20
ART.	CPEI/45/ /E				
STAINLESS STEEL					
polished stainless steel AISI 304 DIN 1.4301		-	87573	87574	87575
euro/pc		-			



CPEV// /G
CPEI// /G

JUNCTION

width = 70 mm - pack 5 pcs			H			
		11	12,5	15	20	12,5
ART.	CPEV/45/ /G					CPEV/72/ /G
finishing						
COLOUR-COATED ALUMINIUM						
ash grey RAL 7038		87562	87562	87562	87562	87258
metal grey RAL 9006		87546	87546	87546	87546	-
ancient grey		87563	87563	87563	87563	-
euro/pc						

no partial packaging

JUNCTION

width = 70 mm - pack 5 pcs			H		
			12,5	15	20
ART.	CPEI/45/ /G				
STAINLESS STEEL					
polished stainless steel AISI 304 DIN 1.4301		-	87576	87576	87576
euro/pc		-			

no partial packaging



CPEV/45/12/E + CPEV/45/12/G ancient grey colour-coated aluminium

Complete the article code with H measure
(for example CPEV/45/ for H=12,5 becomes
CPEV/45/12)




cerfix® protec

Protec CPNV is a series of edge profiles for the protection and the finishing of the outside edges of terraces and balconies. Available in colour-coated aluminium, they can be installed flush with the border or detached from it. Their special section makes them suitable for the protection of the borders of steps or sidewalks, since it hides the junction between the tread and the riser.

Protec CPNV is also available in the bendable version CPNVF, provided with a special cutout that allows to bend the profile with a radius up to 40 cm.



CPNV/45/ ash grey RAL 7038 embossed colour-coated aluminium



CPNV/45/



PROTEC

length = 270 cm - pack 5 pcs

ART.	finishing	10	11	12,5	21
------	-----------	----	----	------	----

COLOUR-COATED ALUMINIUM

CPNV/45/	ash grey				
	RAL 7038 embossed	87270	87271	87272	87292
	ancient grey	87273	87274	87275	87293
<i>euro/m</i>					

white RAL 9003, dark brown RAL 8019, metal grey RAL 9006, aluminium grey RAL 9007, ash grey RAL 7038 and rust with a minimum of 270 meters, on request, without surcharge. To request custom colours, please contact our technical department.


90° OUTSIDE CORNER

pack 5 pcs


ART.	finishing	10	11	12,5	21
------	-----------	----	----	------	----

COLOUR-COATED ALUMINIUM

CPNV/45/ /E	ash grey				
	RAL 7038 embossed	87276	87277	87278	87294
	ancient grey	87279	87280	87281	87295
<i>euro/pc</i>					



CPNV/45/ /E



CPNV/45/ /G

JUNCTION

width = 70 mm - pack 5 pcs

ART.	finishing	10	11	12,5	21
------	-----------	----	----	------	----

COLOUR-COATED ALUMINIUM

CPNV/45/ /G	ash grey				
	RAL 7038 embossed	87282	87283	87284	87296
	ancient grey	87285	87286	87287	87297
<i>euro/pc</i>					

no partial packaging

PROTEC FLEX

length = 270 cm - pack 2 pcs


ART.	finishing	10	12,5
------	-----------	----	------

COLOUR-COATED ALUMINIUM

CPNVF/45/	ash grey		
	RAL 7038 embossed	87288	87290
	ancient grey	87289	87291
<i>euro/m</i>			

no partial packaging

To request custom colours, please contact our technical department.



CPNVF/45/10 ancient grey colour-coated aluminium

On request, a special coating can be applied for installation in marine areas with a 50% surcharge.


Complete the article code with H measure (for example CPNV/45/ for H=10 becomes CPNV/45/10)





Protec CPBV is a series of edge profiles for the protection and the finishing of the outside edges of terraces and balconies. Available in colour-coated aluminium, they have been designed with a protruding section. In addition to protecting and finishing the outside edges, they guarantee the outflow of water from the floor, avoiding the contact with the outside border. They can be installed with tiles or marble of any thickness.



CPBV/55 ash grey RAL 7038 colour-coated aluminium



CPBV/



PROTEC

length = 270 cm - pack 5 pcs

		H1		
ART.	finishing	55	75	95

COLOUR-COATED ALUMINIUM

CPBV/	ash grey RAL 7038		87332	87334	87336
	ancient grey		87333	87335	87337
<i>euro/m</i>					

white RAL 9003, dark brown RAL 8019, rust, metal grey RAL 9006 and aluminium grey RAL 9007 with a minimum of 270 meters, on request, without surcharge.

To request custom colours, please contact our technical department.

90° OUTSIDE CORNER

pack 5 pcs

		H1		
ART.	finishing	55	75	95

COLOUR-COATED ALUMINIUM

CPBV/ /E	ash grey RAL 7038		87402	87404	87406
	ancient grey		87403	87405	87407
<i>euro/pc</i>					

JUNCTION


width = 70 mm - pack 5 pcs

		H1		
ART.	finishing	55	75	95

COLOUR-COATED ALUMINIUM

CPBV/ /G	ash grey RAL 7038		87462	87464	87466
	ancient grey		87463	87465	87467
<i>euro/pc</i>					

no partial packaging



CPBV/55/E + CPBV/55/G ash grey RAL 7038 colour-coated aluminium

Complete the article code with H1 measure (for example CPBV/ for H1=55 becomes CPBV/55)




cerfix® protec

Protec CPHA - CPHV is an edge profile in anodised and colour-coated aluminium for terraces and balconies.

The shape allows the outflow of water, avoiding the direct contact with the screed. Installed along the perimeter, it allows to outline the ceramic tiles and to protect the border in many fields of use. It can be used with tiles thicknesses up to 21 mm.



CPHA/10 silver anodised aluminium



CPHA/
CPHV/



PROTEC

length = 270 cm - pack 10 pcs

		H (H1)			
ART.	finishing	8 (23)	10 (25)	12,5 (27)	21 (36)


ALUMINIUM

CPHA/	silver anodised		87599	87600	87601	87602
	euro/m					

COLOUR-COATED ALUMINIUM

	ash grey RAL 7038		-	87606	87607	87608
CPHV/	ash grey RAL 7038 embossed		-	87637	87638	-
	ancient grey		-	87639	87640	-
	euro/m		-			

white RAL 9003, dark brown RAL 8019, rust, metal grey RAL 9006 and aluminium grey RAL 9007 with a minimum of 270 meters, on request, without surcharge. To request custom colours, please contact our technical department.



CPHA/ E
CPHV/ E

90° OUTSIDE CORNER

dimension = 12x12 cm - pack 5 pcs

		H (H1)			
ART.	finishing	8 (23)	10 (25)	12,5 (27)	21 (36)

ALUMINIUM

CPHA/ E	silver anodised		87564	87565	87597	87598
	euro/pc					

COLOUR-COATED ALUMINIUM

	ash grey RAL 7038		-	87603	87604	87609
CPHV/ E	ash grey RAL 7038 embossed		-	87641	87642	-
	ancient grey		-	87643	87644	-
	euro/pc		-			



CPHA/ E silver anodised aluminium



Complete the article code with H measure
(for example CPHA/ for H=10 becomes CPHA/10)




Protec CPLV is a line of perimetral profiles in colour-coated aluminium, for the protection and finishing of the borders of outdoor raised floors, terraces or balconies. They are composed of a drilled base CPLB to be screwed to the supports, or, as an alternative, a cut base CPLB/2 for glued tiles, and a visible profile to be fixed with adhesive, available in 3 different heights according to the floor thickness. There are also special accessories for the creation of external corners and junctions.



CPLB + CPLV/60 ash grey RAL 7038 colour-coated aluminium




CPLB
base for raised
floors




CPLB/2
punched base
for tiled floors


TREND
COLOR



CPLV/



CPLV/ /E



CPLV/ /G

PROTEC

length = 270 cm - pack 10 pcs

H

BASE

ART. finishing

20

ALUMINIUM

CPLB natural aluminium
euro/m

86900

CPLB/2 natural aluminium
euro/m

86901

CPLB with draining holes available on request, extra euro/m

CPLB and CPLB/2 in 15 and 25 mm height available on request

we recommend using noise-proof gasket PPL/GM, see Catalogue of Supports for outdoor raised floors

PROTEC

length = 270 cm - pack 10 pcs

H1

FRONT

ART. finishing

60

80

100

COLOUR-COATED ALUMINIUM

CPLV/
ash grey RAL 7038
ancient grey
stone
greige
sand
beige
euro/m



86902
86903
86908
86911
86914
86917

86904
86905
86909
86912
86915
86918

86906
86907
86910
86913
86916
86919

white RAL 9003, dark brown RAL 8019, metal grey RAL 9006, aluminium grey RAL 9007, ash grey RAL 7038 embossed and rust with a minimum of 270 meters, on request, without surcharge. To request custom colours, please contact our technical department.

90° OUTSIDE CORNER

pack 5 pcs

H1

ART. finishing

60

80

100

COLOUR-COATED ALUMINIUM

CPLV/ /E
ash grey RAL 7038
ancient grey
stone
greige
sand
beige
euro/pc



86920
86921
86926
86929
86935
86938

86922
86923
86927
86931
86936
86939

86924
86925
86928
86933
86937
86940

JUNCTION

width = 70 mm - pack 5 pcs

H1

ART. finishing

60

80

100

COLOUR-COATED ALUMINIUM

CPLV/ /G
ash grey RAL 7038
ancient grey
stone
greige
sand
beige
euro/pc



86930
86941
86944
86947
86950
86953

86932
86942
86945
86948
86951
86954

86934
86943
86946
86949
86952
86955

no partial packaging





stair nosing profiles

Protection, finishing and safety. Protect and Prostap are two ranges of stair nosing profiles for stairs for public and private use.



cerfix® prostep


Prostep SGA, SGI, SGN and SGK are profiles for the construction and protection of ceramic, marble and stone steps. Thanks to their rounded section, they give elegance and refinement to the edges of steps.

The chromium-plated brass and anodised aluminium models are not recommended for heavy traffic.

The steel version is particularly suitable for protecting step edges, even in areas with heavy traffic.



SGI/11 polished stainless steel AISI 304 DIN 1.4301



PROSTEP

length = 270 cm - pack 10 pcs


ART.	finishing		7	9	11	13
ALUMINIUM						
SGA/	silver anodised		94965	94966	94967	94968
	euro/m					
STAINLESS STEEL						
SGI/	polished stainless steel		-	94922	94924	-
	AISI 304 DIN 1.4301					
	euro/m		-			-
BRASS						
SGN/	natural brass		94970	94971	94972	-
	euro/m					-
CHROMIUM-PLATED BRASS						
SGK/	chromium-plated brass		94980	94981	94982	-
	euro/m					-

individually packed - art. SGK/9 and SGK/11 pack 5 pcs

Prostep SMA and SM are aluminium and brass profiles for the construction and protection of ceramic, marble and stone steps.



SMA/4,5 natural aluminium



SMA/
SM/

PROSTEP

length = 270 cm - pack 10 pcs

ART.		finishing	4,5	8	10	11	12,5
ALUMINIUM							
SMA/	natural aluminium		93967	93969	93970	93979	93971
	euro/m						
	silver anodised		93975	93976	93977	93980	93978
	euro/m						
BRASS							
SM/	natural brass		-	-	93972	-	93973
	euro/m		-	-		-	

individually packed


Complete the article code with H measure (for example for SGA/ for H=11 becomes SGA/11)



Protrim IPI/ are minimal profiles in aluminium or stainless steel suitable for the edging of external corners that need the 45 degrees cut. These profiles allow a perfect laying both on coverings and on stairs or platforms in ceramic or wood.



IPA/11 silver anodised aluminium



IPA/
IPB/




PROTRIM IP

length = 270 cm - pack 20 pcs

ART.	finishing	4,5	8	11	15
ALUMINIUM					
IPA/	silver anodised	95006	95178	95181	95185
	euro/m				
IPB/	bright polished silver	95008	-	-	-
	euro/m				

individually packed



IPI/

PROTRIM IP

length = 270 cm - pack 20 pcs


ART.	finishing	7	8	11	12,5
STAINLESS STEEL					
IPI/	stainless steel AISI 304 - DIN 1.4301	95169	95170	95173	95174
	euro/m				

individually packed

Prostep SNG and SN are aluminium and brass profiles for the construction and protection of ceramic, marble and stone steps.



SNG/10 silver anodised aluminium



SNG/
SN/



PROSTEP

length = 270 cm - pack 20 pcs

ART.	finishing	8	10	12,5	15
ALUMINIUM					
	natural aluminium	90040	90042	90044	90046
	euro/m				
SNG/	silver anodised	90041	90043	90045	90047
	euro/m				
SN/	natural brass	93991	93992	93993	-
	euro/m				

individually packed - SN/ pack 10 pcs

Complete the article code with H measure
(for example IPA/ for H=11 becomes IPA/11)



cerfix® prostep


Prostep SAR and SIR are aluminium and stainless steel stair nosing profiles for protecting step edges. The stainless steel version is also suitable for outdoor use. Thanks to their reversible shapes, the two models can be used for ceramics of four different thicknesses.




SAR/10/12 silver anodised aluminium




SIR/10/12 stainless steel AISI 304 DIN 1.4301




SAR/8




SAR/15




SAR/10




SAR/12




SIR/8
SIRS/8



SIR/15
SIRS/15



SIR/10
SIRS/10



SIR/12
SIRS/12

PROSTEP

length = 270 cm - pack 10 pcs

ART. finishing

ALUMINIUM

SAR/8/15	silver anodised		93956
	euro/m		
SAR/10/12	silver anodised		93958
	euro/m		

individually packed

PROSTEP

length = 270 cm - pack 10 pcs

ART. finishing

STAINLESS STEEL

SIR/8/15	polished stainless steel AISI 304 DIN 1.4301		93952
	euro/m		
SIR/10/12	polished stainless steel AISI 304 DIN 1.4301		93954
	euro/m		
SIRS/8/15	brushed stainless steel AISI 304 DIN 1.4301		93953
	euro/m		
SIRS/10/12	brushed stainless steel AISI 304 DIN 1.4301		93955
	euro/m		


individually packed




Prostep SIS is a stainless steel profile for the construction and protection of ceramic, marble and stone steps. Prostep SIS is particularly suitable for protecting steps subject to heavy traffic.



SIS/10 brushed stainless steel AISI 304 - DIN 1.4301



SIS/



SIS/10/SF



PROSTEP

length = 270 cm - pack 10 pcs


		H		
ART.	finishing	10	11	12,5

STAINLESS STEEL


SIS/	brushed stainless steel AISI 304 DIN 1.4301		93987	93989	93988
euro/m					
SIS/10/SF	brushed stainless steel AISI 304 DIN 1.4301		93997	-	-
euro/m					

individually packed

Prostep SIX is a stainless steel profile for the construction and protection of ceramic, marble and stone steps. Thanks to the application of Safety-Step anti-slip strips on the tread surface, it complies with DIN 51130 standard for anti-slip surfaces and is particularly suitable for protecting steps subject to heavy traffic.



SIX/10 brushed stainless steel AISI 304 - DIN 1.4301 + black slip-resistant 25 mm



SIX/



PROSTEP

length = 270 cm - pack 10 pcs

		H		
ART.	finishing	8	10	12,5

STAINLESS STEEL

SIX/	brushed stainless steel AISI 304 DIN 1.4301 + black slip-resistant 25 mm	93981	93982	93983
euro/m				

individually packed

Complete the article code with H measure
(for example SIS/ for H=10 becomes SIS/10)




cerfix® prostep

Prostep SP is a co-extruded PVC profile with an aluminium fixing base for the construction and protection of ceramic, cotto or stone steps.



SP/10 aluminium + black co-extruded PVC



SP/




PROSTEP


length = 270 cm - pack 10 pcs

		H			
ART.	finishing	8	10	12,5	
SP/	aluminium + black co-extruded PVC	95200	95210	95220	
		euro/m			

Prostep SA and SB are co-extruded PVC profiles with an aluminium fixing base for the construction and protection of ceramic, cotto or stone steps. The grooved co-extruded PVC insert can be replaced with a special spare part in case of wear.



SB/10 aluminium + dark grey co-extruded PVC



SA/



PROSTEP

length = 270 cm - pack 10 pcs

		H			
ART.	finishing	8	10	12,5	15
SA/	aluminium + dark grey co-extruded PVC	94041	94101	94161	-
		euro/m			

SPARE CO-EXTRUDED PVC - pack 10 pcs

SA/G	dark grey co-extruded PVC	94913			
		euro/m			


length = 270 cm - pack 10 pcs

		H			
ART.	finishing	8	10	12,5	15
SB/	aluminium + dark grey co-extruded PVC	94441	94501	94561	94621
		euro/m			

SPARE CO-EXTRUDED PVC - pack 10 pcs

SB/G	dark grey co-extruded PVC	94963			
		euro/m			

no partial packaging with SA/G and SB/G




SB/


Complete the article code with H measure
(for example SWA/ for H=10 becomes SWA/10)



Prostep Flex is a line of bendable aluminium profiles for protecting the edges of steps or platforms. These profiles can be bent using the special Proflex Machine.



GF/710 silver anodised aluminium



GF/



PROSTEP FLEX

length = 270 cm - pack 10 pcs

		H	
ART.	finishing	10	15
ALUMINIUM		710	715
GF/	silver anodised	67569	67350
euro/m			

individually packed


Protect 111 and 75 are anodised aluminium profiles for the construction and protection of ceramic, wood and laminate steps. They are also suitable for resilient glued coverings.



111/10/F silver anodised aluminium



75/F silver anodised aluminium



PROTECT

length = 270 cm - pack 20 pcs

		H				
ART.	finishing	2,5	4,5	5	6	10
ALUMINIUM						
111/ /F	silver anodised	75782	75784	75785	75786	75787
euro/m						

PROTECT

length = 340 cm - pack 20 pcs

		H
ART.	finishing	3,5
ALUMINIUM		
75/F	silver anodised	75388
euro/m		

Complete the article code with H measure
(for example SA/ for H=8 becomes SA/8)




protect


Protect 73, 74 and 58 are aluminium, stainless steel or brass profiles recommended for protecting the edges of wooden, ceramic or marble steps that have already been laid. All models are available in adhesive or drilled versions for areas with heavy traffic.




74/SF silver anodised aluminium




73/




74/




58/



74/IF



87/
370/



373/

Complete the article code with F=drilled, A/AD=adhesive, SF=undrilled, CV=screws (eg. 73/ drilled becomes 73/F)

packaging in blister - no partial packaging

PROTECT

pack	30 pcs			10 pcs / blister 					
length cm	270			90	100	-			
ART.	73/			473/			-		
finishing	F	SF	A	CV	AD	CV	-		
ALUMINIUM									
silver anodised 	75208	75209	75238	21422	21434	00337	-		
euro/m				-	-	-	-		
euro/pc	-	-	-				-		
gold anodised 	75218	-	75248	21423	21435	00338	-		
euro/m		-		-	-	-	-		
euro/pc	-	-					-		
bronze anodised 	-	-	75258	-	-	-	-		
euro/m	-	-		-	-	-	-		
pack	20 pcs.		30 pcs		10 pcs / blister 			20 pcs	
ART.	58/		74/		474/			74/I	
finishing	A	-	F	SF	A	CV	AD	CV	F
ALUMINIUM									
silver anodised 	75900	-	75268	75269	75298	21512	21524	00390	-
euro/m		-				-	-	-	-
euro/pc	-	-	-	-	-				-
gold anodised 	-	-	75278	-	75308	21513	21525	00392	-
euro/m		-		-		-	-	-	-
euro/pc	-	-	-	-	-				-
bronze anodised 	-	-	-	-	75318	-	-	-	-
euro/m		-	-	-		-	-	-	-
titanium anodised 	-	-	-	-	75299	-	-	-	-
euro/m		-	-	-		-	-	-	-
length cm									270
STAINLESS STEEL									
brushed stainless steel AISI 304 DIN 1.4301 	-	-	-	-	-	-	-	-	75275
euro/m		-	-	-	-	-	-	-	

art. 73/, 58/ and 74/ individually packed

PROTECT

pack	30 pcs			10 pcs / blister			
length cm	340			113			
ART.	87/			487/			
finishing	F	SF	A	CV	AD		
ALUMINIUM							
silver anodised		75108	75109	75138	22615	22641	
euro/m					-	-	
euro/pc		-	-	-			
pack	10 pcs			5 pcs			
length cm	270			270			
ART.	370/			373/			
finishing	F	SF	A	F	A		
BRASS							
polished		-	75169	75178	75188	75198	
euro/m		-					


art. 87/ and 370/ individually packed




Protect 70, 71 and 130 are anodised aluminium profiles recommended for protecting the edges of wooden, ceramic or marble steps that have already been laid. All models are available in adhesive or drilled versions to be used for areas with heavy traffic.




71/SF silver anodised aluminium



70/



71/



130/

PROTECT

pack	20	10 pcs / blister 			
length cm	340	113	166		
ART.	70/	470/			
finishing	F	SF	A	CV	CV

ALUMINIUM

silver anodised		75328	75329	75358	21560	21564
euro/m					-	-
euro/pc		-	-	-		
gold anodised		75338	-	75368	-	-
euro/m			-		-	-

art. 70/ individually packed

PROTECT

pack	10 pcs	8 pcs
length cm	340	270
ART.	71/	130/
finishing	F SF	F SF

ALUMINIUM


silver anodised		64067	64066	75804	75805
euro/m					




protect

Protect 76, 124, 110, 80 and 126 are anodised aluminium profiles with Safety-Step anti-slip insert or grooved PVC insert, for protecting the edges of ceramic, marble, wood or carpet steps that have already been laid.

The versions with Safety-Step anti-slip roll comply with DIN 51130 for anti-slip surfaces. The drilled versions are recommended for areas with heavy traffic.



76/F silver anodised aluminium + black slip-resistant insert



76/




PROTECT

pack	10 pcs	5 pcs / blister	
length cm	340	113	
ART.	76/	476/	
finishing	F	CV	AD
ALUMINIUM			
silver anodised		75448	21680 21696
euro/m			- -
euro/pc		-	

SLIP-RESISTANT ROLL SAFETY-STEP


length = 1820 cm - width mm	19		
4 rolls pack -			
black		23002	
euro/m			



124/

PROTECT

length = 270 cm - pack 24 pcs		
ART.		124/
finishing		F
ALUMINIUM		
silver anodised		75794
euro/m		
SLIP-RESISTANT ROLL SAFETY-STEP		
length = 1820 cm - width mm		25
4 rolls pack -		
black		23004
euro/m		



110/

PROTECT

length = 270 cm - pack 24 pcs		
ART.		110/
finishing		F
ALUMINIUM		
silver anodised		75780
euro/m		
SLIP-RESISTANT ROLL SAFETY-STEP		
length = 1820 cm - width mm		19
4 rolls pack -		
black		23002
euro/m		

The price per meter of 76/, 124/ and 110/ does not include the non-slip insert that must be ordered separately.

Complete the article code with F=drilled, AD=adhesive, CV=screws (eg. 110/ drilled becomes 110/F)


packaging in blister - no partial packaging



124/F silver anodised aluminium + black slip-resistant insert



110/F silver anodised aluminium + black slip-resistant insert



80/

**PROTECT**

length = 340 cm - pack 10 pcs

ART.**80/****finishing****F****ALUMINIUM**

silver anodised



64077

euro/m**SLIP-RESISTANT ROLL SAFETY-STEP**

length = 1820 cm - width mm


50

2 rolls pack -

black



23006

euro/m

126/

PROTECT

length = 270 cm - pack 6 pcs

ART.**126/****finishing****F****ALUMINIUM**

silver anodised



75798

euro/m**GROOVED PVC**


length = 1700 cm - 1 rolls pack

ART.**GMR/44**


black



75706

euro/m

80/F silver anodised aluminium



126/F silver anodised aluminium

The price per meter of 80/ does not include the non-slip insert that must be ordered separately.

The price per metre of 126/ does not include grooved PVC that must be ordered separately.

Complete the article code with F=drilled (for example 80/ drilled becomes 80/F)




protect

Protect 72, 79, 125 and 78 are anodised aluminium profiles with a grooved PVC insert (replaceable), recommended for protecting the edges of ceramic, marble, wood or carpet steps that have already been laid.



72/F silver anodised aluminium + GM/72 black



72/



PROTECT

length = 340 cm - pack 10 pcs

ART.	72/
-------------	------------

finishing	F
------------------	----------

ALUMINIUM

silver anodised		75508
-----------------	---	-------

euro/m

gold anodised		75518
---------------	---	-------

euro/m


GROOVED PLASTICISED PVC

length = 3400 cm - 2 rolls pack


ART.	GM/72
-------------	--------------

black		75565
-------	---	-------


euro/m



79/F + GM/R



125/F + GM/R



GM/R

PROTECT

pack	10	10
------	----	----

length cm	340	270
-----------	-----	-----

ART.	79/	125/
-------------	------------	-------------

finishing	F	F
------------------	----------	----------

ALUMINIUM

silver anodised		75728	75796
-----------------	---	-------	-------

euro/m

GROOVED PLASTICISED PVC

length = 3400 cm - 2 rolls pack


ART.	GM/R
-------------	-------------

black		75705
-------	---	-------

euro/m

The price per metre of 72/, 79/ and 125/ does not include grooved PVC that must be ordered separately.

Complete the article code with F=drilled (for example 72/ drilled becomes 72/F)



78/



PROTECT

length = 340 cm - pack 20 pcs

ART.	78/
finishing	F

ALUMINIUM

silver anodised		75578
euro/m		


GROOVED PLASTICISED PVC

length = 1700 cm - 2 rolls pack

ART.		GM/78
black		75635
euro/m		



125/F silver anodised aluminium + GM/R black



78/F silver anodised aluminium + GM/78 black

The price per metre of 78/ does not include grooved PVC that must be ordered separately.

Complete the article code with F=drilled (for example 78/ drilled becomes 78/F)




protect

Protect 150, 151, 152, 154, 155 and 156 are plasticised PVC profiles recommended for protecting stair nosings in ceramic, marble, wood, PVC, linoleum or LVT (provided it is fully glued), during or after installation.



150 black grooved plasticised PVC



150



PROTECT


length = 300 cm - pack 15 pcs

ART. finishing

GROOVED PLASTICISED PVC

	black		19100
150	grey		19101
	brown		19102
	euro/m		

no partial packaging



151

PROTECT


length = 300 cm - pack 15 pcs

ART. finishing

GROOVED PLASTICISED PVC

	black		19110
151	grey		19111
	brown		19112
	euro/m		

no partial packaging



152

PROTECT

length = 300 cm - pack 15 pcs

ART. finishing


GROOVED PLASTICISED PVC

152	black		19120
	grey		19121
	euro/m		

no partial packaging




151 black grooved plasticised PVC



152 grey grooved plasticised PVC

All Protect profiles in plasticised PVC must be stored horizontally.



154



PROTECT


length = 300 cm - pack 15 pcs

ART. finishing

GROOVED PLASTICISED PVC

	black		19140
154	grey		19141
	brown		-
	euro/m		

no partial packaging



155

PROTECT


length = 300 cm - pack 15 pcs

ART. finishing

GROOVED PLASTICISED PVC

	black		19150
155	grey		19151
	brown		19152
	euro/m		

no partial packaging



156

PROTECT

length = 300 cm - pack 10 pcs

ART. finishing

GROOVED PLASTICISED PVC

	black		19160
156	grey		19161
	brown		19162
	euro/m		


no partial packaging



154 brown grooved plasticised PVC



155 black grooved plasticised PVC



156 grey grooved plasticised PVC

All Protect profiles in plasticised PVC must be stored horizontally.



safety-step

Safety-Step is a line of self-adhesive slip-resistant strips consisting of abrasive particles bonded with synthetic resins on a dimensionally stable base, compliant with DIN 51130 standard for slip-resistant surfaces.

Suitable for all surfaces subject to heavy traffic, such as stairs, office and building entrances, ramps, walkways, goods lifts, machine platforms, emergency exits, etc..



Safety-Step - slip-resistant strip



SAFETY-STEP - SLIP-RESISTANT STRIP

colour		width (mm)	length (cm)	code	euro/pc	pack
black		19	61	23000		50
black		25	61	23001		50
black		19	61	23100		10 blisters of 4 pcs 
black		25	61	23101		10 blisters of 4 pcs 
transparent		19	61	23016		50

no partial packaging




Safety-Step - slip-resistant strip



Safety-Step is a line of self-adhesive slip-resistant rolls made of abrasive particles bonded with synthetic resins on a dimensionally stable base.

Suitable for all surfaces subject to heavy traffic, such as stairs, office and building entrances, ramps, walkways, goods lifts, machine platforms and emergency exits. The black and transparent versions comply with DIN 51130 for slip-resistant surfaces.



Safety-Step - slip-resistant strip



SAFETY-STEP - SLIP-RESISTANT ROLL

colour		width (mm)	length (cm)	code	euro/pc	pack
black		19	1820	23002		4
black		25	1820	23004		4
black		50	1820	23006		2
black		19	360	23103		10 blisters of 1 pc 
black		25	360	23105		10 blisters of 1 pc 
transparent		19	1820	23018		4
transparent		25	1820	23020		4
transparent		50	1820	23022		2
grey		25	1820	23044		4
grey		50	1820	23046		2




Safety-Step - slip-resistant roll




prostair

Prostair is a complete system of profiles and related fixing accessories in aluminium or brass for anchoring carpets on stairs. The fixing accessories allow quick removal of the carpets for cleaning and/or replacement.



155/16 bright polished gold aluminium + 177/16



151/11



PROSTAIR

length = 380 cm - diameter 11 - pack 20 pcs

ART. finishing

ALUMINIUM

151/11 bright polished silver  78430
euro/m

PROSTAIR

pack 20 pcs

length cm	80	90	100	120	380
-----------	----	----	-----	-----	-----

ART. finishing

ALUMINIUM

diameter

11	78311	78312	78313	78314	78319
----	-------	-------	-------	-------	-------

euro/pc -

euro/m - - - - -

150/ bright polished gold 

13	78321	-	78323	-	78329
----	-------	---	-------	---	-------

euro/pc - - - - -

euro/m - - - - -

16	-	-	-	-	78339
----	---	---	---	---	-------

euro/m - - - - -

pack 10 pcs / blister 

4150/11/S bright polished gold 

11	21810	21811	21812	-	-
----	-------	-------	-------	---	---

euro/blister - - - - -

items 150/11, 150/13, 150/16 from 80 to 120 cm cannot be unpacked and are equipped with 2 knobs
items 150/11, 150/13, 150/16 from 380 cm can be unpacked and do not have knobs
item 150/13 from 380 cm, pack of 40 pcs - item 150/16, 380 cm, pack of 25 pcs
item 4150/11/S cannot be unpacked and equipped with 2 knobs

PROSTAIR

pack	10 pcs	10 pcs	10 pcs
------	--------	--------	--------

length = 380 cm

finishing

BRASS

diameter

11	13	16
----	----	----

163/ polished	78801	78802	78803
---------------	-------	-------	-------

euro/m

OTHER PROFILES

length = 300 cm - pack 20 pcs

ART. finishing


16x16

ALUMINIUM


155/16 bright polished gold 

78379

euro/m



163/



155/16

art. 163/ available in different lengths on request, extra €/pc


Complete the article code with the diameter measure (for example 150/ for diameter=11 becomes 150/11)




163/13 polished brass + 170/13




155/16 bright polished gold aluminium + 168/16 + 178/16




175/11 + 174/




177/16




178/16



171/ + 170/



161/11 + 169/



168/16

ACCESSORIES - BRACKETS

pack 20 pcs		diameter		
ART.	finishing	11	13	16
BRASS				
175/11	chromium plated <i>euro/pc</i>	78445	-	-
pack 20 pcs				
174/	polished <i>euro/pc</i>	78410	-	78412
pack 10 couples 2 pcs dx/sx				
177/16	polished <i>euro/couple</i>	-	-	78415
pack 20 pcs				
		measures		
		16x16		
178/16	polished <i>euro/pc</i>	78420		

ACCESSORIES - RINGS

pack 20 pcs		diameter		
ART.	finishing	11	13	16
BRASS				
171/11	chromium plated <i>euro/pc</i>	78440	-	-
pack 20 pcs				
170/	polished <i>euro/pc</i>	78400	78401	78402
10 blister packs/ 4 pcs/blister				
4170/ /S	polished <i>euro/blister</i>	21852	-	-
no partial packaging				

ACCESSORIES - KNOBS

pack 20 pcs			diameter		
ART.	finishing		11	13	16
BRASS					
161/11	chromium plated		78435	-	-
	euro/pc			-	-
pack 20 pcs					
169/	brass (for aluminium and brass profiles)		78395	78396	78397
	euro/pc				
pack 20 pcs					
				16x16	
168/16	polished		78418		
	euro/pc				
no partial packaging					

Complete the article code with diameter measure (eg. 174/ for diameter=11 becomes 174/11)



KEITH HARING

Party Of Life



Keith Haring invites you to The Second Annual
"Party Of Life" At The Palladium
606 K. 11 SE. N.Y.C. May 22 Wednesday 11 pm 1988



profiles for wooden, laminate and resilient floors

A complete range of profiles for wood, laminate and resilient floors. A series of professional systems and solutions available in various colours of anodised aluminium and in exclusive Alcrom® Plus finishes, with the possibility of further customisation thanks to PDS technology.

unisystem plus




Unisystem Plus is a floating installation system for wood, laminate and resilient floors with thicknesses ranging from 6.5 mm to 22.6 mm. Composed of junction profiles, connection profiles, perimeter profiles and stair nosing profiles, Unisystem Plus is easy to install and simple to remove. The system consists of a top profile, an aluminium base and a fixing clip: after inserting the fixing clip into the top profile, simply apply a little pressure to the latter to fix it to the base.



fix the aluminium base to the subfloor with screws or glue



bring the floor boards close together, leaving enough space for expansion



insert the clips in the top profile



put the top profile in the base



push the top profile in the base




installation completed

Unisystem Plus line




Junction
profiles for floors
of same level



Connection
profiles for floors
of different level



Perimetral profiles



Stair nosing profiles






unisystem plus


Unisystem Plus is a system for the floating installation of wooden, laminate and resilient floors from 6,5 to 22,6 mm thickness, composed of junction profiles for same level floors (Z/ series), connection profiles for different level floors (C/ series) and perimetral profiles (S/ series). The system is composed of a natural aluminium base and a top profile to be fixed on the base through a specific clip. The top profile is available in different finishes of anodised aluminium or covered with wood-effect Alclom® Plus film for matching the floor perfectly.




Unisystem Plus S/9/SF, Z/1/SF and C/7/SF



Z/1/SF



C/7/SF



S/9/SF



UNISYSTEM PLUS

length = 270 cm - pack 10 pcs

ART.	finishing	Z/1/SF	C/7/SF	S/9/SF
floor thickness from / to mm		6,5/22,6	6,5/10	6,5/22,6
ALUMINIUM covered with ALCROM® PLUS film				
	02	66301	66001	65701
	05	66306	66006	65706
	08	66304	66004	65704
	10	66307	66007	65707
	11	66308	66008	65708
	12	66309	66009	65709
	13	66310	66010	65710
	14	66311	66011	65711
	18	66316	66016	65716
	19	66318	66018	65718
	20	66317	66017	65717
	26	66321	66021	65721
	31	66328	66028	65728
	32	66329	66029	65729
	34	66331	66031	65731
	35	66332	66032	65732
	36	66333	66033	65733
	37	66334	66034	65734
	38	66335	66035	65735
	39	66336	66036	65736
	40	66337	66037	65737
	41	66338	66038	65738
	42	66339	66039	65739
	43	66340	66040	65740
	44	66341	66041	65741
	47	66344	66044	65744
	65	66365	66065	65765
	71	66368	66068	65768
	72	66369	66069	65769
	73	66370	66070	65770
	74	66371	66071	65771
	76	66374	66074	65774
	77	66372	66072	65772
	78	66376	66076	65776
	79	66373	66073	65773
	80	66377	66077	65777
	81	66378	66078	65778
	89	66386	66086	65784

euro/m

individually packed

UNISYSTEM PLUS

length = 270 cm - pack 10 pcs

ART.	finishing	Z/1/SF	C/7/SF	S/9/SF
floor thickness from / to mm		6,5/22,6	6,5/10	6,5/22,6
ALUMINIUM covered with ALCROM® PLUS film				
	91	66388	66088	65786
	92	66389	66089	65789
	93	66390	66090	65790
	94	66391	66091	65791
	95	66392	66092	65792
	351	66393	66093	-
	363	66394	66094	-
	372	66395	66095	-
	490	66397	66097	-
	560	66398	66098	-
	580	66399	66099	65793
	590	66400	66100	-
	665	66401	66101	65794
	670	66402	66102	65795
	951	66408	66108	65797
	975	66409	66109	65798
	1024	66410	66110	65799
	1033	66411	66111	65800
	1042	66412	66112	65801
	1090	66414	66114	65803
	1202	66416	66116	65805
	1203	66417	66117	65806
	1204	66418	66118	65807
	1205	66419	66119	65808
	1206	66420	66120	65809
	1207	66421	66121	65810
	1208	66422	66122	65811
	1209	66423	66123	65812
	1210	66424	66124	65813
	1211	66425	66125	65814
	1212	66426	66126	65815
	1213	66427	66127	65816
	1214	66428	66128	65817
	1215	66429	66129	65818
	1216	66430	66130	65819
	1217	66431	66131	65820
	100	66432	66132	-
	black 97	66433	66133	65821

euro/m

individually packed

Profiles of 270 cm length: please order the base separately.

Customized PDS decors on request, see page 198



UNISYSTEM PLUS

length = 270 cm - pack 20 pcs

ART.	finishing	Z/1/SF	C/7/SF	S/9/SF
floor thickness from / to mm		6,5/22,6	6,5/10	6,5/22,6

ANODISED ALUMINIUM

silver		67217	67007	65680
--------	--	-------	-------	-------

euro/m

titanium		67238	67000	65691
----------	--	-------	-------	-------


gold		67227	67017	65685
------	--	-------	-------	-------

gold sand		67234	67024	65688
-----------	--	-------	-------	-------

bronze		67237	67027	65690
--------	--	-------	-------	-------

euro/m

Other models for thicker floors available on page 178
individually packed



TPU/

UNISYSTEM PLUS - BASES

length = 270 cm - pack 20 pcs - each
piece includes 15 TU/6 clips


length = 270 cm - pack 20 pcs - each piece includes 15 TU/6 clips			H			
ART.	finishing	6	10	13	15	22
floor thickness from / to mm		6,5/10	9,6/12,5	12,6/15,5	15/19	19,6/22,6

ALUMINIUM

TPU/	natural aluminium		67437	67447	67457	67460	67467
------	-------------------	--	-------	-------	-------	-------	-------

euro/m

individually packed (art. TPU/22 pack 10 pcs)



TU/6

SPARE CLIPS

pack of 150 pcs

H	
6	

TU/6	68812/150
------	-----------

euro/pack


no partial packaging



Z/1/SF aluminium covered with Alchrom® Plus film




C/7/SF aluminium covered with Alchrom® Plus film




S/9/SF aluminium covered with Alchrom® Plus film




unisystem plus




Z3/30/SF




C/10/SF




C/13/SF



C/22/SF



S/15/SF



TPU/

UNISYSTEM PLUS

length = 270 cm	pack 20 pcs	pack 20 pcs	pack 10 pcs	pack 10 pcs	pack 10 pcs
-----------------	-------------	-------------	-------------	-------------	-------------

ART.	finishing	Z3/30/SF	C/10/SF	C/13/SF	C/22/SF	S/15/SF
floor thickness from / to mm		6,5/22,6	9,6/12,5	12,6/15,5	15/22,6	9,6/22,6

ANODISED ALUMINIUM

silver		63700	67077	67147	66907	65480
--------	--	-------	-------	-------	-------	-------

euro/m

gold		63702	67087	67157	-	-
------	--	-------	-------	-------	---	---

gold sand		63704	-	-	-	65488
-----------	--	-------	---	---	---	-------

euro/m

individually packed

UNISYSTEM PLUS - BASES

length = 270 cm - pack 20 pcs - each piece includes 15 TU/6 clips

ART.	finishing	6	10	13	15	22
floor thickness from / to mm		6,5/10	9,6/12,5	12,6/15,5	15/19	19,6/22,6

ALUMINIUM

TPU/	natural aluminium		67437	67447	67457	67460	67467
------	-------------------	--	-------	-------	-------	-------	-------

euro/m

individually packed (art. TPU/22 pack 10 pcs)

SPARE CLIPS

pack of 150 pcs	H
-----------------	---


	6
--	---

TU/6	68812/150
------	-----------

euro/pack

no partial packaging







TPZ/



TPZ/47/CV silver anodised aluminium and aluminium covered with Alcrom® Plus film



TPC/



TPS/

The blister pack contains base, clips and profile.

UNISYSTEM PLUS

length = 90 cm - pack 10 pcs / blister - for floor thicknesses from 6,5 to 10 mm

ART. finishing

ALUMINIUM covered with ALCROM® PLUS film

TPZ/47/CV	05	43005	77	43011	1208	43027
	10	43020	78	43066	1209	43029
	14	43006	80	43068	1210	43030
	19	43007	89	43012	1211	43031
	20	43028	91	43013	1212	43033
	26	43008	580	43014	1213	43035
	31	43009	1202	43016	1214	43037
	38	43034	1203	43017	1215	43039
	39	43010	1204	43018	1216	43041
	40	43036	1205	43019	1217	43043
	42	43038	1206	43025		
	65	43056	1207	43026		

euro/pc

individually packed

UNISYSTEM PLUS

length = 90 cm - pack 10 pcs / blister

ART. finishing

ANODISED ALUMINIUM

ART.	finishing	TPZ/47/CV	TPZ/410/CV	TPZ/413/CV
floor thickness from / to mm		6,5 / 10	9,6 / 12,5	12,6 / 15,5
silver		43000	43072	43144
gold		43004	43076	43148

euro/pc

individually packed - gold anodised extra euro/pc

UNISYSTEM PLUS

length = 90 cm - pack 10 pcs / blister - for floor thicknesses from 6,5 to 10 mm

ART. finishing

ALUMINIUM covered with ALCROM® PLUS film

TPC/47/CV	05	43219	77	43225	1208	43239
	10	43234	78	43280	1209	43240
	14	43220	80	43282	1210	43241
	19	43221	89	43226	1211	43243
	20	43242	91	43227	1212	43244
	26	43222	580	43228	1213	43245
	31	43223	1202	43231	1214	43247
	38	43248	1203	43232	1215	43249
	39	43224	1204	43233	1216	43251
	40	43250	1205	43235	1217	43253
	42	43252	1206	43236		
	65	43270	1207	43237		

euro/pc

individually packed

UNISYSTEM PLUS

length = 90 cm - pack 10 pcs / blister

ART. finishing

ANODISED ALUMINIUM

ART.	finishing	TPC/47/CV	TPC/410/CV	TPC/413/CV
floor thickness from / to mm		6,5 / 10	9,6 / 12,5	12,6 / 15,5
silver		43214	43286	43358
gold		43218	43290	43362

euro/pc

individually packed - gold anodised extra euro/pc

UNISYSTEM PLUS

length = 90 cm - pack 10 pcs / blister

ART. finishing

ANODISED ALUMINIUM

ART.	finishing	TPS/47/CV	TPS/410/CV	TPS/413/CV
floor thickness from / to mm		6,5 / 10	9,6 / 12,5	12,6 / 15,5
silver		43430	43502	43574

euro/pc

individually packed




unisystem plus

G/2/SF is a stair nosing profile of Unisystem Plus line. Composed of a base and a top profile, it is suitable for the installation of floating wooden, laminate and resilient with thicknesses from 6,5 to 12,5 mm.



G/2/SF aluminium covered with Alchrom® Plus film



G/2/SF + TPU/



UNISYSTEM PLUS

length = 270 cm - pack 10 pcs - for floor thicknesses from 6,5 to 12,5 mm

ART. finishing

ALUMINIUM covered with ALCROM® PLUS film

G/2/SF	05	43645	41	43656	1208	43669
	08	43646	77	43657	1209	43670
	12	43647	89	43658	1210	43671
	13	43648	91	43659	1211	43672
	14	43649	93	43660	1212	43673
	19	43650	580	43661	1213	43674
	26	43651	1202	43663	1214	43675
	31	43679	1203	43664	1215	43676
	32	43652	1204	43665	1216	43677
	36	43653	1205	43666	1217	43678
	39	43654	1206	43667		
	40	43655	1207	43668		

euro/m

individually packed

UNISYSTEM PLUS

length = 270 cm - pack 10 pcs - for floor thicknesses from 6,5 to 12,5 mm

ART. finishing

ANODISED ALUMINIUM

G/2/SF	silver	43690
	titanium	43691

euro/m

individually packed

UNISYSTEM PLUS - BASES

length = 270 cm - pack 20 pcs - each piece includes 15 TU/6 clips

ART. finishing	6	10
floor thickness from / to mm	6,5/10	9,6/12,5

ALUMINIUM

TPU/ natural aluminium	67437	67447
------------------------	-------	-------

euro/m

individually packed

SPARE CLIPS

pack 150 pcs	H
	6
TU/6	68812/150

euro/pack

no partial packaging

Customized PDS decors on request, see page 198


Profiles of 270 cm length: please order the base separately.




G/4/SF is a stair nosing profile of Unisystem Plus range, composed of a base and a top profile, for the floating installation of wooden and laminate floors with thicknesses from 6,5 to 15,5 mm.




G/4/SF aluminium covered with Alcrom® Plus film



G/4/SF + TPU/



TPU/



TU/6

UNISYSTEM PLUS

length = 270 cm - pack 10 pcs - for floor thicknesses from 6,5 to 15,5 mm

ART. finishing

ALUMINIUM covered with ALCROM® PLUS film

	02	63905		40	63920		93	63944
	08	63907		41	63926		95	63946
	11	63911		43	63927			
	12	63913		65	63931			
	13	63916		71	63951			
	18	63914		72	63952			
	32	63917		73	63953			
	34	63923		76	63956			
	35	63924		77	63937			
	36	63942		78	63934			
	37	63943		79	63938			
	38	63919		92	63941			

euro/m

individually packed

UNISYSTEM PLUS

length = 270 cm - pack 10 pcs - for floor thicknesses from 6,5 to 15,5 mm

ART. finishing

ANODISED ALUMINIUM

silver		63900
--------	--	-------

G/4/SF euro/m

gold sand		63904
-----------	--	-------

euro/m

individually packed

UNISYSTEM PLUS - BASES

length = 270 cm - pack 20 pcs - each piece includes 15 TU/6 clips

ART. finishing	6	10	13
floor thickness from / to mm	6,5/10	9,6/12,5	12,6/15,5

ALUMINIUM

TPU/ natural aluminium		67437	67447	67457
------------------------	--	-------	-------	-------

euro/m

individually packed

SPARE CLIPS

pack 150 pcs	H
--------------	---

	6
--	---

TU/6	68812/150
------	-----------

euro/pack

no partial packaging


Profiles of 270 cm length: please order the base separately.

Customized PDS decors on request, see page 198




proxix thin


Profix Thin is a system designed to allow the expansion of LVT and SPC floors, both click and loose-laid. Profix Thin is suitable for floors from 4 to 7 mm thick and is composed of junction profiles for same level floors (Z/4), connection profiles for different level floors (C/4) and perimeter profiles (S/4). The system is composed of PVC-U base and a top profile available in different finishes of anodised aluminium or covered with wood-, stone- or concrete-effect Alcrom® Plus film for matching the floor perfectly.




Profix Thin S/4, Z/4 and C/4



Z/4 + PT/4



C/4 + PT/4/SA



S/4 + PT/4/SA

PROFIX THIN

length = 270 cm - pack 20 pcs

for floor thickness (from 4 to 7 mm)

ALUMINIUM covered with ALCROM® PLUS film

		Z/4	C/4	S/4
	1003	85101	85201	85301
	1006	85102	85202	85302
	1009	85103	85203	85303
	1012	85104	85204	85304
	1021	85107	85207	85307
	1024	85108	85208	85308
	1030	85110	85210	85310
	1033	85111	85211	85311
	1036	85112	85212	85312
	1042	85114	85214	85314
	1045	85115	85215	85315
	1051	85117	85217	85317
	1054	85118	85218	85318
	1057	85119	85219	85319
	1060	85120	85220	85320
	1063	85121	85221	85321
	1066	85122	85222	85322
	1069	85123	85223	85323
	1081	85127	85227	85327
	1084	85128	85228	85328
	1090	85130	85230	85330
	1105	85135	85235	85335
	1108	85136	85236	85336
	1111	85137	85237	85337

euro/m

individually packed


PROFIX THIN

length = 270 cm - pack 20 pcs

for floor thickness (from 4 to 7 mm)

ART.		Z/4	C/4	S/4
finishing				
ANODISED ALUMINIUM				
silver		85050	85060	85070
euro/m				
gold sand		85052	85062	85072
titanium		85054	85064	85074
euro/m				
bronze elox		85056	85066	85076
euro/m				

Customized PDS decors on request, see page 198



PT/4
PT/4/SA


PROFIX THIN - BASI

length = 270 cm - pack 20 pcs

for floor thickness (from 4 to 5,70 mm)

ART.		PT/4	PT/4/SA
finishing			
PVC-U			
green		85081	85083
euro/m			

To order PT/4 and PT/4/SA in pack of 100 pcs mark /100 after the article code (for example code 85081 becomes 85081/100). Pack of 100 pcs of PT/4 and PT/4/SA €/m



PT/6
PT/6/SA


PROFIX THIN - BASES

length = 270 cm - pack 20 pcs

for floor thickness (from 6 to 7 mm)

ART.		PT/6	PT/6/SA
finishing			
PVC			
green		85086	85088
euro/m			


To order PT/6 and PT/6/SA in pack of 100 pcs mark /100 after the article code (for example code 85086 becomes 85086/100). Pack of 100 pcs of PT/6 and PT/6/SA €/m



Z/4 + PT/4



C/4 + PT/4/SA



S/4 + PT/4/SA




prestowood


Prestowood 22/A, 50/A and 63/A are adhesive profiles for wooden, laminate and resilient floors of same level, different level and stairs that have been already installed. In anodised aluminium, or covered with Alcrom® Plus film, they are particularly easy and quick to install.




22/A aluminium covered with Alcrom® Plus film



422/AD
22/A



450/AD
50/A



63/A

PRESTOWOOD

pack	10 pcs / blister 		10 pcs	10 pcs / blister 		10 pcs	10 pcs
length cm	90		270	90		270	270
ART.	422/AD		22/A	450/AD		50/A	63/A
ALUMINIUM covered with ALCROM® PLUS film							
	05	43700	43932	44949		45031	45140
	08	43701	43933	44950		45032	45141
	12	43702	43934	44951		45033	45142
	13	43703	43935	44952		45034	45143
	14	43704	43936	44953		45035	45144
	19	43705	43937	44954		45036	45145
	26	43706	43938	44955		45037	45146
	31	43707	43939	44956		45038	-
	32	43708	43940	44957		45039	45147
	34	43709	43941	44958		45040	-
	36	43710	43942	44959		45041	45148
	39	43711	43943	44960		45042	45149
	40	43712	43944	44961		45043	45150
	41	43713	43945	44962		45044	45151
	73	43714	43946	44963		45045	-
	74	43715	43947	44964		45046	-
	77	43716	43948	44965		45047	45152
	79	43717	43949	44966		45048	-
	81	43718	43950	44967		45049	-
	89	43719	43951	44968		45050	45153
	91	43720	43952	44969		45051	45154
	92	43721	43953	44970		45052	-
	93	43762	43995	45013		45094	45155
	94	43722	43954	44971		45053	-
	351	43723	43955	44972		45054	-
	363	43724	43956	44973		45055	-
	372	43725	43957	44974		45056	-
	490	43727	43959	44976		45058	-
	560	43728	43960	44977		45059	-
	580	43729	43961	44978		45060	45156
	590	43730	43962	44979		45061	-
	665	43731	43963	44980		45062	-
	670	43732	43964	44981		45063	-
	951	43738	43970	44987		45069	-
	975	43739	43971	44988		45070	-
	1024	43740	43972	44989		45071	-
	1033	43741	43973	44990		45072	-
	1042	43742	43974	44991		45073	-
	1090	43744	43976	44993		45075	-

packaging in blister - no partial packaging

Customized PDS decors on request, see page 198



pack	10 pcs / blister 		10 pcs	10 pcs / blister 	10 pcs	10 pcs
length cm	90		270	90	270	270
ART.	422/AD		22/A	450/AD	50/A	63/A
ALUMINIUM covered with ALCROM® PLUS film						
	1202	43746	43978	44995	45077	45158
	1203	43747	43979	44996	45078	45159
	1204	43748	43980	44997	45079	45160
	1205	43749	43981	44998	45080	45161
	1206	43750	43982	44999	45081	45162
	1207	43751	43983	45000	45082	45163
	1208	43752	43984	45001	45083	45164
	1209	43753	43985	45002	45084	45165
	1210	43754	43986	45003	45085	45166
	1211	43755	43987	45004	45086	45167
	1212	43756	43988	45005	45087	45168
	1213	43757	43989	45007	45088	45169
	1214	43758	43990	45008	45089	45170
	1215	43759	43991	45009	45090	45171
	1216	43760	43992	45010	45091	45172
	1217	43761	43993	45011	45092	45173
	100	-	43994	-	45093	-
	black 97	-	43996	-	45095	45175
euro/pc		-		-		-
euro/m		-		-		-
individually packed						

PROCLASSIC F / PROLEVEL HIGH / PROTECT

pack	10 pcs/ blister 	10 pcs	10 pcs/ blister 	10 pcs	10 pcs
length cm	90	270	90	270	270
ART.	422/AD	22/A	450/AD	50/A	63/A
ANODISED ALUMINIUM					
 silver	43790	44000	45019	45100	45190
euro/pc		-		-	-
euro/m	-				
 titanium	43791	44001	45020	45101	45191
euro/pc		-		-	-
euro/m	-		-		
individually packed					



50/A titanium anodised aluminium



63/A silver anodised aluminium




prestowood


Prestowood 74/A is a line of stair nosing profiles covered with wood-effect Alcrom® Plus film, for the protection of already-laid wooden step edges. 74/ is also available in different finishes of anodised aluminium, as the stair nosing profiles 73/ and 58/.




74/A aluminium covered with Alcrom® Plus



73/



74/



58/A

PRESTOWOOD

pack	10 pcs
length cm	270
ART.	74/A

finishing

ALUMINIUM covered with ALCROM® PLUS film

	10	75319
	12	75297
	13	75301
	20	75320
	32	75303
	36	75304
	37	75305
	38	75306
	40	75322
	47	75307
	65	75294
	71	75309
	76	75334
	78	75311
	80	75326
	92	75312
	94	75313
	95	75314

euro/m

individually packed

PROTECT

pack	30 pcs							20 pcs
length cm	270							
ART.	73/			74/			58/	
finishing	F	SF	A	F	SF	A	A	
ALUMINIUM								
silver anodised		75208	75209	75238	75268	75269	75298	75900
euro/m								
gold anodised		75218	-	75248	75278	-	75308	-
euro/m								
bronze anodised		-	-	75258	-	-	75318	-
euro/m								
titanium anodised							75299	
euro/m								



RC is a line of end profiles for floating or glue-down wooden, laminate and resilient floors, available in anodised aluminium with various finishes or covered with Alchrom® Plus wood-effect film. The same profile is also available in the bendable version RCF that can be curved using the special Proflex Machine.

Prolevel High 732/ is a line of stainless steel profiles for closing and protecting the perimeter edge of wooden, laminate and resilient floors.



RC/9/F silver anodised aluminium



TERMINAL RC

length = 270 cm - pack 20 pcs

ART.	finishing	7	9	11	13	15
ALUMINIUM						
	silver anodised	67407	67477	67547	67617	67687
	euro/m					
RC/ /F	gold anodised	-	67487	-	-	-
	euro/m	-	-	-	-	-
	bronze anodised	-	67497	-	-	-
	euro/m	-	-	-	-	-

length = 270 cm - pack 10 pcs

ART.	finishing	7	9	11	13	15
ALUMINIUM covered with ALCROM® PLUS film						
	10	-	66731	-	-	-
	20	-	66734	-	-	-
	38	-	66739	-	-	-
RC/ /F	40	-	66740	-	-	-
	42	-	66758	-	-	-
	65	-	66747	-	-	-
	78	-	66751	-	-	-
	80	-	66752	-	-	-
	euro/m	-	-	-	-	-

TERMINAL RC

length = 90 cm - pack 10 pcs / blister

ART.	finishing	7	9	11	15
ALUMINIUM					
	silver anodised	42782	41832	41877	42822
	euro/pc				
	gold anodised	-	41839	-	-
	euro/pc	-	-	-	-

TERMINAL RC FLEX


length = 270 cm - pack 10 pcs

ART.	finishing	9	11
ALUMINIUM			
RCF/	silver anodised	67712	67714
	euro/m		
individually packed			

PROLEVEL HIGH

length = 270 cm - pack 15 pcs


ART.	finishing	10	12,5
STAINLESS STEEL			
732/SF/	polished stainless steel AISI 430 DIN 1.4016	74217	74227
	euro/m		
individually packed			



RC/ /F
RCF/



RCF/ silver anodised aluminium



732/SF/



Complete the article code with H measure (for example RC/ /F for H = 9 becomes RC/9/F)

Customized PDS decors on request, see page 198




alfix 616

Alfix 616 is a professional system for the laying of wooden, laminate and resilient floors with thickness from 6 to 16 mm. The system is composed of a top profile in anodised aluminium fixed with screws on a natural aluminium base. The screws, included in the packaging, have the same colour of the top profile in order to perfectly match it.



FIX/L/55 silver anodised aluminium



FIX/J/44



ALFIX 616

pack	10 pcs	10 pcs / blister	
length cm	270	90	100

ART.

FIX/J/44


for floor thicknesses from 6 to 16 mm

finishing

ALUMINIUM

silver anodised		37010	37012	37014
sand gold anodised		37210	37212	-
euro/m		-	-	-
euro/pc		-		
titanium anodised		37410	-	37414
elox bronze anodised		37310	37312	37314
euro/m		-	-	-
euro/pc		-		

individually packed



FIX/L/55

ALFIX 616

pack	10 pcs	10 pcs / blister	
length cm	270	90	100

ART.

FIX/L/55


for floor thicknesses from 6 to 16 mm

finishing

ALUMINIUM

silver anodised		37040	37042	37044
sand gold anodised		37240	37242	37244
euro/m		-	-	-
euro/pc		-		
titanium anodised		37440	37442	37444
elox bronze anodised		37340	-	-
euro/m		-	-	-
euro/pc		-		

individually packed



FIX/T/33

ALFIX 616

pack	10 pcs	10 pcs / blister	
length cm	270	90	100

ART.

FIX/T/33

for floor thicknesses from 6 to 16 mm

finishing

ALUMINIUM


silver anodised		37070	-	37074
sand gold anodised		37270	37272	-
euro/m		-	-	-
euro/pc		-		
titanium anodised		37470	-	37474
elox bronze anodised		-	-	37374
euro/m		-	-	-
euro/pc		-	-	

individually packed

packaging in blister - no partial packaging



Alfix 46 is a professional system designed to allow the expansion of LVT or SPC floors, both click and loose-lay. This system is characterized by top profiles in anodised aluminium, fixed with a screw system on a natural aluminium base. Screws, included in the package, have the same colour of the anodisation and, once fixed, integrate with the top profile.




FIX/J/30 silver anodised aluminium




FIX/L/32 silver anodised aluminium




FIX/T/19 silver anodised aluminium



FIX/J/30



FIX/L/32



FIX/T/19



ALFIX 46

pack 10 pcs

length cm 270

ART. FIX/J/30

for floor thicknesses from 4 to 6 mm

finishing

ALUMINIUM

silver anodised  35500

euro/m

individually packed

ALFIX 46

pack 10 pcs

length cm 270

ART. FIX/L/32

for floor thicknesses from 4 to 6 mm

finishing

ALUMINIUM

silver anodised  35510

euro/m

individually packed

ALFIX 46

pack 10 pcs

length cm 270

ART. FIX/T/19

for floor thicknesses from 4 to 6 mm

finishing

ALUMINIUM

silver anodised  35520

euro/m

individually packed




cerfix® projoint DIL - pronivel

NZA/ is a dynamic expansion joint in aluminium composed of two interlocking sliding profiles. Suitable for Click LVT and SPC floors, it guarantees a good resistance to loads and intense foot traffic. Thanks to the exclusive solution with adhesive integrated into the internal anchor flange, it can be fixed directly to the plank and it is the perfect expansion joint for Click LVT and SPC floors with uninterrupted and perfectly flat surface. Thanks to this special technology, the floating floor can be placed in direct contact with the joint, which, being dynamic, will absorb any expansion of the floor.



NZA/5A silver anodised aluminium



NZA/5A




PROJOINT DIL

length = 270 cm - pack 20 pcs

ART.	finishing	5A
ALUMINIUM		
	silver anodised	99310
<i>euro/m</i>		
NZA/	titanium anodised	99314
	elox bronze anodised	99316
	<i>euro/m</i>	

individually packed



PBA/5/A




PRONIVEL PB

length = 270 cm - pack 10 pcs

ART.	finishing	H
ALUMINIUM		
PBA/5/A	silver anodised	93205
<i>euro/m</i>		

individually packed




PBA/5A silver anodised aluminium



cerfix® projoint - pronivel


H/5/F, PBAS/5/F, RC/5/F and 99/TR/26 are connection profiles in anodised aluminium, for floating Click LVT or SPC floors and suitable as profiles for same height, different height and for borders.



H/5/F silver anodised aluminium



PBAS/5/S silver anodised aluminium



H/5/F



PROJOINT T

length = 270 cm - pack 20 pcs

H

ART. finishing

5

ALUMINIUM

H/5/F
drilled


silver anodised



75000

euro/m

individually packed



PBAS/5/F



PRONIVEL PB

length = 270 cm - pack 20 pcs

H

ART. finishing

5

ALUMINIUM

PBAS/5/F
drilled


silver anodised



95203

euro/m

individually packed



RC/5/F



TERMINAL RC

length = 270 cm - pack 20 pcs

H

ART. finishing

5

ALUMINIUM

RC/5/F
drilled


silver anodised



67475

euro/m

individually packed



99/TR/26

PROJOINT T

length = 270 cm - pack 20 pcs

LxH

ART. finishing

26 x 4,5

ALUMINIUM

99/TR/26


silver anodised



75081

euro/m

individually packed



99/T/8

PROJOINT T

length = 270 cm - pack

50 pcs

width

8

ART. finishing

ALUMINIUM

99/T/

silver anodised



75075

euro/m

length = 270 cm - pack

50 pcs

BRASS

399/T/

polished



75070

euro/m

pack

30 pcs

399/TC/

chromium plated



75071

euro/m

individually packed



prostep - protect


SMA/, 75/F, 111/ /F and G/705/F are profiles in anodised aluminium suitable for stairs covered with glue-down or loose-lay LVT or SPC. ZGF/ is a profile in aluminium suitable for following the curvilinear course of stairs or floors in glue-down or loose-lay LVT or SPC.



SMA/4 silver anodised aluminium



75/F silver anodised aluminium



SMA/4



PROSTEP

length = 270 cm - pack 10 pcs

H

ART. finishing

4,5

ALUMINIUM


SMA/ natural aluminium
euro/m

93967

SMA/ silver anodised
euro/m

93975

individually packed



75/F



PROTECT

length = 340 cm - pack 20 pcs

H

ART. finishing

3,5

ALUMINIUM

75/F drilled silver anodised
euro/m

75388

PROTECT

length = 270 cm - pack 20 pcs

H

ART. finishing

2,5

4,5

5

10

ALUMINIUM


111/ /F silver anodised
euro/m

75782

75784

75785

75787



111/

PROSTEP

length = 270 cm - pack 10 pcs

H

ART. finishing


5

ALUMINIUM

G/705/F silver anodised
euro/m

67580

individually packed



G/705/F



PROANGLE FLEX

length = 270 cm - pack 10 pcs

H


ART. finishing

4,5


ALUMINIUM

ZGF/ natural aluminium
euro/m


88721



ZGF/



111/2,5/F silver anodised aluminium



G/705/F silver anodised aluminium




cerfix® protrim - proangle


RA/ and RI/ are profiles that are suitable for glue-down or loose-lay LVT or SPC floors and are recommended as border profiles for floors or stairs finishing.



RI/4 stainless steel AISI 304 - DIN 1.4301



RA/



RI/

PROTRIM

length = 270 cm - pack 20 pcs

ART. finishing		3		4,5	
ALUMINIUM					
RA/	silver anodised		92055		92056
	euro/m				
	gold anodised		92025		92026
	euro/m				
	titanium anodised		92085		92086
	euro/m				

individually packed


PROTRIM

length = 270 cm - pack 20 pcs


ART. finishing			4,5
STAINLESS STEEL			
RI/	stainless steel AISI 304 DIN 1.4301		92413
euro/m			

individually packed


ZA/, AI/, ZQAN/ and ZQKN/ are profiles suitable for glue-down or loose-lay LVT or SPC and are recommended as connection and border profiles.



ZA/




AI/



ZQAN/
ZQKN/



ZA/4 silver anodised aluminium



ZQKN/4 chromium-plated brass

PROANGLE

length = 270 cm - pack 20 pcs

ART. finishing			2,5	3	4,5
ALUMINIUM					
ZA/	silver anodised		90337	90338	90340
	euro/m				
STAINLESS STEEL					
AI/	stainless steel AISI 304 DIN 1.4301		-	91636	91638
	euro/m		-		

individually packed - version chromium - plated brass article ZK/4,5 see page 31

PROANGLE Q

length = 270 cm - pack 20 pcs

ART. finishing		4,5	
ALUMINIUM			
ZQAN/	silver anodised		88772
	<i>euro/m</i>		
	titanium anodised		88902
	<i>euro/m</i>		
BRASS			
ZQKN/	chromium plated		88870
	<i>euro/m</i>		

individually packed



cerfix® proround


GA/, JGA/ and PIA/ are connection profiles for stairs in glue-down or loose-lay LVT or SPC floors. Easy to lay, they facilitate the hygienic maintenance of the connection between tread and riser.



GA/4 silver anodised aluminium



JGA/4 silver anodised aluminium



GA/



PROROUND M

length = 270 cm - pack 20 pcs


ART. finishing 4,5

ALUMINIUM

GA/ silver anodised 95730

euro/m

individually packed



JGA/

PROROUND M

length = 270 cm - pack 20 pcs


ART. finishing 4,5

ALUMINIUM

JGA/ silver anodised 95732

euro/m

individually packed



PIA/



PROINT

length = 270 cm - pack 20 pcs


ART. finishing 3,5

ALUMINIUM

PIA/ silver anodised 95431

euro/m

individually packed



PIA/3 silver anodised aluminium

PVC Line skirting boards for wooden, laminate and resilient floors



PVC Line 8605 covered with Alcrom® Plus film, see page 226



PVC Line 8608 covered with Alcrom® Plus film, see page 227



PVC Line 8615 covered with Alcrom® Plus film, see page 228



PVC Line 8613 covered with Alcrom® Plus film, see page 229



PVC Line 8612 covered with Alcrom® Plus film, see page 230




PVC Line 8614 covered with Alcrom® Plus film, see page 230


Guide to selecting profiles.

Floor	Thickness (mm)	Junction profile for same level floors	Junction profile for same level floors	Junction profile for same level floors	Dynamic transition joint
Click SPC/ LVT Wood Laminate	18,00		Z/1/SF + TPU/15		
	16,00		Z/1/SF + TPU/15		
	15,00		Z/1/SF + TPU/13		
	13,00		Z/1/SF + TPU/13		
	12,00		Z/1/SF + TPU/10		
	9,00		Z/1/SF + TPU/6		
	8,50		Z/1/SF + TPU/6		
	8,00		Z/1/SF + TPU/6		
	7,00	Z/4 + base PT/6	Z/1/SF + TPU/6		
	6,50	Z/4 + base PT/6	Z/1/SF + TPU/6		
	6,00	Z/4 + base PT/6			
	5,70	Z/4 + base PT/4			
	5,50	Z/4 + base PT/4			
	5,00	Z/4 + base PT/4		H/5/F	NZA/5A
	4,50	Z/4 + base PT/4			
	4,20	Z/4 + base PT/4			
	4,00	Z/4 + base PT/4			

KEY:




Z/4 + base PT/6
Z/4 + base PT/4
See page 182



Z/1/SF + TPU/15
Z/1/SF + TPU/13
Z/1/SF + TPU/10
Z/1/SF + TPU/6
See page 176




H/5/F
See page 191



NZA/5A
See page 190

Perimetral profile	Perimetral profile	Connection profile for different level floors	Connection profile for different level floors	Dynamic connection profile for different level floors
	S/9/SF + TPU/15		C/7/SF + TPU/15	
	S/9/SF + TPU/15		C/7/SF + TPU/15	
	S/9/SF + TPU/13		C/7/SF + TPU/13	
	S/9/SF + TPU/13		C/7/SF + TPU/13	
	S/9/SF + TPU/10		C/7/SF + TPU/10	
	S/9/SF + TPU/6		C/7/SF + TPU/6	
	S/9/SF + TPU/6		C/7/SF + TPU/6	
	S/9/SF + TPU/6		C/7/SF + TPU/6	
S/4 + base PT/6/SA	S/9/SF + TPU/6	C/4 + base PT/6/SA	C/7/SF + TPU/6	
S/4 + base PT/6/SA	S/9/SF + TPU/6	C/4 + base PT/6/SA	C/7/SF + TPU/6	
S/4 + base PT/6/SA		C/4 + base PT/6/SA		
S/4 + base PT/4/SA		C/4 + base PT/4/SA		
S/4 + base PT/4/SA		C/4 + base PT/4/SA		
S/4 + base PT/4/SA		C/4 + base PT/4/SA		PBA/5/A
S/4 + base PT/4/SA		C/4 + base PT/4/SA		
S/4 + base PT/4/SA		C/4 + base PT/4/SA		
S/4 + base PT/4/SA		C/4 + base PT/4/SA		




S/4 + base PT/6/SA
S/4 + base PT/4/SA
See page 182



S/9/SF + TPU/15
S/9/SF + TPU/13
S/9/SF + TPU/10
S/9/SF + TPU/6
See page 176



C/4 + base PT/6/SA
C/4 + base PT/4/SA
See page 182



C/7/SF + TPU/15
C/7/SF + TPU/13
C/7/SF + TPU/10
C/7/SF + TPU/6
See page 176



PBA/5/A
See page 190

Profilpas Digital System

no limits to imagination



The perfect combination of floors, skirting boards and profiles is now a reality thanks to Profilpas Digital System (PDS), the digital printing system that faithfully reproduces wood, SPC, marble, stone or ceramic effects. A wide selection of standard decors is already available in our database to meet any requirement, and for further customisation, it is sufficient to send the desired sample to create any decor, even fantasy designs.

Furthermore, thanks to a digital varnish, Profilpas Digital System allows to create prints with variable relief for an even more faithful reproduction of the original texture. The 3D effect varnishes offer unprecedented depth and realism, providing a unique tactile sensation. And there's more: with this technology, it is now possible to obtain special colours, expanding the possibilities for customisation and design.

UNISYSTEM PLUS Z/1/SF, C/7/SF, S/9/SF PROFIX THIN Z/4, C/4 E S/4

min. 54 m

Quantity 20 pcs / 54 m =	€/m
Quantity 40 pcs / 108 m =	€/m
Quantity 60 pcs / 162 m =	€/m
Quantity 80 pcs / 216 m =	€/m
Quantity 100 pcs / 270 m =	€/m

Quantity 120 pcs / 324 m =	€/m
Quantity 140 pcs / 378 m =	€/m
Quantity 160 pcs / 432 m =	€/m
Quantity 180 pcs / 486 m =	€/m
Quantity 200 pcs / 540 m =	€/m

UNISYSTEM PLUS Z3/30, C/10, C/13, C/22 E S/15

min. 540 m divisible into 5 decors

UNISYSTEM PLUS G/2 E G/4

min. 540 m divisible into 5 decors

PRESTOWOOD 22/A, 50/A, 63/A E 74/A

min. 540 m divisible into 5 decors

TERMINAL RC/ /F

min. 540 m divisible into 5 decors

PVC LINE 8605, 8606, 8608, 8615, 8616, 8612, 8613 AND 8614

min. 500 m divisible into 2 decors

For requests for customisation of other items, please contact our technical department. For customisation with decors not present in our database, a surcharge of per decor will be applied.





The main feature of PDS technology is the significant reduction of metamerism, the optical effect by which two colours that appear identical under the same light can appear different when the light conditions change. This happens because colours reflect light in different ways depending on the light source.

Thanks to our digital printing, skirting boards and profiles maintain superior colour consistency, keeping their appearance unchanged even under different light conditions. This is particularly important in environments with variable light, such as showrooms, shops and exhibition spaces, where colour perception can significantly influence the customer experience.



As the light temperature changes, the colour of the sofa with low metamerism remains almost unchanged.





bendable profiles



The Flex range profiles are a series of bendable profiles for installing ceramic, parquet, carpet, wood, laminate and other types of flooring where it is necessary to follow the curved shape of the surface. Using the special Proflex Machine, these profiles can be easily adapted to the required curves.

proangle flex


Proangle is a line of profiles to finish, protect and decorate floors of same level in ceramic, marble, granite, wood or other glued materials. It is also ideal as separation and decoration joint between floors made of different materials, as finishing and protection element for the edges of steps, platforms and worktops. The Flex version has been specifically designed to meet installation situations where the profile needs to be curved. Proangle Flex can be curved manually or using the special Proflex Machine.




AIF/10 stainless steel AISI 304 DIN 14301


ZGF/
ZNF/


AIF/



ZBGF/



PROFLEX MACHINE - manual machine for bending flex profiles, see page 262

Complete the article code with H measure
(for example ZGF/ for H=8 becomes ZGF/8)

PROANGLE FLEX

length = 270 cm - pack 20 pcs

ART.	finishing	3	4,5	6	8	10	12,5	15
------	-----------	---	-----	---	---	----	------	----

ALUMINIUM

ZGF/	natural aluminium		88720	88721	88722	88723	88724	88725	88726
------	-------------------	--	-------	-------	-------	-------	-------	-------	-------

euro/m

BRASS

ZNF/	natural brass		88701	-	88703	88704	88705	88706	-
------	---------------	--	-------	---	-------	-------	-------	-------	---

euro/m

length = 270 cm - pack 10 pcs

STAINLESS STEEL

AIF/	stainless steel AISI 304 DIN 14301		-	-	91622	91623	91624	91625	-
------	---------------------------------------	--	---	---	-------	-------	-------	-------	---

euro/m

Proangle Flex items in other heights available on request

PROANGLE FLEX

length = 270 cm - pack 20 pcs

ART.	finishing	8	10	12,5	15	20	22,5
------	-----------	---	----	------	----	----	------

ALUMINIUM

ZBGF/	natural aluminium		90011	90013	90015	90017	90019	90021
-------	-------------------	--	-------	-------	-------	-------	-------	-------

euro/m

individually packed




prodecor dj flex - projoint t

Prodecor DJ is a line of profiles for finishing and protecting floors of same level in ceramic, marble, granite, wood or other materials. It is also ideal as separation and decoration joint between floors made of different materials, as perimeter profile for the shaping of mats or as protection and finishing of platforms and ceramic steps. The Flex version has been specifically designed to meet installation situations where the profile needs to be curved. Prodecor DJ Flex must be curved using the special Proflex Machine.



DJAF/10 silver anodised aluminium

DJAF/
DJNF/**PRODECOR DJ FLEX**

length = 270 cm - pack 10 pcs

		H	
ART.	finishing	10	12,5
ALUMINIUM			
DJAF/	silver anodised	95685	95689
	euro/m		
BRASS			
DJNF/	natural brass	95695	95699
	euro/m		


individually packed

DJNF in heights of 8, 15 and 20 mm are available on request, minimum 100 pieces for each height.

Projoint T is a line of profiles for the separation, protection and decoration of same-level floors in ceramic, marble, granite, wood or other glued materials. It is also ideal to cover any imperfections due to the cutting or the laying of floors of different materials. To meet installation situations where it is necessary to follow a curved line, Projoint T can be curved using the special Proflex Machine.



99/T/14 silver anodised aluminium



99/T/

PROJOINT T

length = 270 cm - pack

		50 pcs	50 pcs	30 pcs	20 pcs
width		8	14	20	26
ART.	finishing				
ALUMINIUM					
99/T/	silver anodised	75075	75080	63600	75082
	euro/m				
	gold anodised	-	75083	75084	75085
	euro/m	-			
	titanium anodised	-	75099	-	-
	euro/m	-		-	-

individually packed

PROFLEX MACHINE - manual machine for bending flex profiles, see page 262


Complete the article code with H measure
(for example DJAF/ for H=10 becomes DJAF/10)

terminal flex - prostep flex

Terminal RC is a line of end profiles for floating or glue-down wooden, laminate and resilient floors. The same profile is also available in the bendable version, RCF/. The latter can be bent using the special Proflex Machine.



RCF/ silver anodised aluminium



RCF/

TERMINAL RC FLEX

length = 270 cm - pack 10 pcs

ART.	finishing	9	11
ALUMINIUM			
RCF/	silver anodised	67712	67714


euro/m

individually packed

Prostep Flex is a line of aluminium bendable profiles for protecting the edges of steps or platforms. These profiles can be bent using the special Proflex Machine.



GF/710 silver anodised aluminium



GF/

PROSTEP FLEX

length = 270 cm - pack 10 pcs

ART.	finishing	10	15
ALUMINIUM			
GF/	silver anodised	67569	67350

euro/m

individually packed

PROFLEX MACHINE - manual machine for bending flex profiles, see page 262


Complete the article code with H measure (for example RCF/ for H=9 becomes RCF/9)



Metal Line 90 is an aluminium skirting board, available in different finishes, that creates an elegant junction between the wall and the floor. Thanks to the curved section, this skirting board guarantees perfect coverage of the perimeter expansion space, which is essential for floating floors, whether they are made of wood, laminate, LVT or SPC. All models can be curved using the special Proflex Machine, with a specific wheel kit.



90/BSF silver anodised aluminium

**METAL LINE 90**

length = 200 cm - pack 25 pcs


length = 200 cm- pack 25 pcs			H cm					
ART.	finishing		4	5	6	7	8	10
ALUMINIUM								
90/ SF	silver anodised		78080	78084	78100	78138	78130	78137
	euro/m							
	colour-coated polished white RAL 9010		-	-	78112	-	-	-
	colour-coated matt white RAL 9010		-	-	78110	-	-	-
	euro/m		-	-		-	-	-
	titanium anodised		-	-	78103	-	-	-
	euro/m		-	-		-	-	-
	colour-coated anthracite grey RAL 7016		-	-	78118	-	-	-
	colour-coated ancient grey		-	-	78119	-	-	-
	euro/m		-	-		-	-	-
90/ A	self-adhesive silver anodised		-	-	78106	-	78136	-
	euro/m		-	-				-
90/ BSF	bright polished titanium		-	-	78142	-	78149	-
90/ SSF	bright brushed silver		78082	-	78105	-	78133	-
	bright brushed gold		-	-	78107	-	78135	-
	euro/m			-		-		-
90/ TMSF	bright brushed titanium		78088	-	78102	-	78134	-
	euro/m			-		-		-
90/ SF	TREND COLOR STONE							
	colour-coated white stone		-	-	78094	-	-	-
	colour-coated black stone		-	-	78099	-	-	-
	euro/m		-	-		-	-	-
ANTIBACTERIAL COLOUR-COATED ALUMINIUM								
90H/ SF	colour-coated white RAL 9003 antibacterial		-	-	78104	-	-	-
	euro/m		-	-		-	-	-

individually packed

90/4SF, 90/5SF, 90/6SF and 90/8SF in silver anodised aluminium, available also in length 400 cm

RECOMMENDED ADHESIVE**ART.**

MAPEFLEX MS 45	white	☐	6PB010043
MAPEFLEX MS 55	white	☐	6PV010043

For further information, please visit mapei.com.

PROFLEX MACHINE - manual machine for bending flex profiles, see page 262

Complete the article code with H measure
(for example 90/ SF for H=4 becomes 90/4SF)





metal line skirting board


To choose Metal Line means giving importance to details because they are the ones who make the difference. Metal Line is distinguished by its versatility and functionality, but also for its inspiration to contemporary design. It is an innovative line, rich of solutions with a wide variety of combinations and colours capable of satisfying every housing need, from small and large gathering places. Stainless steel and aluminium, materials that give shape, colour and size to the space, minimalist signs that follow the flow of everyday life. Metal Line can provide a continuum of profiles that integrate perfectly into environments and different styles, enhancing their aesthetic and architectural appeal. Metal Line becomes a trend line, thanks to Profilpas research on materials and shapes and to the attention of the company to the world of furniture and design.

skirting board


metal line



Metal Line 90 is an aluminium skirting board, available in different finishes, that creates an elegant junction between the wall and the floor. Thanks to the curved section, this skirting board guarantees perfect coverage of the perimeter expansion space, which is essential for floating floors, whether they are made of wood, laminate, LVT or SPC. All models can be curved using the special Proflex Machine, with a specific wheel kit.



90/10 silver anodised aluminium



Metal Line 90/6 silver anodised aluminium



inside corner, outside corner, junction and right-left end caps

Metal Line 90 can be curved by using Proflex Machine + wheels kit for Metal Line 90 (see page 262)

The self-adhesive version in height 4, 5, 7, and 10 is available on request, with a minimum order of 200 meters and a surcharge of €/mt

RAL 9003, RAL 7038, RAL 8019, RAL 9006, RAL 9007 colour-coated aluminium skirting boards are available on request, with a minimum order of 300 meters.

To request custom colours, please contact our technical department.

Complete the article code with H measure (for example 90/SF for H=4 becomes 90/4SF)

METAL LINE 90

length = 200 cm- pack 25 pcs

length = 200 cm- pack 25 pcs			H cm					
ART.	finishing		4	5	6	7	8	10
ALUMINIUM								
90/ SF	silver anodised		78080	78084	78100	78138	78130	78137
	euro/m							
	colour-coated polished white RAL 9010		-	-	78112	-	-	-
	colour-coated matt white RAL 9010		-	-	78110	-	-	-
	euro/m		-	-		-	-	-
	titanium anodised		-	-	78103	-	-	-
	euro/m		-	-		-	-	-
	colour-coated anthracite grey RAL 7016		-	-	78118	-	-	-
	colour-coated ancient grey		-	-	78119	-	-	-
	euro/m		-	-		-	-	-
90/ A	self-adhesive silver anodised		-	-	78106	-	78136	-
	euro/m		-	-		-		-
90/ BSF	bright polished titanium		-		78142	-	78149	-
90/ SSF	bright brushed silver		78082	-	78105	-	78133	-
	bright brushed gold		-	-	78107	-	78135	-
	euro/m			-		-		-
90/ TMSF	bright brushed titanium		78088	-	78102	-	78134	-
	euro/m			-		-		-
90/ SF	TREND COLOR STONE							
	colour-coated white stone		-	-	78094	-	-	-
	colour-coated black stone		-	-	78099	-	-	-
	euro/m		-	-		-	-	-
ANTIBACTERIAL COLOUR-COATED ALUMINIUM								
90H/ SF	colour-coated white RAL 9003 antibacterial		-	-	78104	-	-	-
	euro/m		-	-		-	-	-

individually packed

90/4SF (cod. 78081), 90/5SF (cod. 78085), 90/6SF (cod. 78101) e 90/8SF (cod. 78131) in silver anodised aluminium, length 400 cm, pack 10 pcs

RECOMMENDED ADHESIVE

ART.

MAPEFLEX MS 45	white		6PB010043
MAPEFLEX MS 55	white		6PV010043

For further information, please visit mapei.com.



INSIDE CORNER

pack 4 pcs		H cm						
ART.	finishing		4	5	6	7	8	10
METAL								
90/ MI	silver		78630	78640	78650	78660	78670	78680
	euro/pc							
	titanium		-	-	78654	-	-	-
	polished white RAL 9010		-	-	78664	-	-	-
	matt white RAL 9010		-	-	78674	-	-	-
	anthracite grey RAL 7016		-	-	78684	-	-	-
	ancient grey		-	-	78694	-	-	-
	polished titanium		-	-	78700	-	78712	-
	brushed silver		78718	-	78720	-	78722	-
	brushed gold		-	-	78724	-	78744	-
	brushed titanium		78714	-	78734	-	78754	-
	euro/pc							
90/ MI	white stone		-	-	78172	-	-	-
	black stone		-	-	78173	-	-	-
	euro/pc		-	-		-	-	-
90H/ MI	white RAL 9003 antibacterial		-	-	78690	-	-	-
	euro/pc		-	-		-	-	-

POLYPROPYLENE

90/ I	silver anodised		78236	78231	78190	78370	78195	78091
	<i>euro/pc</i>							

no partial packaging

JUNCTION

pack 4 pcs			H cm					
ART.	finishing		4	5	6	7	8	10
METAL								
90/ MG	silver		78632	78642	78652	78662	78672	78682
	euro/pc							
	titanium		-	-	78656	-	-	-
	polished white RAL 9010		-	-	78666	-	-	-
	matt white RAL 9010		-	-	78676	-	-	-
	anthracite grey RAL 7016		-	-	78686	-	-	-
	ancient grey		-	-	78696	-	-	-
	polished titanium		-	-	78699	-	78703	-
	brushed silver		78738	-	78740	-	78742	-
	brushed gold		-	-	78726	-	78746	-
	brushed titanium		78716	-	78736	-	78756	-
	euro/pc					-		-
90/ MG	white stone		-	-	78187	-	-	-
	black stone		-	-	78188	-	-	-
euro/pc			-	-		-	-	-
90H/ MG	white RAL 9003 antibacterial		-	-	78692	-	-	-
	euro/pc		-	-		-	-	-

POLYPROPYLENE

90/ G	silver anodised		78237	78232	78192	78372	78197	78092
	<i>euro/pc</i>							

no partial packaging

OUTSIDE CORNER

pack 4 pcs			H cm					
ART.	finishing		4	5	6	7	8	10
METAL								
90/ ME	silver		78631	78641	78651	78661	78671	78681
	euro/pc							
	titanium		-	-	78655	-	-	-
	polished white RAL 9010		-	-	78665	-	-	-
	matt white RAL 9010		-	-	78675	-	-	-
	anthracite grey RAL 7016		-	-	78685	-	-	-
	ancient grey		-	-	78695	-	-	-
	polished titanium		-	-	78698	-	78702	-
	brushed silver		78728	-	78730	-	78732	-
	brushed gold		-	-	78725	-	78745	-
	brushed titanium		78715	-	78735	-	78755	-
	euro/pc							
90/ ME	white stone		-	-	78174	-	-	-
	black stone		-	-	78178	-	-	-
euro/pc								
90H/ ME	white RAL 9003 antibacterial		-	-	78691	-	-	-
	euro/pc		-	-		-	-	-

POLYPROPYLENE

90/ E	silver anodised		78235	78230	78191	78371	78196	78090
	<i>euro/pc</i>							

no partial packaging

RIGHT/LEFT END CAPS

4 couples pack			H cm					
ART.	finishing		4	5	6	7	8	10
METAL								
90/ MP	silver		78633	78643	78653	78663	78673	78683
	euro/couple							
	titanium		-	-	78657	-	-	-
	polished white RAL 9010		-	-	78667	-	-	-
	matt white RAL 9010		-	-	78677	-	-	-
	anthracite grey RAL 7016		-	-	78687	-	-	-
	ancient grey		-	-	78697	-	-	-
	polished titanium		-	-	78701	-	78721	-
	brushed silver		78748	-	78750	-	78752	-
	brushed gold		-	-	78727	-	78747	-
	brushed titanium		78717	-	78737	-	78757	-
	euro/couple							
90/ MP	white stone		-	-	78189	-	-	-
	black stone		-	-	78199	-	-	-
	euro/couple		-	-		-	-	-
90H/ MP	white RAL 9003 antibacterial		-	-	78693	-	-	-
	euro/couple		-	-		-	-	-

POLYPROPYLENE

90/ P	silver anodised		78238	78233	78193	78373	78198	78093
	<i>euro/couple</i>							

no partial packaging

Complete the article code with the height H (for example 90/ MI with H=4 becomes 90/4MI)

skirting board


metal line



Metal Line 790 is a skirting board in polished or brushed stainless steel, available in different heights, that follows the minimalist trends of modern design. Thanks to the curved section, this skirting board guarantees perfect coverage of the perimeter expansion space, which is essential for floating floors, whether they are made of wood, laminate, LVT or SPC. Metal Line 790 can be easily and quickly installed through specific adhesives.



790/6 polished stainless steel AISI 304 DIN 1.4301



METAL LINE 790

length = 270 cm - pack 10 pcs

ART.	finishing		4	5	6	8	10
ACCIAIO							
790/ SF	polished stainless steel AISI 304 DIN 14301		78120	78108	78129	78132	78139
	brushed stainless steel AISI 304 DIN 1.4301		78128	78109	78126	78127	78140

individually packed - art. 790/10 SF pack 5 pcs

INSIDE CORNER IN METAL

pack 4 pcs

ART.	finishing		4	5	6	8	10
790/ MI							
790/ MIS	polished steel effect		78760	78761	78762	78763	78764
	brushed steel effect		78780	78781	78782	78783	78784

no partial packaging

OUTSIDE CORNER IN METAL

pack 4 pcs

ART.	finishing		4	5	6	8	10
790/ ME							
790/ MES	polished steel effect		78765	78766	78767	78768	78769
	brushed steel effect		78785	78786	78787	78788	78789

no partial packaging

JUNCTION IN METAL

pack 4 pcs

ART.	finishing		4	5	6	8	10
790/ MG							
790/ MGS	polished steel effect		78770	78771	78772	78773	78774
	brushed steel effect		78790	78791	78792	78793	78794

no partial packaging

RIGHT/LEFT END CAPS IN METAL

conf. 4 coppie

ART.	finishing		4	5	6	8	10
790/ MP							
790/ MPS	polished steel effect		78775	78776	78777	78778	78779
	brushed steel effect		78795	78796	78797	78798	78799

no partial packaging

RECOMMENDED ADHESIVE

ART.			
MAPEFLEX MS 45	white	☐	6PB010043
MAPEFLEX MS 55	white	☐	6PV010043

For further information, please visit mapei.com.



790/MI
790/MIS



790/ME
790/MES



790/MG
790/MGS



790/MP
790/MPS

The self-adhesive version is available in every height on request, with a minimum order of 200 meters and a surcharge of € /m


Complete the article code with H measure (for example 790/SF for H=4 becomes 790/4SF)



Metal Line 92 and 93 are two skirting boards in aluminium, characterized by a simple design and a slightly-rounded shape, that create a perfect junction between the floor and the wall. These two elements are easy to install thanks to the interlocking system with supports, in natural aluminium or PVC-U, to be fixed to the wall with screws and dowels.



92/7 silver anodised aluminium + S/95 aluminium support



92/7



METAL LINE 92

length = 200 cm + 3 supports - pack 20 pcs

H cm

ART. finishing

7

ALUMINIUM

92/7 silver anodised
euro/m

78490

individually packed


ALUMINIUM SUPPORT

pack 100 pcs

S/95

78295

euro/pc



93/



METAL LINE 93

length = 200 cm + 5 supports - pack 20 pcs

H cm

ART. finishing

7

9

ALUMINIUM

93/ silver anodised
euro/m

78495

78496

individually packed

WALL FIXING CLIP IN PVC-U

pack 100 pcs

8608/C

29751

euro/pack

Ancient grey, RAL 9003, RAL 7038, RAL 8019, RAL 9006, RAL 9007 colour-coated aluminium skirting boards are available on request, with a minimum order of 300 meters. To request custom colours, please contact our technical department.




93/7 silver anodised aluminium + 8608/C wall fixing clip in PVC-U

skirting board


metal line



Metal Line 89 is a skirting board in aluminium, in different finishes, characterized by square and minimalist lines; available in different heights, it outlines the space with simplicity and elegance. Fixed to the wall using suitable adhesives, in addition to its decorative function, it guarantees perfect coverage of the perimeter expansion space, which is essential for floating floors, whether made of wood, laminate, LVT or SPC.



89/4 white stone colour-coated aluminium



89/
89/ TM
89H/



Metal Line 89 bright brushed titanium

TREND
COLOR

METAL LINE 89

length = 200 cm - pack 25 pcs

		H cm		
ART.	finishing	4	6	8
ALUMINIUM				
89/	silver anodised	78378	78478	78487
	euro/m			
	titanium anodised	78521	78522	-
	euro/m			
	colour-coated matt white RAL 9010	78517	78518	-
	euro/m			
	colour-coated ancient grey	78515	78485	-
	colour-coated rust	78516	-	-
	euro/m			
	bright brushed titanium	78388	78480	-
TREND COLOR STONE				
89/	colour-coated white stone	78481	-	-
	colour-coated black stone	78482	-	-
euro/m				
COLOUR-COATED ALUMINIUM ANTIBACTERIAL				
89H/	colour-coated white RAL 9003 antibacterial	-	78531	-
	euro/m	-		-

individually packed

Ancient grey, RAL 9003, RAL 7038, RAL 8019, RAL 9006, RAL 9007 colour-coated aluminium skirting boards are available on request, with a minimum order of 300 meters. To request custom colours, please contact our technical department.

INSIDE/OUTSIDE CORNER - RIGHT/LEFT END CAP

pack 4 pcs

		H cm		
ART.	finishing	4	6	8
ALUMINIUM				
89/ EI	silver anodised	78505	78506	78527
	euro/pc			
	titanium anodised	78523	78524	-
	euro/pc			
	colour-coated matt white RAL 9010	78519	78520	-
	euro/pc			
	colour-coated ancient grey	78512	78513	-
	colour-coated rust	78514	-	-
	euro/pc			
	bright brushed titanium	78509	78510	-
euro/pc				
89/ EI	colour-coated white stone	78507	-	-
	colour-coated black stone	78508	-	-
euro/pc				
89H/ EI	colour-coated white RAL 9003 antibacterial	-	78533	-
	euro/pc	-		-

no partial packaging



89/ EI



89/4 ancient grey colour-coated aluminium + 89/4EI


Complete the article code with H measure (for example 89/ for H=4 becomes 89/4).



In anodised aluminium, Metal Line 89 I Design is characterized by a special scratched finish and original colours that allow different chromatic combinations, created for interior designers and architects by following the latest trends of modern design.



89/6 titanium anodised aluminium



89/



METAL LINE - I DESIGN

length = 200 cm - pack 25 pcs

ART.	finishing	4	H	6
ANODISED ALUMINIUM				
89/	platinum		31400	31402
	titanium		31410	31412
	brown		31420	31422
	dark brown		31430	31432
	carbon		31440	31442
euro/m				

individually packed

INSIDE/OUTSIDE CORNER - RIGHT/LEFT END CAP


pack 2 pcs

ART.	finishing	4	H	6
ANODISED ALUMINIUM				
89/ EI	platinum		31450	31452
	titanium		31460	31462
	brown		31470	31472
	dark brown		31480	31482
	carbon		31490	31492
euro/pc				


no partial packaging

Complete the article code with H measure
(for example 89/ for H=4 becomes 89/4)

Metal Line 89 is a skirting board in anodised aluminium with LED-strip lighting system. The light is distributed along the entire length of the profile through a diffuser element. It is possible to insert the dimmer in order to adjust the luminous intensity of the skirting board to decorate and light up the room.



89/6L silver anodised aluminium



89/6L



PROLIGHT METAL LINE 89

length = 200 cm - pack 25 pcs

ART.	finishing	H cm
ALUMINIUM		
89/6L	silver anodised	
euro/m		

individually packed

INSIDE/OUTSIDE CORNER - RIGHT/LEFT END CAP

pack 4 pcs

ART.	finishing	H cm
ALUMINIUM		
89/6EI	silver anodised	
euro/pc		

no partial packaging



89/6EI


For the best aesthetic result and the validity of the warranty, we strongly recommend using our electrical components. See page 248

metal line

Metal Line 89/613 is a skirting board in aluminium characterized by square and minimalist lines. With a thickness of 13 mm, it guarantees perfect coverage of the perimeter expansion space, essential for floating floors, whether in wood, laminate, LVT or SPC.



89/613 silver anodised aluminium



89/613



METAL LINE 89/613

length = 200 cm - pack 25 pcs

H cm

ART. finishing

6

ALUMINIUM

silver anodised



78486

euro/m

89/613

colour-coated matt white
RAL 9010



78488

euro/m

individually packed

INSIDE/OUTSIDE CORNER - RIGHT/LEFT END CAP

pack 4 pcs

H cm

ART. finishing

6

ALUMINIUM

silver anodised



78525

euro/pc

89/613 E

colour-coated matt white
RAL 9010



78526

euro/pc

no partial packaging




89/613 E



Metal Line 105 is a skirting board in aluminium, characterized by square and minimalist lines. This model stands out for a simple and quick interlocking installation system with a coextruded PVC base to be fixed to the wall through screws and dowels.



Metal Line 105 silver anodised aluminium



105/7
105/CB



105/7I



105/7E



105/7G



105/7P

METAL LINE

pack 10 pcs				H cm
ART.	finishing		length	7
ALUMINIUM				
105/7	silver anodised		200 cm	78900
	silver anodised		400 cm	78910
euro/m				

individually packed - no partial packaging for length 400 cm

FIXING BASE

pack 10 pcs				H cm
ART.			length	7
CO-EXTRUDED PVC				
105/CB	white		200 cm	78920
euro/m				

no partial packaging

INSIDE CORNER

pack 4 pcs				H cm
ART.	finishing			7
METAL				
105/7I	silver			78932
euro/pc				

no partial packaging

OUTSIDE CORNER

pack 4 pcs				H cm
ART.	finishing			7
METAL				
105/7E	silver			78934
euro/pc				

no partial packaging

JUNCTION

pack 4 pcs				H cm
ART.	finishing			7
METAL				
105/7G	silver			78936
euro/pc				

no partial packaging

RIGHT/LEFT END CAPS

4 couples pack				H cm
ART.	finishing			7
METAL				
105/7P	silver			78938
euro/couple				

no partial packaging




metal line


Metal Line 87/6 and 88/6 are two flush recessed skirting boards for plaster and plasterboards. Both are composed of two separate elements: a base in natural aluminium and an insert in silver anodised or matt white colour-coated aluminium. Once installed, the skirting board integrates perfectly into the wall surface, outlining the perimeter of the space without limiting it. There are two different phases of installation: the base element must be installed when the room is still in its rough state, while the chosen insert must be put after the laying of the floor.




87/6 e 88/6 natural aluminium + 88/16L/A aluminium insert for LED light




87/6 + 88/16SF
aluminium insert



88/6 + 88/16SF
aluminium insert



87/6 + 88/16L/A
aluminium insert for
LED light



88/6 + 88/16L/A
aluminium insert for
LED light



88/6E

For the best aesthetic result and the validity of the warranty, we strongly recommend using our electrical components. See page 248

METAL LINE 87 E 88

length = 200 cm - pack 20 pcs

H cm

ART. finishing

6

ALUMINIUM

87/6	natural aluminium (drilled)		78338
	euro/m		
88/6	natural aluminium (drilled)		78310
	euro/m		

individually packed

ALUMINIUM INSERT

length = 200 cm - pack 20 pcs

H cm

ART. finishing

6

88/16SF	silver anodised		78563
	matt white RAL 9010 colour-coated		78558
	euro/m		

individually packed

ALUMINIUM INSERT FOR LED LIGHT

length = 200 cm - pack 20 pcs

H cm

88/16L/A	silver anodised		78559
	matt white RAL 9010 colour-coated		78560
	euro/m		

adhesive - individually packed
for electrical components, see page 248

METAL OUTSIDE CORNER

pack 4 pcs

H cm

ART. finishing

6

88/6E	silver		78561
	matt white RAL 9010 colour-coated		78562
	euro/pc		

no partial packaging




88/6 natural aluminium + 88/16SF matt white aluminium insert



Prolight Metal Line SKL/2 is a skirting board in aluminium with indirect LED light. Its special section allows to create an original play of light along the wall, thus adding value to the whole surface. In addition to the silver anodised and the white stone versions, SKL/2 is available in a wide range of colours including five original cement effects, two special metal tonalities and a white characterized by an extremely solid and full colour.



SKL/2 concrete white colour-coated aluminium



SKL/2



TREND
COLOR

PROLIGHT METAL LINE S

length = 270 cm - pack 5 pcs

H

ART. finishing

10

ALUMINIUM

SKL/2 silver anodised
euro/m

78579

COLOUR-COATED ALUMINIUM

SKL/2 white stone
concrete white
concrete graphite
concrete smoke
concrete mud
concrete sand
metal dark
metal light
solid white
euro/m

78591
78592
78593
78594
78595
78596
78597
78598
78599

individually packed

ELECTRICAL COMPONENTS AND ACCESSORIES FOR LIGHTING

ART.

description

L5/NW/65 L

spool 5 m LED strips, lateral light, neutral colour 4000 °K, 9,6W/m IP65

84136


euro/mt (euro/pack)

For other electrical components see page 248

Metal Line AF M Design is a skirting board in aluminium characterized by modern and minimalist lines that mark the connection between floors and coverings of same or different materials. The empty space creates an elegant shadow that highlights the two surfaces distinctly.



AF/1/ silver anodised aluminium



AF/1/



METAL LINE AF - M DESIGN

length = 270 cm - pack 10 pcs

H

ART. finishing

6

10

12,5

ALUMINIUM

silver anodised
euro/m

13198

13199

13200

AF/1/ titanium anodised
colour-coated polished
white RAL 9010
euro/m

13201

13203

13202

13196

13197


13204

individually packed




metal line

Metal Line 100 is an anodized aluminium baseboard available in two heights and suitable for application of plasterboard, directly into the wall. The profile is easy to apply through the use of appropriate adhesives.



100/70 silver anodised aluminium



100/



METAL LINE 100

length = 200 cm - pack 20 pcs

H mm


ART.	finishing	40	70
ALUMINIUM			
100/	silver anodised		78277
	euro/m		78279

individually packed

Metal line 101, ideal for plasterboard panels and made of anodised aluminium, is suitable for direct application on rough walls. The profile is applied using special adhesives before skimming the wall.



101/74 silver anodised aluminium



101/74



METAL LINE 101

length = 200 cm - pack 20 pcs

H mm

ART.	finishing	70
ALUMINIUM		
101/74	silver anodised	
	euro/m	78281

individually packed

RECOMMENDED ADHESIVE

ART.

MAPEFLEX MS 45	white	☐	6PB010043
MAPEFLEX MS 55	white	☐	6PV010043

For further information, please visit mapei.com.


Ancient grey, RAL 9003, RAL 7038, RAL 8019, RAL 9006, RAL 9007 colour-coated aluminium skirting boards are available on request, with a minimum order of 300 meters. To request custom colours, please contact our technical department.



Metal Line 95 is an aluminium skirting board available in two different heights. This model features a simple and quick interlocking installation system on natural aluminium supports which, fixed to the wall with screws and plugs, make removal easy. Metal Line 94/7SF is a skirting board with a section that facilitates fixing to the wall using cementitious adhesives.



95/7SF silver anodised



95/




METAL LINE 95

pack 25 pcs		length	H cm		
ART.	finishing		7	10	
ALUMINIUM					
95/ SF	silver anodised		200 cm + 3 supports	78160	78175
			400 cm + 6 supports	78161	78176
euro/m					

individually packed - length 400 cm pack 10 pcs

ALUMINIUM SUPPORT

pack 100 pcs		
S/95		78295
euro/pc		
no partial packaging		



94/7SF



METAL LINE 94

length = 200 cm - pack 25 pcs		H cm
ART.	finishing	7
ALUMINIUM		
94/7SF	silver anodised	78354
euro/m		
individually packed		



95/7I inside corner



95/7E outside corner



95/7G junction



95/7P right end cap

Ancient grey, RAL 9003, RAL 7038, RAL 8019, RAL 9006, RAL 9007 colour-coated aluminium skirting boards are available on request, with a minimum order of 300 meters. To request custom colours, please contact our technical department.

Complete the article code with H measure (for example 95/SF for H=7 becomes 95/7SF)

INSIDE CORNER IN POLYPROPYLENE

pack 4 pcs		H cm
ART.	finishing	7
ALUMINIUM		
95/ I	silver anodised	78201
euro/pc		
no partial packaging		

OUTSIDE CORNER IN POLYPROPYLENE

pack 4 pcs		H cm
ART.	finishing	7
ALUMINIUM		
95/ E	silver anodised	78200
euro/pc		
no partial packaging		

JUNCTION IN POLYPROPYLENE


pack 4 pcs		H cm
ART.	finishing	7
ALUMINIUM		
95/ G	silver anodised	78202
euro/pc		
no partial packaging		

RIGHT/LEFT END CAPS IN POLYPROPYLENE


4 couples pack		H cm
ART.	finishing	7
ALUMINIUM		
95/ P	silver anodised	78203
euro/couple		
no partial packaging		

metal line

Metal Line 98 is an aluminium skirting board characterised by curved and soft lines. A simple and functional interlocking installation system on natural aluminium supports fixed to the wall makes it easy to remove if necessary.



98/7SF silver anodised aluminium



98/7SF



METAL LINE 98

pack 20 pcs			H cm
ART.	finishing	length	7
ALUMINIUM			
98/7SF	silver anodised	200 cm + 3 supports	78040
		400 cm + 6 supports	78041

euro/m

individually packed - length 400 cm pack 10 pcs

ALUMINIUM SUPPORT

pack 100 pcs			
S/95			78295
euro/pc			

no partial packaging

INSIDE CORNER IN POLYPROPYLENE

pack 4 pcs			H cm
ART.	finishing		7
98/7I	silver anodised		78221
euro/pc			

no partial packaging

OUTSIDE CORNER IN POLYPROPYLENE

pack 4 pcs			H cm
ART.	finishing		7
98/7E	silver anodised		78220
euro/pc			

no partial packaging

JUNCTION IN POLYPROPYLENE

pack 4 pcs			H cm
ART.	finishing		7
98/7G	silver anodised		78222
euro/pc			

no partial packaging

RIGHT/LEFT END CAPS IN POLYPROPYLENE

4 couples pack			H cm
ART.	finishing		7
98/7P	silver anodised		78223
euro/couple			

no partial packaging



98/7SF silver anodised aluminium
+ S/95 aluminium support


Ancient grey, RAL 9003, RAL 7038, RAL 8019, RAL 9006, RAL 9007 colour-coated aluminium skirting boards are available on request, with a minimum order of 300 meters. To request custom colours, please contact our technical department.



Metal Line 97/4 is a 4 cm high aluminium skirting board. Thanks to a simple interlocking installation system with harmonic steel clips fixed to the wall with screws and plugs, it is quick and easy to install.



97/4SF



97/



METAL LINE 97

length = 200 cm - pack 25 pcs

H cm

ART. finishing

4

ALUMINIUM

97/4SF
+ 5 clips

silver anodised



78000

euro/m

individually packed

FIXING CLIPS

10 blister packs / 20 pcs/blister

8602/C

29750

euro/blister

no partial packaging

INSIDE CORNER IN POLYPROPYLENE

pack 4 pcs

H cm

ART. finishing

4

97/4I

silver anodised



78002

euro/pc

no partial packaging

OUTSIDE CORNER IN POLYPROPYLENE

pack 4 pcs

H cm

ART. finishing

4

97/4E

silver anodised



78001

euro/pc

no partial packaging

JUNCTION IN POLYPROPYLENE

pack 4 pcs

H cm

ART. finishing

4

97/4G

silver anodised



78003

euro/pc

no partial packaging

RIGHT/LEFT END CAPS IN POLYPROPYLENE

4 couples pack

H cm

ART. finishing

4

97/4P

silver anodised



78004

euro/couple

no partial packaging




97/4SF silver anodised aluminium
+ 8602/C fixing clip


Ancient grey, RAL 9003, RAL 7038, RAL 8019, RAL 9006, RAL 9007 colour-coated aluminium skirting boards are available on request, with a minimum order of 300 meters. To request custom colours, please contact our technical department.

metal line

Metal Line 97/7 is a 7 cm high aluminium skirting board with a simple and linear design. It is quick and easy to install with an interlocking system on natural aluminium supports, fixed to the wall using screws and plugs.



97/7SF silver anodised aluminium



97/7SF



METAL LINE 97

length = 200 cm - pack 20 pcs

H cm

ART. finishing

7

ALUMINIUM

97/7SF + 3 supports

silver anodised



78005

euro/m

individually packed

ALUMINIUM SUPPORT

pack 100 pcs

S/95

78295

euro/pc

no partial packaging

INSIDE CORNER IN POLYPROPYLENE

pack 4 pcs

H cm

ART. finishing

7

97/7I silver anodised



78157

euro/pc

no partial packaging

OUTSIDE CORNER IN POLYPROPYLENE

pack 4 pcs

H cm

ART. finishing

7

97/7E silver anodised



78156

euro/pc

no partial packaging

JUNCTION IN POLYPROPYLENE

pack 4 pcs

H cm

ART. finishing

7

97/7G silver anodised



78158

euro/pc

no partial packaging

RIGHT/LEFT END CAPS IN POLYPROPYLENE

4 couples pack

H cm

ART. finishing

7


97/7P silver anodised



78159

euro/couple

no partial packaging




97/7SF silver anodised aluminium + S/95 aluminium support


Ancient grey, RAL 9003, RAL 7038, RAL 8019, RAL 9006, RAL 9007 colour-coated aluminium skirting boards are available on request, with a minimum order of 300 meters. To request custom colours, please contact our technical department.



Metal Line 97/8 is an 8 cm high aluminium skirting board. It is quick and easy to install using only natural aluminium supports, fixed to the wall with screws and plugs.



97/8SF silver anodised aluminium



97/8SF



METAL LINE 97

pack 20 pcs			H cm
ART.	finishing	length	8
ALUMINIUM			
97/8SF	silver anodised	200 cm + 3 supports	78010
		400 cm + 6 supports	78011
euro/m			

individually packed - length 400 cm pack 10 pcs

ALUMINIUM SUPPORT

pack 100 pcs		
S/97		78299
euro/pc		
no partial packaging		

INSIDE CORNER IN POLYPROPYLENE

pack 4 pcs			H cm
ART.	finishing		8
97/8I	silver anodised		78211
euro/pc			
no partial packaging			

OUTSIDE CORNER IN POLYPROPYLENE

pack 4 pcs			H cm
ART.	finishing		8
97/8E	silver anodised		78210
euro/pc			
no partial packaging			

JUNCTION IN POLYPROPYLENE

pack 4 pcs			H cm
ART.	finishing		8
97/8G	silver anodised		78212
euro/pc			
no partial packaging			

RIGHT/LEFT END CAPS IN POLYPROPYLENE

4 couples pack			H cm
ART.	finishing		8
97/8P	silver anodised		78213
euro/couple			
no partial packaging			



97/8SF silver anodised aluminium + S/97 aluminium support

Ancient grey, RAL 9003, RAL 7038, RAL 8019, RAL 9006, RAL 9007 colour-coated aluminium skirting boards are available on request, with a minimum order of 300 meters. To request custom colours, please contact our technical department.





skirting board PVC line

A line of PVC skirting boards to meet any technical requirement and colour combination. Some models can be customised using PDS digital printing technology.



pvc line


PVC Line 8605 and 8606 are two skirting boards in co-extruded PVC-U, characterized by a rounded shape and a 70-mm height. Both are composed of a core in foam PVC and a visible surface in coloured rigid PVC to guarantee the best aesthetic result and colour uniformity.

8605 can also be covered with Alcom® Plus film and can be further customized thanks to the digital printing technology Profilpas Digital System.


8505 and 8606 can be fixed to the wall with adhesive (like MS 45 or MS 55 by Mapei) or nails. Moreover, they do not absorb water and are resistant to impact, wear and tear, UV rays and the products normally used for cleaning floors and wall coverings.



8606 white RAL 9003 co-extruded PVC-U




8605



8605 covered with Alcom® Plus film



8605 co-extruded PVC-U covered with Alcom® Plus film



8606

Adhesive for skirting boards see page 261

For customized decors, a charge of per decor will be applied.

PVC LINE

length 250 cm - pack 20 pcs - H = 70 mm

CO-EXTRUDED PVC-U

ART.

8605	☐	white RAL 9003	29175
	☐	white RAL 9010	29177

euro/m

no partial packaging

PVC LINE

length 250 cm - pack 20 pcs - H = 70 mm

CO-EXTRUDED PVC-U COVERED WITH ALCROM® PLUS FILM

ART.

decors

8605	☐	96 white RAL 9010 embossed	29030
	☐	97 black RAL 9005 embossed	29031

euro/m

8605	☐	99 brushed silver	29035
	☐	100 brushed steel	29036

euro/m

no partial packaging

PVC LINE

length = 250 cm - pack 20 pcs - H = 70 mm

CO-EXTRUDED PVC-U COVERED WITH ALCROM® PLUS FILM

ART.	decors		decors		decors		decors	
8605	02	29000	44	29013	1012	29104	1066	29122
	08	29001	47	29033	1021	29107	1069	29123
	10	29003	65	29018	1024	29108	1081	29127
	11	29004	76	29020	1030	29110	1084	29128
	12	29005	77	29021	1033	29111	1090	29130
	20	29006	78	29022	1036	29112	1105	29135
	25	29032	80	29023	1042	29114	1108	29136
	32	29007	81	29024	1045	29115	1111	29137
	34	29008	92	29026	1051	29117		
	35	29009	95	29029	1054	29118		
	36	29010	1003	29101	1057	29119		
	40	29011	1006	29102	1060	29120		
	41	29012	1009	29103	1063	29121		

euro/m

no partial packaging - 8605 can be covered with customised Alcom® Plus film on request, with a minimum order of 500 meters €/m

PVC LINE

length 250 cm - pack 20 pcs - H = 70 mm

CO-EXTRUDED PVC-U

ART.

8606	☐	white RAL 9003	29227
	☐	white RAL 9010	29229

euro/m


no partial packaging - 8606 can be covered with customised Alcom® Plus film on request, with a minimum order of 500 meters €/m



PVC Line 8608 is a skirting board in PVC-U foam, characterized by a round shape and covered with Alcrom® Plus film. Available in several decors, it can be further customized thanks to the digital printing technology Profilpas Digital System. 8608 can be fixed to the wall with adhesive (like MS 45 or MS 55 by Mapei), nails or special fixing clips. PVC does not absorb water, does not contain formaldehyde, is resistant to shocks, wear (certificate AC3), UV rays and the most common cleaning products for floors and wall coverings.



8608 foam PVC-U covered with Alcrom® Plus film + 8608/C



8608



PVC LINE

length = 250 cm - pack 20 pcs

FOAM PVC-U COVERED WITH ALCROM® PLUS FILM

H = 70 mm

ART.	decors		decors		decors	
8608		02 29040		32 29047		77 29061
		05 29075		34 29048		78 29062
		08 29041		35 29049		29063
		10 29043		36 29050		29064
		11 29044		39 29080		29081
		12 29045		40 29051		29082
		14 29076		41 29052		29066
		19 29077		44 29053		29069
		20 29046		47 29073		96 white RAL 9010 embossed 29070
		26 29078		65 29058		97 black RAL 9005 embossed 29071
		31 29079		76 29060		

euro/m

8608




99 brushed silver 29083

100 brushed steel 29084

euro/m

no partial packaging



8608/C

WALL FIXING CLIP IN PVC-U FOR 8608

pack of 100 pcs

8608/C

29751

euro/pack



8608 foam PVC-U covered with Alcrom® Plus film Plus 99 brushed silver

Adhesive for skirting boards see page 261

Customized PDS decors on request for 8608 with a minimum order of 500 meters..

For customized decors, a charge of per decor will be applied.




pvc line

PVC Line 8615 and 8616 are two skirting boards in co-extruded PVC-U, characterized by a square shape and a 70-mm height. Both are composed of a core in foam PVC and a visible surface in coloured rigid PVC to guarantee the best aesthetic result and colour uniformity. They can also be covered with Alcrom® Plus film and can be further customized thanks to the digital printing technology Profilpas Digital System.

8615 and 8616 can be fixed to the wall with adhesive (like MS 45 or MS 55 by Mapei) or nails. Moreover, they do not absorb water and are resistant to impact, wear and tear, UV rays and the products normally used for cleaning floors and wall coverings.



8615 white RAL 9003 co-extruded PVC-U



8615

PVC LINE

length 250 cm - pack 20 pcs - H = 70 mm


CO-EXTRUDED PVC-U

ART.

8615	☐	white RAL 9003	29353
	☐	white RAL 9010	29355

euro/m

no partial packaging



8615 decors with film Alcrom® Plus

PVC LINE

length 250 cm - pack 20 pcs - H = 70 mm

CO-EXTRUDED PVC-U COVERED WITH ALCROM® PLUS FILM

ART.


decors

8615	☐	96 white RAL 9010 embossed	29357
	☒	97 black RAL 9005 embossed	29358

euro/m

no partial packaging

8615 can be covered with customised Alcrom® Plus film on request, with a minimum order of 500 meters €/m



8616

PVC LINE

length 250 cm - pack 20 pcs - H = 70 mm

CO-EXTRUDED PVC-U

ART.

8616	☐	white RAL 9003	29495
------	--------------------------	----------------	-------

euro/m

no partial packaging

8616 can be covered with customised Alcrom® Plus film on request, with a minimum order of 500 meters €/m

Adhesive for skirting boards see page 261


For customized decors, a charge of per decor will be applied.



PVC Line 8613 is a foam PVC skirting board covered with Alcrom® Plus film, suitable for wooden floors. It can be fixed to the wall with adhesive (like MS 45 or MS 55 by Mapei) or wall fixing clip 8608/C.



8613 foam PVC-U covered with Alcrom® Plus film - decor 96



8613



PVC LINE

length = 250 cm - pack 20 pcs

FOAM PVC-U COVERED WITH ALCROM® PLUS FILM

H = 80 mm

ART.	decors		decors	
8613		05 30060		580 30076
		08 30061		1202 30078
		12 30062		1203 30079
		13 30063		1204 30080
		14 30064		1205 30081
		19 30065		1206 30082
		26 30066		1207 30083
		31 30094		1208 30084
		32 30067		1209 30085
		36 30068		1210 30086
		39 30069		1211 30087
		40 30070		1212 30088
		41 30071		1213 30089
		77 30072		1214 30090
		89 30073		1215 30091
		91 30074		1216 30092
		93 30075		1217 30093
		96 white RAL 9010 embossed 29971		
	euro/m			
8613		99 brushed silver 29974		
		100 brushed steel 29975		

no partial packaging

WALL FIXING CLIP IN PVC-U FOR 8613

pack of 100 pcs

8608/C

euro/pack

29751

no partial packaging



8613 foam PVC-U covered with Alcrom® Plus film - decor 100 brushed steel

Customized PDS decors on request for 8613 with a minimum order of 500 meters.

For customized decors, a charge of per decor will be applied.




pvc line

PVC Line 8612 is a foam PVC-U skirting board covered with Alcrom® Plus film. It can be fixed to the wall with adhesive (like MS 45 or MS 55 by Mapei).



8612/10 foam PVC-U covered with Alcrom® Plus film - decor 96



8612/10



PVC LINE

length 250 cm - pack 20 pcs

FOAM PVC-U COVERED WITH ALCROM® PLUS FILM

H = 45 mm


ART.	decors		
	96 white RAL 9010 embossed		29970
	<i>euro/m</i>		
8612/10	99 brushed silver		29968
	100 brushed steel		29967
	<i>euro/m</i>		

no partial packaging

PVC Line 8614 is a foam PVC-U skirting board covered with white Alcrom® Plus film, suitable in case of refurbishment where it is necessary to cover the old skirting boards, even if made of ceramic or marble, still present on the wall. It can be fixed to the old skirting board with adhesive (like MS 45 or MS 55 by Mapei).



8614 foam PVC-U covered with Alcrom® Plus film - decor 96



8614



PVC LINE

length = 250 cm - pack 20 pcs

FOAM PVC-U COVERED WITH ALCROM® PLUS FILM

H = 90 mm

ART.	decors		
	96 white RAL 9010 embossed		29972
8614	<i>euro/m</i>		

no partial packaging

8612 and 8614 can be covered with customised Alcrom® Plus film on request, with a minimum order of 500 meters.


For customized decors, a charge of per decor will be applied.



PVC Line 8600 is a line of impact-resistant PVC-U skirting boards that are particularly quick and easy to install. Available in a variety of colours, they are fixed to the wall with adhesive (such as MS 45 or MS 55 by Mapei).



8600 foam PVC-U - decor 532



8600

**PVC LINE**

length 200 cm - pack 20/100 pcs

FOAM PVC-U**H = 70 mm**

ART.	decors	decors	decors	decors
	518 29762	536 29782	yellow 561 29802	silver 559 29800
	520 29764	540 29784	green 562 29804	
	524 29766	542 29786	light blue 563 29801	
	525 29768	544 29788	red 564 29803	
8600	528 29770	545 29790		
	530 29772	white 555 29792		
	531 29774	light grey 556 29794		
	532 29776	black 557 29796		
	533 29778	anthracite 558 29798		
	534 29780			
pack 20 pcs				
euro/m				
pack 100 pcs				
euro/m				

no partial packaging


external corner profiles available in the same decors, see page 47

To order 8600 in pack of 100 pcs mark /100 after the article code (for example 29778 becomes 29778/100).

PVC Line 8181 is a 70 mm high plasticised PVC skirting board with a special section that makes it suitable for installation on curved walls. Available in different colours, it must be fixed to the wall with adhesive and is particularly quick and easy to install.



8181 white plasticised PVC



8181

**PVC LINE**

length = 250 cm - pack 12 pcs

PLASTIC-COATED PVC**H = 70 mm**

ART.	decors		
	white		19216
	grey		19217
8181	black		19218
euro/m			

no partial packaging

Art. 8181 should be stored horizontally.




pvc line

PVC Line 8596 and 8598 are a line of impact-resistant foam PVC skirting boards. The soft material of the base and the wall support allows perfect adhesion even to surfaces that are not perfectly flat, ensuring quick and easy application. Available in different colours, they can be fixed to the wall with adhesive (such as MS 45 or MS 55 by Mapei).



8596 foam PVC - decor 545



8596



PVC LINE

length = 250 cm - pack 40 pcs


FOAM PVC

H = 60 mm

ART.	decors		decors		decors	
8596		518 30800		531 30812		542 30824
		524 30804		532 30814		545 30828
		525 30806		533 30816		white 555 30830
		528 30808		536 30820		light grey 556 30832
		530 30810		540 30822		black 557 30834

euro/m

no partial packaging



8598

PVC LINE

length = 250 cm - pack 40 pcs


FOAM PVC

H = 80 mm

ART.	decors	
8598		white 555 30880
		light grey 556 30882
		black 557 30884

euro/m

no partial packaging



8580

PVC LINE


length = 250 cm - pack 80 pcs

FOAM PVC-U

ART.	decors		decors	
8580		532 30764		white 555 30780
		542 30774		light grey 556 30782
		545 30778		black 557 30784

euro/m

no partial packaging



8582

PVC LINE

length = 250 cm - pack 60 pcs

FOAM PVC-U

ART.	decors		decors	
8582		532 30714		white 555 30730
		542 30724		light grey 556 30732
		545 30728		black 557 30734

euro/m


no partial packaging



PVC Line 8602 is a 48 mm high skirting board in impact-resistant PVC-U foam. Available in different colours, it is easy to install using a simple interlocking system with harmonic steel clips. In addition to its decorative function, it hides the perimeter expansion gap, which is essential for floating floors, whether in wood, laminate, LVT or SPC.



8602 foam PVC - white 555



8602

**PVC LINE**

length 250 cm - pack 40 pcs

FOAM PVC-U**H = 48 mm**

ART.	decors	
8602	white 555	29530
	light grey 556	29532
	black 557	29534

euro/m

no partial packaging

INSIDE CORNER

pack 10 pcs

ABS**H = 48 mm**

ART.	decors	
8602/I	white 555	29578
	light grey 556	29580
	black 557	29582

euro/pc

no partial packaging

OUTSIDE CORNER

pack 10 pcs

ABS**H = 48 mm**

ART.	decors	
8602/E	white 555	29628
	light grey 556	29630
	black 557	29632

euro/pc

no partial packaging

RIGHT/LEFT END CAPS

pack 10 couples

ABS**H = 48 mm**

ART.	decors	
8602/P dx/sx	white 555	29728
	light grey 556	29730
	black 557	29732


euro/couple

no partial packaging


WALL FIXING CLIP IN HARMONIC STEEL

10 blister packs / 20 pcs/blister


8602/C 29750

euro/blister

8602/I



8602/E



8602/P



8602/C fixing clips




pvc line

PVC Line 8603 is a 70 mm high skirting board in impact-resistant foam PVC-U. Available in different colours, it is easy to install using a simple interlocking system with harmonic steel clips. In addition to its decorative function, it hides the perimeter expansion gap, which is essential for floating floors, whether in wood, laminate, LVT or SPC.



8603 foam PVC-U - decor 555



8603



PVC LINE

length 250 cm - pack 40 pcs


FOAM PVC-U

H = 70 mm

ART.	decors	
8603	532	30144
	542	30154
	545	30158
	white 555	30160
	light grey 556	30162
	black 557	30164


euro/m

no partial packaging



8603/I

8603/E



8603/G

8603/P

INSIDE CORNER

pack 10 pcs

ABS

H = 70 mm

ART.	decors	
8603/I	532	30194
	542	30204
	545	30208
	white 555	30210
	light grey 556	30212
	black 557	30214

euro/pc

no partial packaging

OUTSIDE CORNER

pack 10 pcs

ABS

H = 70 mm

ART.	decors	
8603/E	532	30244
	542	30254
	545	30258
	white 555	30260
	light grey 556	30262
	black 557	30264

euro/pc

no partial packaging

JUNCTION

pack 10 pcs

ABS

H = 70 mm

ART.	decors	
8603/G	532	30294
	542	30304
	545	30308
	white 555	30310
	light grey 556	30312
	black 557	30314

euro/pc

no partial packaging

RIGHT/LEFT END CAPS

pack 10 couples


ABS

H = 70 mm

ART.	decors	
8603/P dx/sx	532	30344
	542	30354
	545	30358
	white 555	30360
	light grey 556	30362
	black 557	30364

euro/couple

no partial packaging



8602/C fixing clips

WALL FIXING CLIP IN HARMONIC STEEL

10 blister packs / 20 pcs/blister

8602/C

29750


euro/blister



PVC Line 8607 is a 70 mm high skirting board in impact-resistant foam PVC-U. Available in different colours, it is easy to install using a simple interlocking system with harmonic steel clips. In addition to its decorative function, it hides the perimeter expansion gap, which is essential for floating floors, whether in wood, laminate, LVT or SPC.



8607 foam PVC-U - decor 532



8607

**PVC LINE**


length 250 cm - pack 40 pcs

FOAM PVC-U**H = 70 mm****ART. decors**

8607	532	30414
	542	30424
	545	30428
	white 555	30430
	light grey 556	30432
	black 557	30434

euro/m

no partial packaging



8607/I

8607/E

INSIDE CORNER

pack 10 pcs

ABS**H = 70 mm****ART. decors**

8607/I	532	30464
	542	30474
	545	30478
	white 555	30480
	light grey 556	30482
	black 557	30484

euro/pc

no partial packaging

JUNCTION

pack 10 pcs

ABS**H = 70 mm****ART. decors**

8607/G	532	30564
	542	30574
	545	30578
	white 555	30580
	light grey 556	30582
	black 557	30584

euro/pc

no partial packaging

WALL FIXING CLIPS IN HARMONIC STEEL

10 blister packs / 20 pcs/blister

8602/C

29750

euro/blister**OUTSIDE CORNER**

pack 10 pcs

ABS**H = 70 mm****ART. decors**

8607/E	532	30514
	542	30524
	545	30528
	white 555	30530
	light grey 556	30532
	black 557	30534

euro/pc

no partial packaging

RIGHT/LEFT END CAPS


pack 10 couples

ABS**H = 70 mm****ART. decors**

8607P dx/sx	532	30614
	542	30624
	545	30628
	white 555	30630
	light grey 556	30632
	black 557	30634


euro/couple

no partial packaging



8607/G

8607/P



8602/C fixing clips




pvc line


PVC Line 148 is a cove-shaped skirting board for carpet and resilient flooring, consisting of two profiles: a rigid PVC-U base and a plastic-coated PVC clip. Used as a connection profile, it creates a rounded edge once the covering has been laid. It also provides an attractive finish and covers the ends of the carpet and PVC, hiding any cutting inaccuracies. The profile is recommended for public spaces such as hospitals and schools.




172 PVC white




148/B +
148/C



148/BR +
148/C



172



173

PVC LINE - BASE

length = 300 cm - pack 30 pcs

ART. finishing

RIGID PVC-U

148/B	PVC white	☐	19095
	euro/m		
148/BR	PVC white	☐	19094
	euro/m		

no partial packaging

PVC LINE - CLIP

length = 305 cm - pack 30 pcs

ART. finishing

PLASTIC-COATED PVC

148/C	PVC white	☐	19096
	PVC ash grey	☐	19097
	PVC sand	☐	19098
	euro/m		

no partial packaging

PVC LINE

length = 300 cm - pack 20 pcs

ART. finishing **H** **100**

PVC

172	PVC white	☐	19210
	euro/m		

no partial packaging

length = 300 cm - pack 20 pcs

ART. finishing **H** **60**

ALUMINIUM

173	silver anodised drilled	☐	19215
	euro/m		

no partial packaging

RECOMMENDED ADHESIVE

ART.

MAPEFLEX MS 45	white	☐	6PB010043
MAPEFLEX MS 55	white	☐	6PV010043

For further information, please visit mapei.com.


148/C is available in different colours on request



PVC Line 170, 169 and 171 are a line of cove-shaped profiles suitable for creating rounded edges of resilient flooring. Recommended for installing resilient, PVC, rubber and linoleum flooring, they uniform the curvature between the floor and the wall. Please choose the type of profile according to the thickness of the flooring.



171 black PVC




170

**PVC LINE - COVE-SHAPED PROFILE**

length = 200 cm - pack 50 pcs		H
ART.	finishing	20
PVC		
170	black	19200
	euro/m	

no partial packaging




169

PVC LINE - COVE-SHAPED PROFILE

length = 200 cm - pack 50 pcs		H
ART.	finishing	31
PVC		
169	black	19195
	euro/m	

no partial packaging



171

PVC LINE - COVE-SHAPED PROFILE

length = 200 cm - pack 30 pcs		H
ART.	finishing	30
PVC		
171	black	19205
	euro/m	

no partial packaging






prolight

Prolight is a line of direct and indirect lighting profiles. The integration of LED technology with Profilpas profiles allows to customize any space. Available with warm or neutral light and with an adjustable dimmer, they are easy to install and give the suitable light for each use, from living spaces to work areas.

Prolight Prolist LLA and LLB are two aluminium decorative listellos with direct LED light. Suitable for framing mirrors and walls and illuminating recessed niches and shelves, these profiles add value to the space, finding an ideal location in bathrooms, kitchens and private space in general. Prolight Prolist LLA/20/10, in particular, is perfect for shower recessed niches to create pleasant plays of light.



LLA/20/10 silver anodised aluminium



LLA/20



PROLIGHT PROLIST

length = 270 cm - pack 10 pcs

LxH

ART. finishing


20x10

ALUMINIUM

LLA/20 silver anodised
euro/m

84070

individually packed



LLA/20/10

PROLIGHT PROLIST

length = 270 cm - pack 10 pcs

H

ART. finishing


10

ALUMINIUM

LLA/20/10 silver anodised
euro/m

84076

individually packed



LLA/20P

END CAPS FOR LLA/20 AND LLA/20/10

pack 5 pcs


ART. finishing

ALUMINIUM

LLA/20P silver anodised
euro/pc

84072

no partial packaging



LLA/30
LLB/30

PROLIGHT PROLIST

length = 270 cm - pack 10 pcs

LxH

ART. finishing

30x10

ALUMINIUM


LLA/30 silver anodised
euro/m

84080

LLB/30 bright polished silver
euro/m

84081

individually packed



LLA/30P
LLB/30P

END CAPS FOR LLA/30 AND LLB/30

pack 5 pcs

ART. finishing

ALUMINIUM

LLA/30P silver anodised
euro/pc

84082

LLB/30P bright polished silver
euro/pc

84083

no partial packaging

Spare insert in opaline ABS for art. LLA/20, LLA/20/10, LLA/30 and LLB/30 code 84069 L 270 cm - pack 20 pcs euro/m

For the best aesthetic result and the validity of the warranty, we strongly recommend using our electrical components. See page 248


We recommend the use of NT LED strip with continuous light, see page 248



Prolight Prolist TLA is an aluminium decorative listello with indirect LED light, suitable for framing mirrors or outlining walls and coverings.
Prolight Prolist CLA is ideal under wall cabinets, in kitchens, bathrooms, wardrobes and showcases.



TLA/10/C1 silver anodised aluminium



TLA/10/C1
TLB/10/C1



PROLIGHT PROLIST

length = 270 cm - pack 10 pcs

ART.	finishing	LxH
ALUMINIUM		
TLA/10/C1	silver anodised euro/m	84090
TLB/10/C1	bright polished silver euro/m	84091


individually packed

END CAPS FOR TLA/10/C1


pack 5 pcs

ART.	finishing	
ALUMINIUM		
TLA/10P/C1	silver anodised euro/pc	84092
TLB/10P/C1	bright polished silver euro/pc	84093

no partial packaging



TLA/10P/C1
TLB/10P/C1



CLA/8
CLA/8A



PROLIGHT PROLIST

length = 270 cm - pack 10 pcs

ART.	finishing	H
ALUMINIUM		
CLA/8	silver anodised euro/m	84221
CLA/8A	silver anodised adhesive euro/m	84222


individually packed

END CAPS FOR CLA/8

pack 5 pcs

ART.	finishing	H
ALUMINIUM		
CLA/8P	silver anodised euro/pc	84223

no partial packaging



CLA/8P


Spare insert in opaline ABS for art. CLA/8 and CLA/8A code 84069 L 270 cm - pack 20 pcs euro/m

For the best aesthetic result and the validity of the warranty, we strongly recommend using our electrical components. See page 248


We recommend the use of NTLED strip with continuous light, see page 248

cerfix® proangle Q

Prolight Proangle Q ZQAL is a natural aluminium profile for external corners. Equipped with a diffuser in different colours, it helps increasing safety in public and private spaces through a thin luminous line.



ZQAL/10B natural aluminium + ZQAL/10 white opaline PVC




ZQAL/...B+ZQAL/10



PROLIGHT PROANGLE Q

length = 270 cm - pack 10 pcs

		H	
ART.	finishing	10	13
ALUMINIUM			
ZQAL/10B	natural aluminium base	87226	
	euro/m		
ZQAL/13B	natural aluminium base		87227
	euro/m		
OPALINE PVC			
	white	87230	
ZQAL/10	grey	87231	
	red	87232	
	yellow	87233	
	euro/m		



ZQAL/...P

END CAPS FOR ZQAL

pack 5 pcs

		H	
ART.	finishing	10	13
ALUMINIUM			
ZQAL/10P	natural aluminium	87229	
	euro/pc		
ZQAL/13P	natural aluminium		87228
	euro/pc		

no partial packaging


For the best aesthetic result and the validity of the warranty, we strongly recommend using our electrical components. See page 248

We recommend the use of NT LED strip with continuous light, see page 248




cerfix® prostep - protect

Prolight Prostep SGA is an aluminium profile with indirect LED light for the protection and finishing of ceramic, marble and stone steps. With SGA, the light diffuses softly downwards, giving elegance and refinement to the stair, as well as increasing the safety of the space.



SGA/11L silver anodised aluminium



SGA/11L



PROLIGHT PROSTEP

length = 270 cm - pack 10 pcs

H mm

ART. finishing

11

ALUMINIUM

SGA/11L silver anodised
euro/m

94969

individually packed

END CAPS FOR PROFILE SGA/11L

pack 5 pcs

H mm

ART. finishing


11

ALUMINIUM

SGA/11P silver anodised
euro/pc

94964

no partial packaging




SGA/11P

Prolight Protect G/9 is a stair nosing profile in aluminium equipped with direct LED light and a non-slip knurled surface. G/9 is suitable for public spaces such as cinemas, offices, theatres and clubs, making them welcoming and elegant at the same time.



G/9/SF silver anodised aluminium



G/9/F



PROLIGHT PROTECT

length = 270 cm - pack 10 pcs

ART. finishing

ALUMINIUM

G/9/F silver anodised
euro/m

84050

individually packed

END CAPS FOR PROFILE G/9/F

pack 5 pcs

ART. finishing

ALUMINIUM


G/9P/DX silver anodised
euro/pc

84052

G/9P/SX silver anodised
euro/pc

84053

no partial packaging




G/9P/

Spare insert in opaline ABS for art. SGA/11L and G/9/F code 84069 L 270 cm - pack 20 pcs euro/m


For the best aesthetic result and the validity of the warranty, we strongly recommend using our electrical components. See page 248

We recommend the use of NT LED strip with continuous light, see page 248

Prolight Protect 126/L/F is an aluminium stair nosing profile equipped with direct LED light and replaceable grooved PVC insert. 126/L/F is suitable for public spaces such as cinemas, offices, theatres and clubs, making them welcoming and elegant at the same time.



126/L/F silver anodised aluminium + GMR/44 black grooved PVC



126/L/F



PROLIGHT PROTECT

length = 270 cm - pack 6 pcs

ART. **finishing**

ALUMINIUM

126/L/F	silver anodised		84060
euro/m			

individually packed

GROOVED PVC

length = 1700 cm - 1 rolls pack

ART.

GMR/44	black		75706
euro/m			

END CAPS FOR 126/L/F

pack 5 pcs


ART. **finishing**

ALUMINIUM

126/LP/DX	silver anodised		84062
euro/pc			

126/LP/SX	silver anodised		84063
euro/pc			

no partial packaging



126/LP

Spare insert in opaline ABS for art. 126/L/F code 84069 L 270 cm - pack 20 pcs euro/m

For the best aesthetic result and the validity of the warranty, we strongly recommend using our electrical components. See page 248


We recommend the use of NT LED strip with continuous light, see page 248






cerfix® prolist Q - metal line S

Prolight Prolist Q LQL/2 is an aluminium decorative listello with indirect LED light that, thanks to its particular section, creates a delicate and elegant light effect on the ceramic coverings, thus embellishing the wall. This profile is available in a wide range of colours including white stone, five original cement effects, two special metal tonalities and a white characterized by an extremely solid and full colour.



LQL/2 metal light colour-coated aluminium



LQL/2



TREND
COLOR

PROLIGHT PROLIST Q

length = 270 cm - pack 5 pcs

H

ART. finishing

10

COLOUR-COATED ALUMINIUM

LQL/2	white stone		84020
	concrete white		84021
	concrete graphite		84022
	concrete smoke		84023
	concrete mud		84024
	concrete sand		84025
	metal dark		84026
	metal light		84027
	solid white		84028


euro/m

individually packed

Prolight Metal Line SKL/2 is a skirting board in aluminium with indirect LED light. Its special section allows to create an original play of light along the wall, thus adding value to the whole surface. In addition to the silver anodised and the white stone versions, SKL/2 is available in 8 finishes: a range of colours including five original cement effects, two special metal tonalities and a white characterized by an extremely solid and full colour.



SKL/2 concrete white colour-coated aluminium



SKL/2



TREND
COLOR

PROLIGHT METAL LINE S

length = 270 cm - pack 5 pcs

H

ART. finishing

10

ALUMINIUM

SKL/2	silver anodised		78579
-------	-----------------	--	-------

euro/m

COLOUR-COATED ALUMINIUM

SKL/2	white stone		78591
	concrete white		78592
	concrete graphite		78593
	concrete smoke		78594
	concrete mud		78595
	concrete sand		78596
	metal dark		78597
	metal light		78598
	solid white		78599

euro/m

individually packed

ELECTRICAL COMPONENTS AND ACCESSORIES FOR LIGHTING LQL/2 AND SKL/2

ART.	description	
L5/NW/65 L	spool 5 m LED strips, lateral light, neutral colour 4000 °K, 9,6W/m IP65	84136
	euro/mt (euro/pack)	


For the best aesthetic result and the validity of the warranty, we strongly recommend using our electrical components. See page 248

metal line


Metal Line 88/16L/A is a skirting board flush with the wall and with LED lighting system. The light is distributed along the whole length of the profile and passes through a visible gap. There is the possibility to insert the optional dimmer to adjust the light intensity of the skirting board and create both an elegant decoration and a night courtesy light.



88/16L/A silver anodised aluminium



87/6 + 88/16L



88/6 + 88/16L



88/6E

METAL LINE 87 - 88

length = 200 cm - pack 20 pcs

H cm

ART. finishing

6

ALUMINIUM

87/6 natural aluminium (drilled)

78338

euro/m

88/6 natural aluminium (drilled)

78310

euro/m

individually packed

ALUMINIUM INSERT FOR LED LIGHT

length = 200 cm - pack 20 pcs

H cm

88/16L/A silver anodised

78559

colour-coated matt white
RAL 9010

78560

euro/m

adhesive - individually packed

OUTSIDE CORNER IN METAL

pack 4 pcs

H cm

ART. finishing

6

88/6E silver
colour-coated matt white
RAL 9010

78561

78562

euro/pc

no partial packaging



88/6 + 88/16L/A silver anodised aluminium


For the best aesthetic result and the validity of the warranty, we strongly recommend using our electrical components. See page 248



Prolight Metal Line 89 is a skirting board in anodised aluminium with LED-strip lighting system. The light is distributed along the entire length of the profile through a diffuser element. It is possible to insert the dimmer in order to adjust the luminous intensity of the skirting board to decorate and light up the room.



89/6L silver anodised aluminium



89/6L



PROLIGHT METAL LINE 89

length = 200 cm - pack 25 pcs

H cm

ART. finishing

6

ALUMINIUM

89/6L silver anodised



86000

euro/m

individually packed

INSIDE/OUTSIDE CORNER - RIGHT/LEFT END CAP

pack 4 pcs

H cm

ART. finishing

6

ALUMINIUM

89/6EI silver anodised



78506

euro/pc

no partial packaging




89/6EI

Spare insert in opaline ABS for art. 89/6L code 84069 L 270 cm - pack 20 pcs euro/m

For the best aesthetic result and the validity of the warranty, we strongly recommend using our electrical components. See page 248

We recommend the use of NT LED strip with continuous light, see page 248




89/6L silver anodised aluminium



Electrical components and accessories for Prolight profiles. Each element has to be chosen depending on the established length of the light profiles. It is necessary to calculate the power consumption in W/m for choosing one or more power supplies to be combined with the dimmer and the controller.



spool 5 m NT LED strip



L5/.../67



L5/NW/65NT



AL/.../24



DIMM/02



TEL/04



RIC/01



CE/5/20

CE/10/...



IR/C04



IR/W3

ELECTRICAL COMPONENTS AND ACCESSORIES FOR LIGHTING

ART.	description	
L5/NW/67	spool 5 m LED strip colour neutral white 4000° K - 9,6W/m - IP67 <i>euro/m (euro/pack)</i>	84125
L5/WW/67	spool 5 m LED strip colour warm white 3000° K - 9,6W/m - IP67 <i>euro/m (euro/pack)</i>	84135
L5/NW/65NT	spool 5 m NT LED strip neutral white colour 4000° K - 10W/m - IP65 <i>euro/m (euro/pack)</i>	84118
L5/NW/67NT	spool 5 m NT LED strip neutral white colour 4000° K - 10W/m - IP67 <i>euro/m (euro/pack)</i>	84122
AL/60/24	power supply IP67 - PFC active - 24Vdc/60W <i>euro/pc</i>	84150
AL/90/24	power supply IP67 - PFC active - 24Vdc/90W <i>euro/pc</i>	84152
AL/120/24	power supply IP67 - PFC active - 24Vdc/120W <i>euro/pc</i>	84154
AL/150/24	power supply IP67 - PFC active - 24Vdc/150W <i>euro/pc</i>	84156
DIMM/02	dimmer/driver 24V/10 Amp - dim. mm 57x44x19 h. for white LED light <i>euro/pc</i>	84187
TEL/04	4- channel radio frequency remote control <i>euro/pc</i>	84182
RIC/01	4- remote control receiver radio frequency <i>euro/pc</i>	84184
CE/5/20	electrical cable sect. 0,5 mm ² - pack 20 ml <i>euro/m</i>	84420
CE/10/20	electrical cable sect. 1 mm ² - pack 20 ml <i>euro/m</i>	84422
CE/10/100	electrical cable sect. 1 mm ² - pack 100 ml <i>euro/m</i>	84424
IR/W3	rapid fit connector 3 cables - pack 10 pcs <i>euro/pc</i>	84410
IR/C04	rapid fit connector for LED strip - pack 10 pcs <i>euro/pc</i>	84419

HOW TO ORDER THE ELECTRICAL COMPONENTS

LED (white light)

Measure how many meters of LED strip have to be positioned on our profiles. A spool is 5 meters long. Spools have 120 LED every meter. The voltage is 24 volt. The consumption is 9,6 watts every meter. To determine the consumption, length must be multiplied by 9,6 watts.

Example: calculation of the watts consumption = 7,4m x 9,6W = 71 total watts

Choose the colour of the light. LED strips are available in neutral white light (4000 °K) or warm white light (3000 °K).

Choose the degree of protection: IP33 for inside and dry spaces, IP67 for outside or moist spaces.

POWER SUPPLIES

Choose the suitable power supply on the basis of the total watts and so as not to exceed 90% of the maximum power.

Example: 71W : 90 x 100 = 79W - use a power supply of 90W

	ART.		
from 5 cm to 5,5 m	60W	AL/60/24	84150
from 5,6 m to 8,4 m	90W	AL/90/24	84152
from 8,5 m to 11,2 m	120W	AL/120/24	84154
from 11,3 m to 14 m	150W	AL/150/24	84156

We recommend to power the LED strips every 3 meters in order to avoid differences in brightness and the overheating of the LED in the initial part of them. A cable with 1 mm² section has a maximum range of about 4 Amp and a voltage drop of 1 Volt every 10 meters. For special installations, please contact our Technical Department.

DIMMER (optional)

The dimmer/fader/driver has the function to adjust the light intensity of LED light, it supports maximum 10 Amp to an equal extent of 25 linear meters of our LED strip. It must be placed between the power supply and the LED strip and connected to a switch (not supplied) and/or to the receiver of the remote control (optional).

In case of more lines with simultaneous turning on, the first dimmer is connected in Sync mode and it will switch on the consecutive dimmers.

Example: to connect 3 lines with simultaneous turning on, you need to use 3 dimmers.

REMOTE CONTROL + RECEIVER (optional)

The remote control is a radiofrequency and can control up to 4 channels; it is used to turn on/off the LED.

The receiver must be installed between the power supply and the LED strip or connected to the dimmer if present.

If there is also the dimmer, the remote control can adjust the LED light intensity.

ELECTRICAL CABLES

The cables are necessary to connect the power supply to the LED strips where needed.

A cable with 1 mm² section has a maximum range of about 4 amps and a voltage drop of 1 volt every 10 meters.

CONNECTORS

Art. IR/C04 connects the LED strips to the line of power supply.

Art. IR/W3 connects maximum 3 cables among them.

We recommend to assign the assembly of the electrical components to qualified staff.





entrance mats

Promat is a modular technical mat with a dirt barrier function, designed for both public and private use.

Thanks to its easy assembly with a simple interlocking system, Promat can be assembled directly on site. Promat is available in three insert solutions: textile, brushes or PVC.

It thus guarantees the cleaning and the protection of floors inside buildings against dust, general dirt and water.

promat

Promat is a modular technical mat that acts as a dirt barrier. It can be customized and made in any size directly on site, allowing maximum operational flexibility.

Promat is easy and quick to install thanks to the interlocking system of silver anodised aluminium profiles, already equipped with a choice of textile, PVC or brush inserts.

The textile insert, recommended for internal use, absorbs finer dirt and water, also facilitating drying as people walk over it. The PVC insert is weather-resistant, making it ideal for outdoor use, removes coarse dirt and also has a slip-resistant function. Finally, the brushes insert is suitable for outdoor installation in areas with high foot traffic thanks to its ability to remove the most stubborn dirt.

Promat can be installed recessed or overlapped on existing floors according to the needs. In case of overlapping installation, a ramp profile can be inserted to facilitate access.

Promat is also available in two already-assembled and ready-for-use versions in a choice of textile or mixed PVC/brush, in sizes 70x39,5 cm and 90x49,5 cm.



The advantage of Promat is that it offers three different functions in a single mat: PVC (stops grit), brushes (stops sand) and textile (stops water). This feature is ideal when conditions allow the PVC version to be placed outdoors, the version with brushes in the entrance area and the textile version indoors. The Promat dirt barrier must be composed so that PVC and brushes can be positioned alternately (one after the other) and the textile version in a unique succession (see drawing below).



profile with textile insert




profile with PVC insert



profile with brushes insert





ZT/307/MN

**PROMAT**

length = 270 cm - pack 10 pcs

ART.			Conf.
ZT/307/MN	silver anodised aluminium profile + black textile insert	90400	10
	<i>euro/m</i>		
ZT/307/GN	silver anodised aluminium profile + black PVC insert	90401	10
	<i>euro/m</i>		
ZT/307/SN	silver anodised aluminium profile + black brush insert	90402	10
	<i>euro/m</i>		
ZT/307/R1	silver anodised aluminium right ramp profile	90403	10
	<i>euro/m</i>		
ZT/307/R2	silver anodised aluminium left ramp profile	90404	10
	<i>euro/m</i>		

individually packed

ACCESSORIES


length = 500 cm - pack 1 pc

ART.			Conf.
ZT/307/NA	adhesive tape in black EPDM 5 m	90405	1
	<i>euro/m (euro/pack)</i>		


no partial packaging

PROMAT - READY-TO-USE MAT


ART.			Conf.
ZT/307/01	ready-to-use mat dim. 70x39,5 cm with profiles with black textile inserts	90407	1
	<i>euro/pc</i>		
ZT/307/02	ready-to-use mat dim. 70x39,5 cm with profiles with black PVC and brushes inserts	90408	1
	<i>euro/pc</i>		
ZT/307/03	ready-to-use mat dim. 90x49,5 cm with profiles with black textile inserts	90409	1
	<i>euro/pc</i>		
ZT/307/04	ready-to-use mat dim. 90x49,5 cm with profiles with black PVC and brushes inserts	90410	1
	<i>euro/pc</i>		




ZT/307/GN



ZT/307/SN




ZT/307/R1



ZT/307/R2




ZT/307/NA



interlocking system of profiles


To create the right PROMAT dirt barrier for your operational needs, please contact our technical department.





accessories for installation

Levelling systems for
installing tiles, spacers,
adhesives, tools, systems and
accessories.



Protiler is a system for installing ceramic and stone tiles at the same level. Suitable for thicknesses from 3 to 20 mm, it prevents vertical movement between individual tiles during the adhesive setting phase.

A special pliers is available for installing floor and wall tiles with less effort and in less time. Protiler is made of regenerated plastic material, respecting the environment.



Protiler



disposable clips installation



tiles installation



levelling wedges insertion



wedges and clips removal



PTLN

**PROTILER**

pack 10 pcs

ART.

PTLN	adjustable traction pliers <i>euro/pc (euro/pack)</i>	18067
-------------	--	-------

LEVELLING WEDGES

pack 14 bags with 100 pcs

Pallet**ART.**

PTWN	levelling wedges <i>euro/pc (euro/bag)</i>	18063	210 bags
-------------	---	-------	----------

pack 1400 pcs

Pallet**ART.**

PTWN/1400	levelling wedges <i>euro/pc (euro/pack)</i>	18076	15 packs
------------------	--	-------	----------

no partial packaging

DISPOSABLE CLIPS

pack 12 bags with 250 pcs

Pallet**ART.**

PTC	 clips for 0,5 mm grouts and tile thicknesses from 3 to 12 <i>euro/pc (euro/bag)</i>	18070	180 bags
------------	--	-------	----------

PTC1	 clips for 1 mm grouts and tile thicknesses from 3 to 12 <i>euro/pc (euro/bag)</i>	18071	180 bags
-------------	--	-------	----------

PTC1A	 clips for 1,5 mm grouts and tile thicknesses from 3 to 12 <i>euro/pc (euro/bag)</i>	18075	180 bags
--------------	--	-------	----------

PTC2	 clips for 2 mm grouts and tile thicknesses from 3 to 12 <i>euro/pc (euro/bag)</i>	18072	180 bags
-------------	--	-------	----------

PTC3	 clips for 3 mm grouts and tile thicknesses from 3 to 12 <i>euro/pc (euro/bag)</i>	18073	180 bags
-------------	--	-------	----------

pack 60 bags with 50 pcs

Pallet**ART.**

PTC4/1	clips for 1 mm grouts and tile thicknesses from 12 to 20 mm <i>euro/pc (euro/bag)</i>	18082	600 bags
---------------	--	-------	----------

PTC4/2	clips for 2 mm grouts and tile thicknesses from 12 to 20 mm <i>euro/pc (euro/bag)</i>	18074	600 bags
---------------	--	-------	----------

PTC4/3	clips for 3 mm grouts and tile thicknesses from 12 to 20 mm <i>euro/pc (euro/bag)</i>	18084	600 bags
---------------	--	-------	----------

PTC4/5	clips for 5 mm grouts and tile thicknesses from 12 to 20 mm <i>euro/pc (euro/bag)</i>	18085	600 bags
---------------	--	-------	----------

pack 3000 pcs

Pallet**ART.**

PTC/3000	 clips for 0,5 mm grouts and tile thicknesses from 3 to 12 <i>euro/pc (euro/pack)</i>	18077	15 packs
-----------------	---	-------	----------

PTC1/3000	 clips for 1 mm grouts and tile thicknesses from 3 to 12 <i>euro/pc (euro/pack)</i>	18078	15 packs
------------------	---	-------	----------

PTC1A/3000	 clips for 1,5 mm grouts and tile thicknesses from 3 to 12 <i>euro/pc (euro/pack)</i>	18079	15 packs
-------------------	---	-------	----------

PTC2/3000	 clips for 2 mm grouts and tile thicknesses from 3 to 12 <i>euro/pc (euro/pack)</i>	18080	15 packs
------------------	---	-------	----------

PTC3/3000	 clips for 3 mm grouts and tile thicknesses from 3 to 12 <i>euro/pc (euro/pack)</i>	18081	15 packs
------------------	---	-------	----------

no partial packaging

PTC
PTC1
PTC1A
PTC2
PTC3PTC4/1
PTC4/2
PTC4/3
PTC4/5



Fix Level is a screw levelling system for floors and wall coverings with thicknesses from 3 to 21 mm and is particularly suitable for large formats. An optional scratch-resistant disc is available to attach to the cylinder to protect the surface of the covering during levelling. Fix Level is made of regenerated plastic material, respecting the environment.



Fix Level



FLM/C



FLM/S



KLM/30

CYLINDER

pack 16 bags with 50 pcs

Pallet

ART.

FLM/C	cylinder	18090	12 boxes
-------	----------	-------	----------

euro/pc (euro/bag)

no partial packaging

ANTI-SCRATCH DISC

pack 35 bags with 50 pcs

ART.

FLM/S	anti-scratch disc	18091	
-------	-------------------	-------	--

euro/pc (euro/bag)

no partial packaging

DISPOSABLE SCREW SPACER

pack 25 bags with 100 pcs

Pallet

ART.

KLM/10		screw for 1-mm grouts and tile thicknesses from 3 to 21 mm	18093	12 boxes
		<i>euro/pc (euro/bag)</i>		
KLM/15		screw for 1,5-mm grouts and tile thicknesses from 3 to 21 mm	18094	12 boxes
		<i>euro/pc (euro/bag)</i>		
KLM/20		screw for 2-mm grouts and tile thicknesses from 3 to 21 mm	18095	12 boxes
		<i>euro/pc (euro/bag)</i>		
KLM/30		screw for 3-mm grouts and tile thicknesses from 3 to 21 mm	18096	12 boxes
		<i>euro/pc (euro/bag)</i>		
KLM/50		screw for 5-mm grouts and tile thicknesses from 3 to 21 mm	18097	12 boxes
		<i>euro/pc (euro/bag)</i>		

no partial packaging

DISPOSABLE T-SCREW SPACER

pack 25 bags with 100 pcs

Pallet

ART.

KLM/T10		T-screw for 1-mm grouts and tile thicknesses from 3 to 21 mm	18098	12 boxes
		<i>euro/pc (euro/bag)</i>		
KLM/T15		T-screw for 1,5-mm grouts and tile thicknesses from 3 to 21 mm	18099	12 boxes
		<i>euro/pc (euro/bag)</i>		
KLM/T20		T-screw for 2-mm grouts and tile thicknesses from 3 to 21 mm	18100	12 boxes
		<i>euro/pc (euro/bag)</i>		
KLM/T30		T-screw for 3-mm grouts and tile thicknesses from 3 to 21 mm	18101	12 boxes
		<i>euro/pc (euro/bag)</i>		

no partial packaging

DISPOSABLE CROSS SCREW SPACER

pack 25 bags with 100 pcs

Pallet

ART.

KLM/X10		cross screw for 1-mm grouts and tile thicknesses from 3 to 21 mm	18102	12 boxes
		<i>euro/pc (euro/bag)</i>		
KLM/X15		cross screw for 1,5-mm grouts and tile thicknesses from 3 to 21 mm	18103	12 boxes
		<i>euro/pc (euro/bag)</i>		
KLM/X20		cross screw for 2-mm grouts and tile thicknesses from 3 to 21 mm	18104	12 boxes
		<i>euro/pc (euro/bag)</i>		
KLM/X30		cross screw for 3-mm grouts and tile thicknesses from 3 to 21 mm	18105	12 boxes
		<i>euro/pc (euro/bag)</i>		

no partial packaging



Klic Level is a levelling system for ceramic tiles and stone material with a thickness of 3 to 21 mm, which can be used on floors and walls and is particularly suitable for laying large format slabs. The pulling cylinder is equipped with a special click system for quick application and removal and comes complete with an anti-scratch disc to protect the surface of the covering during the levelling phases. Klic Level is made of regenerated plastic material, respecting the environment.



Klic Level



KLMN/C



FLM/S



KLM/30

CYLINDER

pack 10 bags da 50 pcs

Pallet**ART.**

KLMN/C	cylinder	18089	12 boxes
---------------	----------	-------	----------

euro/pc (euro/bag)

no partial packaging

ANTI-SCRATCH DISC

pack 35 bags with 50 pcs

ART.

FLM/S	anti-scratch disc	18091	
--------------	-------------------	-------	--

euro/pc (euro/bag)

no partial packaging

DISPOSABLE SCREW SPACER

pack 25 bags with 100 pcs

Pallet**ART.**

KLM/10		screw for 1-mm grouts and tile thicknesses from 3 to 21 mm	18093	12 boxes
		<i>euro/pc (euro/bag)</i>		
KLM/15		screw for 1,5-mm grouts and tile thicknesses from 3 to 21 mm	18094	12 boxes
		<i>euro/pc (euro/bag)</i>		
KLM/20		screw for 2-mm grouts and tile thicknesses from 3 to 21 mm	18095	12 boxes
		<i>euro/pc (euro/bag)</i>		
KLM/30		screw for 3-mm grouts and tile thicknesses from 3 to 21 mm	18096	12 boxes
		<i>euro/pc (euro/bag)</i>		
KLM/50		screw for 5mm grouts and tile thicknesses from 3 to 21 mm	18097	12 boxes
		<i>euro/pc (euro/bag)</i>		

no partial packaging

DISPOSABLE T-SCREW SPACER

pack 25 bags with 100 pcs

Pallet**ART.**

KLM/T10		T-screw for 1-mm grouts and tile thicknesses from 3 to 21 mm	18098	12 boxes
		<i>euro/pc (euro/bag)</i>		
KLM/T15		T-screw for 1,5-mm grouts and tile thicknesses from 3 to 21 mm	18099	12 boxes
		<i>euro/pc (euro/bag)</i>		
KLM/T20		T-screw for 2-mm grouts and tile thicknesses from 3 to 21 mm	18100	12 boxes
		<i>euro/pc (euro/bag)</i>		
KLM/T30		T-screw for 3-mm grouts and tile thicknesses from 3 to 21 mm	18101	12 boxes
		<i>euro/pc (euro/bag)</i>		

no partial packaging

DISPOSABLE CROSS SCREW SPACER

pack 25 bags with 100 pcs

Pallet**ART.**

KLM/X10		cross screw for 1-mm grouts and tile thicknesses from 3 to 21 mm	18102	12 boxes
		<i>euro/pc (euro/bag)</i>		
KLM/X15		cross screw for 1,5-mm grouts and tile thicknesses from 3 to 21 mm	18103	12 boxes
		<i>euro/pc (euro/bag)</i>		
KLM/X20		cross screw for 2-mm grouts and tile thicknesses from 3 to 21 mm	18104	12 boxes
		<i>euro/pc (euro/bag)</i>		
KLM/X30		cross screw for 3-mm grouts and tile thicknesses from 3 to 21 mm	18105	12 boxes
		<i>euro/pc (euro/bag)</i>		


no partial packaging



Plastic cross and T spacers used in the installation of floors and wall coverings for creating uniform and precise grout lines. They are available for thicknesses up to 10 mm and are suitable for both inside and outside spaces. Both spacers are compliant with UNI 11493-1 standard (methods for the correct installation of ceramic tiles). Plastic wedges used for recovering small differences in height during tile installation.



Cross spacers



DC



CROSS SPACERS

box with 10 packs of 500 pcs						box with 20 packs of 250 pcs	
LxH	1x5	2x5	3x5	4x5	5x5	7x6	10x8
ART.	DC1 solid	DC2 solid	DC3 drilled	DC4 drilled	DC5 drilled	DC7 drilled	DC10 drilled
	18992	19002	19008	19014	19020	19024	19030

euro/pack

no partial packaging

T SPACERS

box with 10 packs of 500 pcs						box with 20 packs of 250 pcs	
LxH	1x5	2x5	3x5	4x5	5x5	7x6	10x8
ART.	DT1 solid	DT2 solid	DT3 drilled	DT4 drilled	DT5 drilled	DT7 drilled	DT10 drilled
	19038	19042	19048	19054	19060	19064	19070

euro/pack

no partial packaging

WEDGES

pack	box with 20 packs of 250 pcs	box with 10 packs of 500 pcs
LxH	9x28x5	9x28x5
ART.	CN28	CN28
	19080	19082

euro/pack


no partial packaging

CROSS SPACER FOR OUTDOOR USE


pack 2 bags with 50 pcs

ART.		
DCE4	cross spacer for outdoor tiles and 4-mm grouts	19076
	euro/pc (euro/bag)	

no partial packaging



DT



CN



DCE4



T Spacers



Wedges



skirting board adhesive



polishing paste



doubled sided adhesive tapes

RECOMMENDED ADHESIVE

ART.

MAPEFLEX MS 45	white	☐	6PB010043
MAPEFLEX MS 55	white	☐	6PV010043

For further information, please visit mapei.com.

MAGNETIC KIT

box with 10 blisters

K10	00410
euro/blister	

POLISHING PASTE FOR METAL PROFILE CLEANING

pack 20 pcs - quantity 150 ml

POLISHING PASTE	30018
euro/pc	

DOUBLED SIDED ADHESIVE TAPES

	POLYPROPYLENE	COTTON CLOTH
pack	24	24
LxL cm	5x2500	5x2500
ART.	D/4461/K	D/4471/K
	30004	30014
euro/pc		




SCREWS

	FLAT HEAD			ROUND HEAD	
box - 1000 pcs					
finishing	nickel-plated	brass plated	bronze plated	nickel-plated	brass plated
LxL mm	3X25	3X25	3X25	3,5X25	3,5X25
ART.	SS/5	SS/5	SS/5	SS/4	SS/4
	68800	68801	68802	68804	68805
euro/box					



proflex line

Proflex Machine is a machine designed and built to shape Flex profiles by Profilpas with a curved shape. The machine includes a kit, and additional kits are available if you want to bend Metal Line 90/.



PROFLEX MACHINE - manual machine for bending flex profiles



kit 30052

PROFLEX MACHINE

ART.	description	
proflex	hand machine to bend profiles inside and outside	30022
	euro/pc	
30052	wheels kit for metal line flex 90/	30052
	euro/pc	



DIY profiles

A wide range of DIY profiles in aluminium, stainless steel and brass, available in many measures. Suitable to solve professional and bricolage works.

Any reference to "do-it-yourself" is meant only to highlight the ease and speed of installation of the products without altering their professional nature.



profiles in anodised aluminium

		with barcode label			
		length m. 1		length m. 2	
	measures	silver	euro/pc	silver	euro/pc
flat	12x2	10100		10104	
	15x2	10108		10112	
	20x2	10116		10120	
	25x2	10124		10128	
	30x2	10132		10136	
	40x2	-	-	-	-
	50x2	-	-	-	-
	60x2	-	-	-	-
corner	10x10x1	10140		10144	
	15x15x1	10148		10152	
	20x20x1*	10156		10160	
	25x25x1*	10164		10168	
	30x30x1*	10172		10176	
	30x30x1,5	-	-	09020	
	40x40x1,5	10380		10384	
	40x40x2	-	-	-	-
	50x50x2	-	-	-	-
corner L	15x10x1	10180		10184	
	20x10x1	10188		10192	
	30x15x1	10196		10200	
U profile	8x8x1	10204		10208	
	10x10x1	10212		10216	
	10x15x1	10220		10224	
	12x12x1	-	-	10218	
double U profile	16x7x1	-	-	10232	
	16x12x1	10236		10240	
	20x10x1	-	-	10248	
	20x18x1	10252		10256	
edge trim	18x1	10260		10264	
	22x1	10268		10272	
	25x1	10276		10280	
round tube	8x1	09032		09036	
	10x1	09040		09044	
	12x1	09048		09052	
	15x1	10284		10288	
	18x1	10292		10296	
	20x1	10300		10304	
	25x1,5	-	-	09060	
square tube	10x10x1	10308		10312	
	15x15x1	10316		10320	
	20x20x1	10324		10328	
rectangular tube	20x10x1	10332		10336	
	30x15x1	10340		10344	
T profile	15x15x1,5	10348		10352	
	25x25x1,5	10356		10360	
round bar	Ø 6	-	-	09084	
	Ø 8	10364		10368	
	Ø 10	-	-	09092	
square bar	8x8	10372		10376	
	10x10	-	-	10394	

No partial packaging. PACK: 10 pcs per item.

* items available also 3 m long without barcode pag 253

EAN 13 = the first group product code

example code 10395 = 8010937 10395



profiles in anodised aluminium

		without barcode label			
		length m. 2		length m. 3	
	measures	silver	euro/pc	silver	euro/pc
flat	12x2	510104		-	-
	15x2	510112		-	-
	20x2	510120		-	-
	25x2	510128		-	-
	30x2	510136		-	-
	40x2	510095		510096	
	50x2	510099		510097	
	60x2	510100		510098	
corner	10x10x1	510144		-	-
	15x15x1	510152		-	-
	20x20x1	510160		510158	
	25x25x1	510168		510166	
	30x30x1	510176		510174	
	30x30x1,5	509020		-	-
	40x40x1,5	510384		-	-
	40x40x2	510381		510383	
	50x50x2	510382		510387	
corner L	15x10x1	510184			
	20x10x1	510192			
	30x15x1	510200			
U profile	8x8x1	510208			
	10x10x1	510216			
	10x15x1	510224			
	12x12x1	510218			
double U profile	16x7x1	510232			
	16x12x1	510240			
	20x10x1	510248			
	20x18x1	510256			
edge trim	18x1	510264			
	22x1	510272			
	25x1	510280			
round tube	8x1	509036			
	10x1	509044			
	12x1	509052			
	15x1	510288			
	18x1	510296			
	20x1	510304			
	25x1,5	509060			
square tube	10x10x1	510312			
	15x15x1	510320			
	20x20x1	510328			
rectangular tube	20x10x1	510336			
	30x15x1	510344			
T profile	15x15x1,5	510352			
	25x25x1,5	510360			
round bar	Ø 6	509084			
	Ø 8	510368			
	Ø 10	509092			
square bar	8x8	510376			
	10x10	510394			

No partial packaging. PACK: 10 pcs per item.




EAN 13 = the first group product code

example code 10395 = 8010937 10395



profiles in anodised and colour-coated aluminium

with barcode label
length m. 2

	measures	gold anodised	titanium anodised	colour-coated white RAL 9003	euro/pc
flat 	12x2	10105	-	-	
	15x2	10113	-	11612	
	20x2	10121	10470	11620	
	30x2	10137	-	11636	
corner 	10x10x1	10145	10452	11644	
	15x15x1	10153	10454	11652	
	20x20x1	10161	10456	11660	
	25x25x1	10169	10458	11668	
	30x30x1	10177	-	11676	
	40x40x1,5	10385	-	11684	
corner L 	15x10x1	10185	10462	11692	
	20x10x1	10193	10464	11700	
	30x15x1	10201	10466	11708	
U profile 	8x8x1	10209	-	-	
	10x10x1	-	-	11724	
	10x15x1	10225	-	-	
double U profile 	20x18x1	-	-	11764	
edge trim 	18x1	10265	-	11772	
	22x1	10273	-	-	
	25x1	10281	-	-	
round tube 	10x1	09045	-	-	
	15x1	-	-	11796	
	18x1	10297	-	-	
	20x1	10305	-	-	
square tube 	10x10x1	-	-	11820	
rectangular tube 	20x10x1	10337	-	11844	
T profile 	15x15x1,5	-	-	11860	
	25x25x1,5	-	-	11868	




No partial packaging. PACK: 10 pcs per item for gold anodised items, 5 pcs for titanium anodised and white colour-coated items.

EAN 13 = the first group product code

example code 10395 = 8010937 10395



profiles in bright polished silver aluminium

		with barcode label			
		length m. 1		length m. 2	
	measures	silver	euro/pc	silver	euro/pc
flat 	15x2	-	-	10115	
	20x2	-	-	10123	
	25x2	-	-	10131	
corner 	10x10x1	10143		10147	
	15x15x1	10151		10155	
	20x20x1	10159		10163	
	25x25x1	-	-	10171	
	30x30x1	-	-	10179	
corner L 	15x10x1	-	-	10186	
	20x10x1	-	-	10195	
	30x15x1	-	-	10203	
U profile 	10x10x1	-	-	10219	
	10x15x1	-	-	10227	
	12x12x1	-	-	10211	
edge trim 	18x1	-	-	10267	
T profile 	15x15x1,5	10351		10355	



No partial packaging. PACK: 5 pcs per item.



polished brass and stainless steel corner profiles

with barcode label

length m. 2

	measures	brass polished	euro/pc	stainless steel AISI 430	euro/pc
corner 	15x15x1	10002		10050	
	20x20x1	10006		10054	
	25x25x1	-	-	10058	
	30x30x1	10014		10062	
	40x40x1	-	-	10070	
L corner 	15x10x1	10030		-	-
	20x10x1	10034		10082	
	30x10x1	-	-	10086	

No partial packaging

PACK: 5 pcs per item.

EAN 13 = the first group product code

example code 10094 = 8010937 10094

curtain counterweights in silver anodised aluminium with rounded edges

		length m. 1		length m. 2		length m. 4	
	measures	cod.	euro/pc	cod.	euro/pc	cod.	euro/pc
	30x4 pack 10 pcs	10604		10605		10606	
	40x4 pack 10 pcs	10608		10609		-	-






No partial packaging

EAN 13 = the first group product code

example code 10824 = 8010937 10824



silver anodised aluminium profiles for structures

				with barcode label			
				length m. 2		length m. 3	
		measures	thickness	cod.	euro/pc	cod.	euro/pc
U profile		for panels frame thickness up to 16 mm Packaging 6 pcs per item.	16	1,5	10500	10504	
U profile		for panels frame thickness up to 20 mm Packaging 6 pcs per item.	20	1,5	10532	10536	
double U profile		for 90° corners between panel boards thickness up to 16 mm Packaging 6 pcs per item.	16	1,5	-	-	10512
double U profile		for 90° corners between panel boards thickness up to 20 mm Packaging 6 pcs per item.	20	1,5	-	-	10544
H profile		for connection of panels thickness up to 16 mm Packaging 6 pcs per item.	16	1,5	-	-	10520



Design is our best profile.



Design is our best profile.



Design is






material for the point of sale

A series of tools dedicated to the showroom: modular expositive pieces of furniture, counter display boxes, sampleboards, sample boxes, cylinders etc for creating suitable areas for every need of space and products.




Profilpas concept store: a modular display system composed of panels that can be used singularly or combined together. For each panel, there is the possibility to choose the display units according to the products treated.



base autoportante
per pannello centrosala

PANEL 1 terrace picture DIM. CM 90X220 H.	02036
PANEL 2 living room picture DIM. CM 90X220 H.	02037
PANEL 3 bathroom picture DIM. CM 90X220 H.	02038
PANEL 4 staircase picture DIM. CM 90X220 H.	02039
PANNELLO 5 pp drain aqua bathroom picture DIM. CM 90X220 H.	02080
SELF-SUPPORTING BASE FOR PANELS	02040
DISPLAY UNIT 1 - CPGV+CPQV+MAPEGUARD UM 35	02041
DISPLAY UNIT 2 - CPNV+CPCV/30	02042
DISPLAY UNIT 3 - SNG+SIR+SIG+SIS+SP+76	02043
DISPLAY UNIT 4 - GIN+ILN+ZQIN	02044
DISPLAY UNIT 5 - ZQVN Trend Color Stone	02045
DISPLAY UNIT 6 - SLIM DRAIN+GLASS PROFILE	02046
DISPLAY UNIT 7 - SMART DRAIN	02047
DISPLAY UNIT 8 - THIN DRAIN	02048
DISPLAY UNIT 9 - case for sample boards (without sample boards)	02049
DISPLAY UNIT 10 - 8605+8608	02055
DISPLAY UNIT 11 - PP LEVEL DUO MAXI	02064
DISPLAY UNIT 7/a - shelf only	02056
DISPLAY 12 - PP DRAIN AQUA CLASSIC BRUSHED STEEL + GLASS PROFILE BRUSHED STEEL	02067
DISPLAY 13 - PP DRAIN AQUA FLAT BLACK ALUMINIUM + GLASS PROFILE BRUSHED STEEL	02068
DISPLAY 14 - SHELF FOR 2 FLAT COVER AND 1 DESIGN COVER OF YOUR CHOICE (covers not included to be ordered separately)	02069
DISPLAY 15 - SHELF FOR 3 FLAT COVER OF YOUR CHOICE (covers not included to be ordered separately)	02070
DISPLAY 16 - Q DRAIN CLASSIC POLISHED STEEL + TILE	02071



display unit 1
CPGV + CPQV + UM 35



display unit 2
CPNV - CPCV/30



display unit 3
SNG + SIR + SGI +
SIS + SP - 76



display unit 4
GIN + ILN + ZQIN



display unit 5
ZQVN Trend
Color Stone



display unit 6
Slim Drain +
Glass Profile



display unit 7
Smart Drain



display unit 8
Thin Drain



display unit 9
case for sample boards




display unit 10
8605 - 8608



display unit 11
PP level DUO MAXI



display unit 7/A
shelf only




display unit 12
PP Drain Aqua Classic Cover + Glass Profile



display unit 13
PP Drain Aqua Flat Cover + Glass Profile



display unit 14
Flat Cover + Design Cover



display unit 15
Flat Cover



display unit 16
Q Drain Classic + Tile



black totem for sample boards dim. cm 55x55x200 h	02034
white totem for sample boards dim. cm 55x55x200 h.	02035



counter display for 4 sample boards	00273
-------------------------------------	-------



Exhibition panels divided for different application categories.

sampleboard 1	PROLIST decorative listellos and profiles	02015
sampleboard 2	external corners profiles PROTRIM	02016
sampleboard 3	external corners profiles PROANGLE Q	02017
sampleboard 4	external corners profiles PROCORNER internal corners profiles PROROUND	02018
sampleboard 5	profiles for small gaps	02019
sampleboard 6	profiles for floors of same height	02020
sampleboard 7	profiles for floors of different height	02021
sampleboard 8	profiles for LVT floors	02022
sampleboard 9	Expansion joints PROJOINT	02023
sampleboard 10	profiles for balconies and terraces PROTEC	02024
sampleboard 11	stair nosing profiles	02025
sampleboard 12/A	Unisystem plus	02065
sampleboard 12/B	prestowood - pvc line	02066
sampleboard 13/A	METAL LINE 89-90-790	02057
sampleboard 13/B	METAL LINE 87-88-92-93-95-97-98-100	02058
sampleboard 14	Trend Color	02028
sampleboard 17	PVC Line skirting boards	02078



black counter display Trend Color Proangle Q	00193
black counter display Trend Color Proangle	00219
black counter display Proangle Q	00166



cylinder wall profiles	00103
cylinder floor profiles	00104
cylinder small gaps profiles	00114
cylinder proangle Q	00115
cylinder unisystem	00080
cylinder proline	00127
cylinder LVT	00142
cylinder proligh	00143



	sample DJKC/10	00134
	sample DJKC/10	00135
	sample UKC/10	00136
	sample DJKGC/10	00137
	sample UKGC/10	00138



brochure trend color IT/EN	00282
----------------------------	-------



brochure Mapei Color IT/EN	00289
----------------------------	-------

brochure profiles for balconies and terraces IT/EN	00279
--	-------

brochure promat IT/EN	00305
-----------------------	-------



sample box PROMAT	00349
-------------------	-------



sample box PROANGLE Q	00351
-----------------------	-------

sample box TREND COLOR	00353
------------------------	-------



counter display pp drain aqua - classic cover dim. cm 70x32x30 H. (60 cm cover not included, to be ordered separately)	02072
counter display pp drain aqua - flat cover or invisible cover dim. cm 70x32x30 H. (60 cm cover not included, to be ordered separately)	02073
counter display pp drain aqua - design cover dim. cm 70x32x30 H. (60 cm cover not included, to be ordered separately)	02074



counter display pp drain aqua - classic cover dim. cm 70x32x30 H. (60 cm linear drain and cover not included, to be ordered separately)	02075
counter display pp drain aqua - flat cover or invisible cover dim. cm 70x32x30 H. (60 cm linear drain and cover not included, to be ordered separately)	02076
counter display pp drain aqua - design cover dim. cm 70x32x30 H. (60 cm linear drain and cover not included, to be ordered separately)	02077

sample case PP Drain AQUA	02079
---------------------------	-------



brochure pp drain aqua IT/EN	00295
------------------------------	-------



sample of glass profile in brushed stainless steel	00072
sample of glass profile in matt black colour-coated stainless steel	00078



counter display glass profile - brushed stainless steel	00311
counter display glass profile - matt black colour-coated stainless steel	00315



brochure glass profile IT/EN	00194
------------------------------	-------



PDS bunch



metal line bunch



ZV Mapei Color bunch



ZV Trend Color bunch



pvc skirting board bunch



bunch ZQP



bunch RPA



profiles for balconies bunch



bunch RE



bunch REC



black & white bunch



Prestowood bunch



IPV Trend Color Stone bunch



DIY bunch



sandblast stainless steel bunch



chromium-plated brass bunch



antibacterial profiles bunch

PDS bunch	00020
metal line bunch	00119
PVC skirting board bunch	00085
profiles for balconies bunch	00117
ZQP bunch	00027
RPA bunch	00050
RE bunch	00011
REC bunch	00049
RECO bunch	00133
DIY bunch	00128
chromium-plated brass bunch	00130
sandblast stainless steel profiles bunch	00132
bunch pvc stair nosing	00084
bunch antibacterial profiles	00147
bunch black & white	00033
bunch ZV Trend Color	00023
bunch IPV Trend Color Stone	00037
bunch Prestowood	00039
bunch PVC LINE 8181	00018
mix bunch (GHF)	00146
bunch ZV Mapei Color	00008



ES/7 polished white + 11 dividers	11594
ES/7 black + 11 dividers	11596
Dimensions: width cm 96 - depth cm 50 - height cm 270	
Rack display stand for profiles and skirting boards up to 270 cm long.	
11 width-adjustable dividers.	
ACCESSORIES:	
A) DIVIDER - polished white	11597
DIVIDER - black	11598
B) LATERAL GRILL - polished white	11519
LATERAL GRILL - black	11521
For attaching trays and/or hooks for accessories.	
C) Set of 4 TRAYS for lateral grill - polished white	11528
Set of 4 TRAYS for lateral grill - black	11531
D) Set of 10 HOOKS for lateral grill - polished white	11534
Set of 10 HOOKS for lateral grill - black	11535
DISPLAY STAND BOARDS:	
board about profiles for ceramic tiles	11522
board about profiles for wood, laminate, LVT	11532
board about Mapei Color profiles	11523



ES/7 polished white + 11 dividers



polished white divider




polished white tray for lateral grill




polished white lateral grill for attaching trays and/or hooks for accessories



polished white hooks for lateral grill




board about profiles for ceramic tiles



board about profiles for wood, laminate, LVT



board about Mapei Color profiles



ES/6

11506

dimensions: width cm 96 - depth cm 28 - height cm 84

MATERIALS AND CHARACTERISTICS

The following information summarize the main characteristics of the materials. Further information are available upon request of the product specifications.

NATURAL ALUMINIUM

Alloy of Al-Mg-Si thermically treated in conditions T6 (6060 T6) The profiles are produced by extrusion and guarantee a fair resistance to atmospheric and chemical agents. The cement and its derivatives produce, if wet, alkaline substances that, acting on the surface, can corrode the metal (formation of hydroxide of aluminium). For that reason, the visible surface of the profile must be immediately cleaned from cement, glue and other materials used for joints.

ANODISED ALUMINIUM

Alloy of Al-Mg-Si thermically treated in conditions T6 (6060 T6) The profiles are produced by extrusion and then anodised. They have a good resistance to atmospheric and chemical agents. The cement and its derivatives produce, if wet, alkaline substances that, acting on the surface, can corrode the metal (formation of hydroxide of aluminium). For that reason, the visible surface of the profile must be immediately and gently cleaned from cement, glue and other materials used for joints. Wear and pedestrian traffic could damage the surface (in cases of profiles laid on the floor) and remove the original anodised finish.

BRIGHT ALUMINIUM

Alloy of Al-Mg-Si thermically treated in conditions T6 (6463 T6) The profiles are produced by extrusion and then mechanically treated and processed. They guarantee a fair resistance to atmospheric and chemical agents. The cement and its derivatives produce, if wet, alkaline substances that, acting on the surface, can corrode the metal (formation of hydroxide of aluminium). For that reason, the visible surface of the profile must be immediately and gently cleaned from cement, glue and other materials used for joints. Polished aluminium profiles are not suitable for floor applications.

COLOUR - COATED ALUMINIUM

Alloy of Al-Mg-Si thermically treated in conditions T6 (6060 T6) The profiles are made by extrusion and then coated with a thickness of $\geq 65 \mu\text{m}$. They have a fair resistance to atmospheric and chemical agents while they do not have a good resistance to mechanical stresses that would damage the surface enamel; therefore they are not recommended for floor applications. For that reason, the visible surface of the profile must be immediately and gently cleaned from cement, glue and other materials used for joints.

ALUMINIUM COVERED WITH ALCROM® PLUS

Alloy of Al-Mg-Si thermically treated in conditions T6 (6060 T6) The profiles are produced by extrusion in natural alloy. The wood decoration is obtained by foiling the aluminium profiles with a special film Alcrom® Plus, resistant to wear, perfectly reproducing grains and colours of wood.

NATURAL BRASS

Alloy CW624N UNI EN 12167 The profiles are produced by extrusion. They have a good resistance to chemical agents and mechanical stresses. On the visible parts the brass naturally oxidizes that creates a superficial glaze. The brass, when exposed to corrosive agents or high humidity, is subject to phenomena of high oxidation and can present superficial spots. Where necessary, it can be restored to its original state by using abrasives or specific polishing

products. The profiles can also be made by cold profiling of metal sheets of constant thickness (alloy CW508L EN 1652).

POLISHED BRASS

Alloy CW624N UNI EN 12167 The profiles are produced by extrusion and then mechanically polished. The visible surface must be protected from scratches and frictions. The resistance to chemical agents and mechanical stresses is good. On the visible parts the brass naturally oxidizes that creates a superficial glaze. The brass, when exposed to corrosive agents or high humidity, is subject to phenomena of high oxidation and can present superficial spots. Where necessary, it can be restored to its original state by using abrasives or specific polishing products. The profiles can also be made by cold profiling of metal sheets of constant thickness (alloy CW508L EN 1652).

CHROMIUM - PLATED BRASS

Alloy CW624N UNI EN 12167 The profiles are produced by extrusion and then chromed. They are resistant to ultraviolet rays, weathering and chemical agents. They are not suitable for applications in floors with intense mechanical stresses.

STAINLESS STEEL - AISI 430 - DIN 1.4016

This kind of stainless steel has a moderate resistance to corrosive agents. We recommend its use exclusively for indoor use.

STAINLESS STEEL - AISI 304 - DIN 1.4301 V2A

It is extremely resistant to most chemical and atmospheric agents, lime, mortar, tile glue and common cleaning products. It is recommended for outdoor use, food processing industry, hospitals, etc.

STAINLESS STEEL - AISI 316 - DIN 1.4401 V4A

It is extremely resistant to most chemical and atmospheric agents, lime, mortar, tile glue and common cleaning products. Moreover it has a good resistance to chlorine and salt. Particularly indicated in extreme conditions of use.

COLOUR-COATED STAINLESS STEEL - AISI 304 - DIN 1.4301

The profiles are made of brushed stainless steel and then coated with a thickness of $\geq 65 \mu\text{m}$. They present a relatively good resistance to chemical and atmospheric agents but not to mechanical stress which damages the surface coating. Concrete, adhesive, grouting materials and detergents must be immediately removed from the visible surface of the profile.

STAINLESS STEEL PROFILES INSTALLATION - WARNINGS:

even stainless steel can be damaged if not treated with proper precautions during the laying stages. In particular, pay attention to: keeping the profiles protected inside their individual packaging up until the installation. (this precaution allows to avoid the contamination with other ferrous materials during the transport). Avoiding the direct contact with cleaning products for cotto tiles and marble, decalcifying agents and cleansers containing chlorine and its compounds. Pay attention to the gases of hydrochloric acid which may develop during the cleansing of special floors. After the laying, proceed immediately with an accurate cleaning of the surface with plenty of water and the consequent drying.

STAINLESS STEEL PROFILES MAINTENANCE:

the frequent cleaning is essential to preserve the beauty of stainless steel profiles surfaces. Pay close attention to the treatment of the profiles' surface during the installation. Immediately after installation, clean by rinsing the surfaces accurately. Avoid the use of abrasive products that may scratch the profile. Do not use cleansers containing chlorine and its compounds, such as bleach, muriatic acid, decalcifying agents. Do not use abrasive sponges or

wire wools that may scratch the surface or leave rust stains.

Rigid PVC

Vinyl compound of rigid PVC unleaded, anti shock, self-extinguishing. Mixture eco-friendly with Ca-Zn salts.

Plasticized PVC

Vinyl compound of plasticized PVC unleaded, self-extinguishing. Mixture eco-friendly with Ca-Zn salts.

Foam PVC

Vinyl compound of plasticized PVC unleaded, self-extinguishing. Mixture eco-friendly with Ca-Zn salts.

Co-extruded PVC - Foam/Rigid

Vinyl compound of plasticized PVC unleaded, self-extinguishing. Mixture eco-friendly with Ca-Zn salts.
Vinyl compound of rigid PVC unleaded, anti shock, self-extinguishing. Mixture eco-friendly with Ca-Zn salts.

Co-extruded PVC - Rigid/Rigid

Vinyl compound of rigid PVC unleaded, anti-shock, self-extinguishing. Mixture eco-friendly with Ca-Zn salts.

Co-extruded PVC - Plasticized/Plasticized

Vinyl compound of plasticized PVC unleaded, self-extinguishing. Mixture eco-friendly with Ca-Zn salts.

Co-extruded PVC - Rigid/Plasticized

Vinyl compound of rigid PVC unleaded, anti-shock, self-extinguishing. Mixture eco-friendly with Ca-Zn salts. Vinyl compound of plasticized PVC unleaded, self-extinguishing. Mixture eco-friendly with Ca-Zn salts.

Co-extruded PVC - Rigid/Plasticized anti-mould

Vinyl compound of rigid PVC unleaded, anti-shock, self-extinguishing. Mixture eco-friendly with Ca-Zn salts. Vinyl compound of plasticized PVC unleaded, self-extinguishing, addicted with biocide. Mixture eco-friendly with Ca-Zn salts.

Co-extruded PVC - Foam/Plasticized

Vinyl compound of foam PVC unleaded, self-extinguishing. Mixture eco-friendly with Ca-Zn salts. Vinyl compound of plasticized PVC unleaded, self-extinguishing. Mixture eco-friendly with Ca-Zn salts.

ADVICES FOR CLEANING AND MAINTENANCE

MATERIAL	FINISHING	CLEANING AFTER LAYING	MAINTENANCE
aluminium	anodised	Use of acid based cleaners and not alkaline	exclusive use of neutral cleaning products
aluminium	bril. polished	Use of acid based cleaners and not alkaline	exclusive use of neutral cleaning products
aluminium	bright polished copper	Use of acid based cleaners and not alkaline	exclusive use of neutral cleaning products
aluminium	bright polished titanium	Use of acid based cleaners and not alkaline	exclusive use of neutral cleaning products
aluminium	bright polished gold	Use of acid based cleaners and not alkaline	Exclusive use of neutral cleaning products
aluminium	color-coated	Use of acid based cleaners	use neutral or alkaline detergents
aluminium	bright brushed	Use of acid based cleaners and not alkaline	exclusive use of neutral cleaning products
aluminium	covered with Alcom Plus	Use of acid based cleaners	Exclusive use of neutral cleaning products
stainless steel	polished	Use of acid based cleaners without chlorine	use neutral or alkaline detergents
stainless steel	AISI 316	Use of acid based cleaners	exclusive use of neutral cleaning products
stainless steel	sandblast	Use of acid based cleaners only neutral	use neutral or alkaline detergents
stainless steel	brushed	Use of acid based cleaners without chlorine	use neutral or alkaline detergents

stainless steel	colour-coated	Use of buffered acid based cleaners	use neutral or alkaline detergents
brass	natural	Use of acid based cleaners only neutral	exclusive use of neutral cleaning products
brass	polished	Use of acid based cleaners only neutral	exclusive use of neutral cleaning products
brass	chromium - plated	Use of acid based cleaners	use neutral or alkaline detergents
PVC		Use of acid based cleaners and not alkaline	exclusive use of neutral cleaning products

PROFILES CHARACTERISTICS AND PACKAGING

SELF-ADHESIVE PROFILES

Self-adhesive profiles are made of non-toxic, non-flammable and solvent free hot-melt glues. Although these products are non-flammable, it is recommended not to expose them to naked flames. Product preservation is guaranteed when stored in "normal" climatic conditions.

Glue deteriorates at temperatures over +60°C and crystallizes at temperatures below -15°C. During the application, the temperature of self- adhesive profiles and the ambient temperature where profiles have to be laid should not be below +10°C.

Important: self-adhesive profiles cannot be applied outdoors or on porous surfaces, textile flooring or PVC coverings.

DRILLED PROFILES

Screw-mounted profiles are drilled according to the model and the material at issue, so that to lodge 3 mm or 3,5 mm screws, either flat-head or round- head ones.

PACKAGING

The  means blister packaging.

"Individually packed" means that the packaging is made for the single profile with a protective heat shrink film.

MEASURES - TOLERANCES - REFERENCES NORMS - CERTIFICATION ON PRODUCT

Please note that the information and the drawings in the present catalogue are not binding.

The data about measures, such as length, thickness and width refer to nominal measures.

Any relevant standards and certifications are indicated in the technical data sheet.

The material must be installed and maintained in accordance with the technical data sheet and the installation and maintenance instructions provided by Profilpas.

DIRECTIONS

All profiles must be handled with care, taking care to use suitable gloves to prevent injury and/or cuts to the hands.

The resistance to chemical products depends on their degree of chemical aggressiveness and therefore it is necessary to make sure in advance of the effects that products used for profile laying, cleaning and maintenance can produce. In particular lime, mortar or tile glue cause strains on the visible surface of profiles. Therefore it is necessary to clean these parts immediately after the laying of the profiles. Please note that in the present catalogue, due to the printing, the colour shades can be slightly different from the real ones.

A.E.E. register no. IT2503000016972

BATTERIES and ACCUMULATORS register no. IT25030P00010402

GENERAL CONDITIONS OF SALE

These General Conditions shall govern all sales contracts executed between Profilpas S.p.A. and the Buyer and shall prevail on all the Buyer's general or individual purchasing conditions. Any derogation to these General Conditions shall be binding on Profilpas only if accepted in writing by the latter.

These General Conditions are understood to be fully known and accepted by the Buyer as they are an integral part of the order confirmations issued by Profilpas; any exceptions must be agreed in writing under penalty of nullity.

1. Prices

The prices shown in Profilpas' price list are in Euros per meter and per piece, depending on the type of product; invoicing is done on a per piece-basis with the discounts applied in accordance with the ordered quantities or upon written agreement with Profilpas. Prices do not include additional taxes or customs duties. Profilpas expressly reserves the right to modify the prices at any time without prior notice, depending on fluctuations in the costs of raw materials, energy and production.

2. Orders

The required minimum order is fixed at the net amount of Euro 500,00. Purchase orders must be submitted in writing. Orders will only be deemed accepted and binding on Profilpas upon the sending of the corresponding order confirmation by the same Profilpas. For orders concerning customised products - i.e. products not included in the catalogue and/or made to the Buyer's specific request - the Buyer accepts a quantity tolerance of +/- 10% with respect to the quantity ordered.

Orders submitted by the Buyer shall be deemed irrevocable for a period of 90 days and shall become binding on Profilpas only upon issuance of the relevant order confirmation.

Should Profilpas proceed with the execution of the order, the sale shall be governed exclusively by these general terms and conditions of sale. If the order confirmation contains amendments to the original order, such amendments will be deemed tacitly accepted by the Buyer after 5 days from receipt of the order confirmation unless the Buyer notifies its disagreement in writing within the above-mentioned term.

3. Transport and delivery terms

Deliveries shall be made according to the Incoterms indicated in the order confirmation. The products shall always be transported at the Buyer's risk regardless to the Incoterms indicated in the order confirmation, and any reimbursements for damages shall be claimed by the Buyer to the carrier in accordance with the relevant agreements and clauses contained in the stipulated insurance policies.

Shipping dates indicated in the order confirmation are estimated and not guaranteed. In the event of a delay in delivery, the Buyer shall not have the right to terminate the sales agreement and/or claim compensation for any direct, indirect or consequential damages, unless there is evidence of Profilpas's willful misconduct or gross negligence.

Profilpas shall not be held liable in any way for delays or failure to perform its obligations due to force majeure events, including but not limited to natural disasters, fires, strikes, wars, pandemics, transportation disruptions, measures imposed by competent authorities, or any other unforeseeable event beyond its control. In such cases, the delivery and/or performance deadlines shall be suspended for the duration of the impediment.

4. Packaging

Prices include Profilpas standard packaging. Any sea shipment packaging or any other special packaging requested by the Buyer will be charged at cost. Profilpas's catalogue indicates which products have partial packaging.

5. Terms of payment

All payments must be made in accordance with the agreed payment terms; the relevant amounts must be transferred to the bank account indicated by Profilpas. In the event of a delay in payment, whether total or partial, the Buyer shall be required to pay interest on all outstanding amounts, calculated in accordance with art. 5 of Italian Legislative Decree no. 231/2002 as amended. Any delay or non-payment of sums owed by the Buyer to Profilpas entitles Profilpas to suspend the preparation and delivery of products ordered and of any other order in progress.

If the Buyer fails to perform its obligations over a prolonged period, Profilpas may terminate any existing contract with immediate effect, without prejudice to any further action to recover credit or claim compensation for damages.

6. Claims

Any complaints relating to the condition of the packaging, the quantity, the number or the external characteristics of the products must, under penalty of forfeiture, be lodged with the carrier upon receipt of the products by means of a note on the transport document and notified to Profilpas in writing within 8 days of the delivery date. If no written complaint is lodged with the carrier at the time of delivery Profilpas will not accept any returns or replacements of the delivered products. Returns will only be accepted upon Profilpas's prior written consent and always at the Buyer's expense. Profilpas shall not be responsible for any damages to the products that are consequential or subsequent to their installation.

Complaints relating to hidden defects that could not be detected by a thorough inspection at the time of delivery must be reported to Profilpas within 8 days of the defect's discovery and no later than 12 months from the delivery date. Such notification must be sent via registered mail with return receipt and e-mail.

Under no circumstances shall filing complaints or disputes entitle the Buyer to suspend or delay payments due to Profilpas, regardless of whether such payments relate to the disputed products.

7. Retention of title (article 1523 of the Italian Civil Code)

The products shall remain the property of Profilpas until full payment has been received. In the event of non-compliance or partial compliance with the agreed payment terms Profilpas, without prejudice to any other rights or claims, shall be entitled to recover the supplied products. Until ownership is transferred, the Buyer is responsible for the custody of the products, with the diligence of a good custodian, and shall be liable for any damage, loss or deterioration of the products due to poor storage or negligence.

8. Warranty and defects

Profilpas products are intended for professional use and should therefore be installed by qualified and experienced personnel. Any reference to "do-it-yourself" in the catalog is meant only to highlight the ease and speed of installation of the products without altering their professional nature.

Profilpas guarantees that its products are free from defects in material and workmanship for a period of 12 months from the delivery date, provided that they have been promptly notified in accordance with the provisions of the paragraph "Claims".

Should Profilpas acknowledge the existence of the claimed defects, Profilpas's warranty shall be limited, at its discretion, to either: i) the replacement of the defective products, free of charge at Profilpas's premises according to the Incoterms indicated in the order confirmation and within the normal time required therefor, or ii) to the issue of a credit note for the amount of the defective products.

ANY OTHER WARRANTIES, LEGAL OR CONVENTIONAL, AND ANY CLAIMS FOR FURTHER DIRECT, INDIRECT OR CONSEQUENTIAL DAMAGES WHETHER SUSTAINED BY THE BUYER OR THIRD PARTIES, ARE EXPRESSLY EXCLUDED EXCEPT IN CASE OF INTENT, GROSS NEGLIGENCE OR MANDATORY LEGAL REQUIREMENTS.

Profilpas does not guarantee that the products comply with any particular specifications, technical characteristics or suitability for any particular or special uses unless such characteristics are expressly agreed upon in the sales contract.

Profilpas shall not be liable for damages to the products due to inadequate storage, damage resulting from or subsequent to their installation, nor for damage that the Buyer, or third parties having cause from the latter, claim to have suffered following the use of the products except in the case of fraud or gross negligence by Profilpas or in cases of non-derogability provided for by law.

The Buyer expressly waives its right of recourse according to article 134 of the Italian Consumer Code.

9. Industrial and intellectual property

All brands, distinctive signs, designs and product photographs are the property of Profilpas and may not be used without the prior written authorization of Profilpas.

10. Privacy

The parties undertake to comply with the laws on protection and processing of personal data that may apply to the relationships between the parties pursuant to the sales contracts executed, including EU Regulation 2016/679 "General Data Protection Regulation" or "GDPR". The parties also assume the qualification of "data controller" in relation to the personal data acquired in the performance of the agreement.

11. Applicable law and jurisdiction

Sales of Profilpas products are governed by Italian law. Any dispute arising from the interpretation, performance or termination of the sale contracts shall be submitted to the exclusive jurisdiction of the courts of Milan – Italy.

According to Art. 1341 and 1342 of the Italian Civil Code, the Buyer expressly accepts the provisions of Art. 3 (Delivery terms), 5 (Terms of payment), 6 (Claims), 7 (Retention of title), 8 (Warranty and defects) and 11 (Applicable law and jurisdiction).

The Buyer



020/	108
023/	111
024/	111
026/	109
030/	111
040/	111
050/	137
060/	137
076/	46
080/	137
0100/	137
6/	123
10/	123
19/	110
21/	107
22/A	110 - 184 - 185
25/	110
30/	107
35/	107
41/	107
45/	118
46/	123
50/A	184 - 185
54/	123
55/	120
57/	120
58/	160 - 186
61/	120
63/A	184 - 185
70/	161
71/	161
72/	164
73/	160 - 186
74/	160 - 186
75/F	159 - 192
76/	162
78/	165
79/	164
80/	163
87/	160
87/6	216 - 246
88/6	216 - 246
88/16SF	216
88/16L/A	216 - 246
88/6E	216 - 246
89/	212 - 213
89/ EI	212 - 213
89/ TM	212
89/ TMEI	212

89/6L	213 - 247
89/6EI	213 - 247
89/613	214
89/613EI	214
89H/	212
89H/ EI	212
90/ A	205 - 208
90/ BSF	205 - 208
90/ E	209
90/ G	209
90/ I	209
90/ MI	209
90/ ME	209
90/ MG	209
90/ MP	209
90/ P	209
90/ SF	205 - 208
90/ SSF	205 - 208
90/ TMSF	205 - 208
90H/6ME	209
90H/6MG	209
90H/6MI	209
90H/6MP	209
90H/6SF	209
92/7	211
93/	211
94/7SF	219
95/ E	219
95/ G	219
95/ I	219
95/ P	219
95/ SF	219
97/4E	221
97/4G	221
97/4I	221
97/4P	221
97/4SF	221
97/7E	222
97/7G	222
97/7I	222
97/7P	222
97/7SF	222
97/8E	223
97/8G	223
97/8I	223
97/8P	223
97/8SF	223
98/7E	220
98/7G	220

98/7I	220
98/7P	220
98/7SF	220
99/M	106
99/R/	106
99/T/	104 - 191 - 203
99/TR/26	104 - 191
100/	218
101/74	218
105/7	215
105/7E	215
105/7G	215
105/7I	215
105/7P	215
105/CB	215
110/	162
111/ /F	159 - 192
124/	162
125/	164
126/	163
126/L/F	244
126/LP/DX	244
126/LP/SX	244
130/	161
148/B	236
148/C	236
150	166
150/	170
151	166
151/11	170
152	166
154	167
155	167
155/16	170
156	167
161/11	171
163/	170
168/16	171
169	237
169/	171
170	237
170/	171
171	237
171/11	171
172	236
173	236
174/	171
175/11	171
177/16	171



178/16	171
210/	44
210H/A	44
220/	44
277/	44
300/	122
311/	121
312/	121
370/	160
373/	160
380/8	103
399/10	106
399/M	106
399/R/	106
399/T/	105 - 191
399/TC/	105 - 191
399/U	103
419/	110
422/AD	110 - 184 - 185
425/	110
430/	107
441/	107
450/AD	184 - 185
455/	120
457/	120
461/	120
470/	161
473/	160
474/	160
476/	162
487/	160
499/T	104
700/	122
701/	122
711/	121
712/	121
720/	108
722/	108
723/	111
724/	111
726/	109
729/	109
730/	111
732/SF/	122
740/	111
750/	137
760/	137
774/	45
775/	45

776/	45
777/	45
779/SF	45
780/	137
790/ ME	210
790/ MES	210
790/ MG	210
790/ MGS	210
790/ MI	210
790/ MIS	210
790/ MP	210
790/ MPS	210
790/ SF	210
799/	103
799/T/	105
799/TS/	105
799/U/	103
4020/	108
4026/	109
4030/	111
4050/	137
4060/	137
4080/	137
4150/11/S	170
4170/ /S	171
4300/	122
4311/	121
4312/	121
4399/R/10	106
4399/T	105
4701/	122
4711/	121
4712/	121
4720/	108
4722/	108
4726/	109
4729/	109
4730/	111
4750/	137
4760/	137
4780/	137
4799/T	105
4799/TS	105
7100/	137
8181	231
8580	232
8582	232
8596	232
8598	232

8600	231
8602	233
8602/C	221 - 233 - 234 - 235
8602/E	233
8602/I	233
8602/P dx/sx	233
8603	234
8603/E	234
8603/G	234
8603/I	234
8603/P dx/sx	234
8605	226
8606	226
8607	235
8607/E	235
8607/G	235
8607/I	235
8607/P dx/sx	235
8608	227
8608/C	211 - 227 - 229
8610	47
8611	47
8612/10	230
8613	229
8614	230
8615	228
8616	228
30052	262
AF/1	53 - 217
AI/	30 - 98 - 193
AI/ /E	30
AIF/	100 - 202
AIL/	30
AIP/	30
AIS/	30 - 98
AIS/ /E	30
AIX/	30 - 98
AL/120/24	248
AL/150/24	248
AL/60/24	248
AL/90/24	248
AX/2/	43
BH/20	95
BH/20/A	95
BI/40	65
BI/40/A	65
BL/	64
BLA/	64
BLAH/	64



BP/20	95
BP/20/A	95
BP/22	94
BP/25	94
BPK/20	95
BPK/25	94
BPT/20	95
BPT/22	94
BPT/25	94
C/10/SF	178
C/13/SF	178
C/22/SF	178
C/4	182
C/7/SF	176 - 177
CE/10/100	248
CE/10/20	248
CE/5/20	248
CLA/	241
CLA/8A	241
CLA/8P	241
CN28	260
CPBV/	149
CPBV/ /E	149
CPBV/ /G	149
CPCI/55/	140
CPCI/55/ /E	141
CPCI/55/ /G	141
CPCI/75/	140
CPCI/75/ /E	141
CPCI/75/ /G	141
CPCI/95/	140
CPCI/95/ /E	141
CPCI/95/ /G	141
CPCV/30/	142
CPCV/30/ /E	142
CPCV/30/ /G	142
CPCV/55/	140
CPCV/55/ /E	141
CPCV/55/ /G	141
CPCV/75/	140
CPCV/75/ /E	141
CPCV/75/ /G	141
CPCV/95/	140
CPCV/95/ /E	141
CPCV/95/ /G	141
CPCVD/30/	143
CPCVD/30/ /E	143

CPCVD/30/ /G	143
CPCVF/55/	140
CPEI/45/	146
CPEI/45/ /E	147
CPEI/45/ /G	147
CPEV/45/	146
CPEV/45/ /E	147
CPEV/45/ /G	147
CPEV/72/	146
CPEV/72/ /E	147
CPEV/72/ /G	147
CPGV/55/	144
CPGV/55/ /E	144
CPGV/55/ /G	144
CPGV/N/ /G	144
CPHA/	150
CPHV/	150
CPHA/ /E	150
CPHV/ /E	150
CPLB	151
CPLB/2	151
CPLV/	151
CPLV/ /E	151
CPLV/ /G	151
CPNV/45/	148
CPNV/45/ /E	148
CPNV/45/ /G	148
CPNVF/45/	148
CPQV/50/	145
CPQV/50/ /E	145
CPQV/50/G	145
CPQV/70/	145
CPQV/70/ /E	145
CPQV/70/G	145
D/4461/K	261
D/4471/K	261
DC1	260
DC10	260
DC2	260
DC3	260
DC4	260
DC5	260
DC7	260
DCE4	260
DI/	101
DIMM/02	248
DJA/	101

DJA/ /EI	101
DJAF/	101 - 203
DJG/	101
DJG/ /EI	101
DJK/	101
DJK/ /EI	101
DJKC/10	54
DJKG/10	55
DJKG/10	55
DJN/	101
DJN/ /EI	101
DJNF/	101 - 203
DT1	260
DT10	260
DT2	260
DT3	260
DT4	260
DT5	260
DT7	260
FIX/J/30	189
FIX/J/44	188
FIX/L/32	189
FIX/L/55	188
FIX/T/19	189
FIX/T/33	188
FLM/C	258
FLM/S	258
FMA/	42
FMAC/	42
FMAE/	42
FMAI/	42
FMB/	42
FMBC/	42
FMBE/	42
FMBI/	42
FMI/	42
FMIC/	42
FMICS/	42
FMIE/	42
FMIES/	42
FMII/	42
FMIIS/	42
FMIS/	42
G/2/SF	180
G/4/SF	181
G/40/	136
G/460/	136



G/60/	136
G/705/F	192
G/80/	136
G/9/F	243
G/9P/DX	243
G/9P/SX	243
GA/	58 - 194
GAN/	59
GBL/ /C	64
GBL/ /E	64
GBL/ /I	64
GBL/ /T	64
GF/	159
GG/2	86
GG/3	86
GG/4	86
GIC/	62
GIN/	60
GIN/ /SA	60
GINS/	60
GINS/ /SA	60
GINX/	60
GINX/ /SA	60
GJA/	135
GJF/	135
GJS/10	135
GM12/L	129
GM/10	129
GM/72	164
GM/78	165
GM/I	128
GM/R	164
GMP/I	128
GMR/44	163 - 244
GP/	61
GPS/6	86 - 87
GPS1/ /19	86
GPS14/12	87
GPS2/	87
GPS3/ /10	88 - 89
GPS3/ /11	88 - 89
GPS3/ /12	88 - 89
GPS4/ /10	90 - 91
GPS4/ /11	90 - 91
GPS4/ /12	90 - 91
GPS5/10/	92
GPS5/11/	92

GPS5/12/	92
GPU/	61
GR/80/	136
GTA/E	58
GTA/I	58
GTIN/C	60 - 62
GTIN/E	60 - 62
GTIN/G	60 - 62
GTIN/I	60 - 62
GTIN/T	60 - 62
GTINS/C	60
GTINS/E	60
GTINS/G	60
GTINS/I	60
GTINS/T	60
GTINX/C	60
GTINX/E	60
GTINX/G	60
GTINX/I	60
GTINX/T	60
GTL/C	65
GTL/E	65
GTL/I	65
GTL/T	65
GTP/C	59 - 61
GTP/E	59 - 61
GTP/I	59 - 61
GTP/T	59 - 61
GTV/E	58
GTV/I	58
GU/30/	93
GU/40/	93
GV/	58
GVNH/	59
GWA/	135
H/5/F	191
IL/	48
ILN/	48
ILNS/	48
ILNX/	48
IP/40	46
IPA/	33 - 155
IPB/	33 - 155
IPI/	33 - 155
IPV/	33
IR/C04	248
IR/W3	248

JGA/	194
K10	261
KLM/10	258 - 259
KLM/15	258 - 259
KLM/20	258 - 259
KLM/30	258 - 259
KLM/50	258 - 259
KLMN/C	259
KLM/T10	258 - 259
KLM/T15	258 - 259
KLM/T20	258 - 259
KLM/T30	258 - 259
KLM/X10	258 - 259
KLM/X15	258 - 259
KLM/X20	258 - 259
KLM/X30	258 - 259
L5/NW/65NT	248
L5/NW/67	248
L5/NW/67NT	248
L5/WW/67	248
LA/I/	52
LA/IS/	52
LB/A	52
LB/B/	52
LDA/	52
LDAD	53
LDAG/	52
LDB/	52
LDRS/	52
LDS/	52
LDTM/	52
LDV/	52
LLA/20	240
LLA/20P	240
LLA/20/10	240
LLA/30	240
LLA/30P	240
LLB/30	240
LLB/30P	240
LQL/2	245
MIN/	43 - 119
MS 45 - MS 55	95 - 205 - 208 - 210 - 218 - 236 - 261
NAN/	128
NE/	126
NF/	127
NIL/	129
NIN/	129



NJ/	126
NL/	127
NPAN/	128
NTA/	130
NTI/	130
NTO/	130
NZA/	131 - 190
NZS/	131
NZS/A/40	131
NZS/B/	116
NZS/L/	131
NZS/S1	116
NZS/S2	116
PA/	117
PAS/	133
POLISHING PASTE	261
PBA/	118
PBA/5/A	190
PBAS/5/F	191
PBE/	132
PBH/	133
PFFE/	134
PHDE/	134
PI/	63
PIA/	63 - 194
PIN/	62
PLA/	119
PN/	117
PNI/	117
PNIS/	117
PP/	70
PP360/	70
PP50/	70
PPVG/120	75
PROFLEX MACHINE	262
PT/4	183
PT/4/SA	183
PT/6	183
PT/6/SA	183
PTC	257
PTC/3000	257
PTC1	257
PTC1/3000	257
PTC1A	257
PTC1A/3000	257
PTC2	257
PTC2/3000	257

PTC3	257
PTC3/3000	257
PTC4/1	257
PTC4/2	257
PTC4/3	257
PTC4/5	257
PTLN	257
PTWN	257
PTWN/1400	257
PV/	32
QDC/1010	83
QDCC/1010	83
QDI/1010	83
QDL/1010	83
RA/	34 - 193
RAS/	34
RB/	34
RC/ /F	187
RC/411/CV	187
RC/415/CV	187
RC/47/CV	187
RC/49/CV	187
RC/5/F	191
RCF/	187 - 204
RE/	40
REC/ /100	41
RECO/ /80	41
RI/	36 - 193
RIC/01	248
RIN/	37
RINS/	37
RINX/	37
RIP/	36
RIS/	36
RIX/	36
RKN/	38
RLN/	38
RPA/	39
RTM/	34
RV/	34
RVH/	34
S/15/SF	178
S/4	182
S/9/SF	176 - 177
S/95	211 - 219 - 220 - 222
S/97	223
SA/	158

SA/G	158
SAFETY-STEP	168 - 169
SAR/10/12	156
SAR/8/15	156
SB/	158
SB/G	158
SGA/	154
SGA/11L	243
SGA/11P	243
SGI/	154
SGK/	154
SGN/	154
SIR/10/12	156
SIR/8/15	156
SIRS/10/12	156
SIRS/8/15	156
SIS/	157
SIS/10/SF	157
SIX/	157
SKL/2	217 - 245
SLIM/	79
SLIM-I/	79
SM/	154
SMA/	154
SMART/	81
SMART3/	81
SMART-I/	81
SN/	155
SNG/	155
SP/	158
SS/4	261
SS/5	261
ST/7	130
STA/	130
STI/	130
TA/	35
TAS/	35
TATM/	35
TB/	35
TE/	40
TEI/	40
TEL/04	248
TGU/	93
THIN/	77
TIA/	35
TIAS/	35
TIB/	35



TIE/	36 - 38
TIEN/	37
TIENS/	37
TIENX/	37
TIEP/	36
TIES/	36
TIEX/	36
TII/	36 - 38
TIIN/	37
TIINS/	37
TIINX/	37
TIIP/	36
TIIS/	36
TIIX/	36
TIME/	37
TIMI/	37
TIV/	35
TLA/10/C1	241
TLA/10P/C1	241
TLB/10/C1	241
TLB/10P/C1	241
TOP/ /E	49
TOP/ /ETM	49
TOP/ /I	49
TOP/ /ITM	49
TOP/A/	49
TOP/TM/	49
TPAE/	39
TPAI/	39
TPC/410/CV	179
TPC/413/CV	179
TPC/47/CV	179
TPS/410/CV	179
TPS/413/CV	179
TPS/47/CV	179
TPU/	177 - 178 - 180 - 181
TPZ/410/CV	179
TPZ/413/CV	179
TPZ/47/CV	179
TU/6	177 - 178 - 180 - 181
TV/	35
UA/	102
UA/ /EI	102
UG/	102
UG/ /EI	102
UI/	102
UI/ /EI	102

UIS/	102
UIS/ /EI	102
UK/	102
UK/ /EI	102
UKC/10	54
UKG/10	55
UKGC/10	55
UN/	102
UN/ /EI	102
VITI	261
XLC/	81
XLC3/	81
XLCC/	81
XLL/	81
XPC/	71
XPD/	73
XPF/	72
XPI/	73
XSC/	79
XSCC/	79
XSL/	79
XTC/	77
XTCC/	77
XTL/	77
XTT/	77
Z/1/SF	176 - 177
Z/4	182
Z3/30/SF	178
ZA/	26 - 98 - 193
ZB/	26
ZBG/	99
ZBGF/	100 - 202
ZBS/	26
ZG/	98
ZGF/	100 - 192 - 202
ZK/	31 - 98
ZN/	98
ZNF/	100 - 202
ZQAGN/	18
ZQAGN/ /EI	19
ZQAL/10	242
ZQAL/10B	242
ZQAL/10P	242
ZQAN/	18 - 193
ZQAN/ /EI	19
ZQAND/	22
ZQAND/ /EI	22

ZQBN/	18
ZQBN/ /EI	19
ZQBRSN/	18
ZQBRSN/ /EI	19
ZQBSN/	18
ZQBSN/ /EI	19
ZQIM/ /EI	23
ZQIMP/ /EI	23
ZQIMS/ /EI	23
ZQIN/	23
ZQIN/ /EI	23
ZQINP/	23
ZQINP/ /EI	23
ZQINS/	23
ZQINS/ /EI	23
ZQINX/	23
ZQINX/ /EI	23
ZQKN/	24 - 193
ZQKN/ /EI	24
ZQLN/	24
ZQLN/ /EI	24
ZQP/	25
ZQP/ /EI	25
ZQTMN/	18
ZQTMN/ /EI	19
ZQVN/	18
ZQVN/ /EI	19
ZQVNH/	18
ZT/307/01	253
ZT/307/02	253
ZT/307/03	253
ZT/307/04	253
ZT/307/GN	253
ZT/307/MN	253
ZT/307/NA	253
ZT/307/R1	253
ZT/307/R2	253
ZT/307/SN	253
ZTM/	26
ZV/	26 - 27 - 28
ZV/ /EI	29
ZVH/	26



Profilpas S.p.A.

Registered office:

Viale E. Jenner, 4
20159 Milano (MI) Italy

Head office and plant:

Via Einstein, 38
35010 Cadoneghe (PD)

Customer Service Italy: +39 049 8878411

Customer Service Export: +39 049 8878412

Technical Support: assistentatecnica@profilpas.com

info@profilpas.com

profilpas.com

